Good morning Damon,

Please see below.

Thanks,
Kenneth

From: Hassan, Damon (FHWA) <Damon.Hassan@dot.gov>
Sent: Friday, September 5, 2025 3:08 PM
To: Nguyen, Kenneth (FHWA) <kenneth.nguyen@dot.gov>
Cc: Islam, Shahidul (FHWA) <Shahidul.Islam@dot.gov>
Subject: WV NP NERI 107(3) EFL Pavements question

Hello Kenneth,

I have some questions about the pavement structure for project WV NP NERI 107(3). Currently I am using the Pavement Report for project WV NP NERI 107(2). When we transitioned to FP-24, the SCR's changed for Tack Coat.

- Should I include SCR 412.07 for this project? No. In this context applying tack coat to the geotextile is not needed (since the geotextile is used as separation between the subgrade and aggregate base), so this SCR is not required.
- SCR 412.07 says to use nonwoven geotextile. The pavement report recommends using Geotextile, Class 2, Type E. Can you provide an updated FP-24 geotextile recommendation? The updated pay item should be as Separation Geotextile, Woven (20701-1000). FP-24 doesn't explicitly call out the different geotextile classes anymore.
- SCR 412.07 says to apply tack coat to the nonwoven geotextile. Does tack coat application onto the Geotextile need to be added to this project? No.

If you could provide answers to my questions as soon as possible it would be greatly appreciated. The 95% External Distribution meeting is on September 9, 2025, at 1PM.

Damon Hassan, P.E., PMP
Civil Engineer (Highway)
Highway Design
Eastern Federal Lands Highway Division
Federal Highway Administration
571-434-1560