

DATE	NO	DESCRIPTION
12/21/07		MECHANICAL/ELECTRICAL BID PACKAGE RELEASE
03/28/08		BALANCE OF REMAINING BID PACKAGES
08/20/08	29	AS1 #14 GYPSUM BOARD SOFFIT CLARIFICATIONS

CEILING SECTIONS AND DETAILS		
DESIGN	DRAWN	CHECKED
LGD	CAC	LGD
SHEET TITLE		

JACKSON COUNTY JAIL
555 GENERAL JACKSON DRIVE
JEFFERSON, GEORGIA 30549

Precision Planning, Inc.
planners, engineers, architects & surveyors





P.O. Box 2210
400 Pike Boulevard
Lubbock, TX 79406-2210
(770) 339-8000 or (770) 962-8000
(Fax) (770) 822-5990



STAMP

REGISTERED ARCHITECT
LANCE G. DAVIS
8-20-08
STATE OF GEORGIA

14
A413



NOTES:

1. DEFLECTION TRACK DETAILS MUST BE DESIGNED FOR THE SPECIFIC CONDITIONS OF A BUILDING TO ACCOMMODATE THE REQUIRED DEFLECTION AND THE END REACTIONS OF THE STUDS. THE DEEP LEG TRACKS ARE NOT STANDARD AND THE GAUGE WIDTH AND LEG HEIGHT MUST BE SPECIFIED FOR EACH PARTICULAR CONNECTION. CONNECTIONS SHOULD BE SPECIFIED BY A QUALIFIED ENGINEER OR ARCHITECT REGISTERED IN THE STATE OF GEORGIA.

