REVISION: 1

ENGINEERING DATA LIST

HISTORY

DATE:	DATA TECH:	ORGANIZATION/OFFICE SYMBOL:	END ITEM:	PAGE:
28 OCT 2025	Williamson, Tiffany	429 SCMS / GUMACB	LGM-30	1 OF 6
CAGE:	**MANUFACTURER NAME:**	**REFERENCE NUMBER:**	**NOUN:**	**NSN:**
98747	OGDEN AIR LOGISTICS CENTER	68J52342G2	SUPPORT ASSEMBLY FR	1420004351313AH

LINE/ SUB	CAGE	ENG DRAWING NUM/ ACCOMP DOC NUM	REV	NR SHEETS	FURN CODE	DIST CODE	NOUN	REMARKS
L	07868	68J52342	AM		S	D	SUPPORT FRUSTUM MXU-595/A	
L	07868	64A51300	AD		S	D	FINISH REQUIREMENTS - MARK 12 AVE	
S	98747	2023A0048-H			S	D	ENGINEERING ORDER	
L	07868	65A5682	D		S	D	RESIN BONDED CORK ABLATIVE MATERIAL	
S	98747	21A3163-H			S	D	ENGINEERING ORDER	
L	07868	65A5683	D		S	D	ADHESIVE, EPOXY POLAMIDE	
S	98747	10A1409-H			S	D	ENGINEERING ORDER	
L	07868	65A5684	B		S	D	FUNGICIDE, PHENOL CLASS	
S	98747	HER2079			S	D	ENGINEERING CHANGE ORDER	
L	07868	65A5685	B		S	D	TROWELABLE CORK, ABLATIVE INSULATION MATERIAL, APP	
S	98747	15A0969-H			S	D	ENGINEERING ORDER	
L	07868	65A5903	L		S	D	PLATE, IDENTIFICATION, METALLIZED POLYESTER, ADHES	
S	98747	16A0260-H			S	D	ENGINEERING ORDER	
S	98747	17A0063-H			S	D	ENGINEERING ORDER	
L	07868	66A50230			S	D	NUT, SELF LOCKING, PLATE, 7 LUG, 16OKS1, REMOVABLE	
L	07868	66A50887			S	D	PIN 100 COUNTERSINK HEAD, 125,000 PSI SHEAR	
L	07868	66A50888			S	D	COLLAR, RIVET PIN, MONE L SPECIFICATION CONTROL DR	
L	07868	66D48441	E		S	D	RETAINER, NUT - I.F.D. SHROUD	
L	07868	66D48442	E		S	D	RING, BLANK	
L	07868	66D50659	E		S	D	RING, FORWARD - SUPPORT STRUCTURE	

FURNISHED METHOD CODE LEGEND:

C - CLASSIFIED DOCUMENT.	X - DATA SUPPLIED (NOT IN JEDMICS).	G - GOV'T DOCUMENT.
S - FURNISHED WITH SOLICITATION.	R - FURNISHED BY PCO UPON REQUEST.	O - OTHERS, CONTRACTOR MUST ACQUIRE.
M - STABLE BASE DRAWING REQUIRED; FURNISHED WITH CONTRACT AWARD.	P - PARTIAL DOCUMENT FURNISHED.	A- DATA NOT AVAILABLE.
	V - VENDOR DRAWING; (NOT PROVIDED).	

REVISION: 1

ENGINEERING DATA LIST

HISTORY

DATE:	DATA TECH:	ORGANIZATION/OFFICE SYMBOL:	END ITEM:	PAGE:
28 OCT 2025	Williamson, Tiffany	429 SCMS / GUMACB	LGM-30	2 OF 6
CAGE:	**MANUFACTURER NAME:**	**REFERENCE NUMBER:**	**NOUN:**	**NSN:**
98747	OGDEN AIR LOGISTICS CENTER	68J52342G2	SUPPORT ASSEMBLY FR	1420004351313AH

LINE/ SUB	CAGE	ENG DRAWING NUM/ ACCOMP DOC NUM	REV	NR SHEETS	FURN CODE	DIST CODE	NOUN	REMARKS
L	07868	67A53011	B		S	D	PIN-PROTRUDING HEAD, 7075T6 ALUMINUM	
L	07868	67A53012	A		S	D	COLLAR, RIVET PIN, 2117-T4 ALUMINUM	
L	07868	67A59765	A		S	D	MASS PROPERTIES MEASUREMENT ASSURACY SPECIFICATION	
L	07868	67A60291	B		S	D	PIN-COUNTERSUNK HEAD, 7075T6 ALUMINUM ALLOY	
L	07868	67A61392	B		S	D	TROWELABLE CORK	
S	98747	HER1923			S	D	ENGINEERING CHANGE ORDER	
L	07868	67C54586			S	D	CLIP, STIFFENER SUPPORT STRUCTURE	
L	07868	67C54599	A		S	D	CLIP, COMPONENT SUPPORT STRUCT	
L	07868	67D54685	A		S	D	STIFFENER, FRUSTUM ASSY	
L	07868	67D54699			S	D	SPACER, PROGRAMMER-SUPPORT STRUCTURE	
L	07868	67E54774	F		S	D	RING INTERFACE SEPARATION	
L	07868	68B48450	YY		S	D	NAMEPLATE/MARKING CONTROL DRAWING	
S	98747	16A0130-H			S	D	ENGINEERING ORDER	
L	07868	68C48592	D		S	D	CLOSURE, IFD-FRUSTUM 45 DEGREES	
L	07868	68D48692			S	D	STIFFENER, DISPENSER OPENING - FRUSTUM ASSY	
L	07868	68D48689	B		S	D	PAN, CLOSURE - FRUSTUM	
L	07868	68D48690	B		S	D	FRAME ASSEMBLY, IFD ACCESS HOLE - SUPPORT FRUSTUM	
L	07868	68D48690G1	B		S	D	FR - IFD ACCESS HOLE SPT FRUSTUM	NAME: Williamson, Tiffany DATE: 25 FEB 2026 WITH PARTS LIST

FURNISHED METHOD CODE LEGEND:

C - CLASSIFIED DOCUMENT.	X - DATA SUPPLIED (NOT IN JEDMICS).	G - GOV'T DOCUMENT.
S - FURNISHED WITH SOLICITATION.	R - FURNISHED BY PCO UPON REQUEST.	O - OTHERS, CONTRACTOR MUST ACQUIRE.
M - STABLE BASE DRAWING REQUIRED; FURNISHED WITH CONTRACT AWARD.	P - PARTIAL DOCUMENT FURNISHED.	A- DATA NOT AVAILABLE.
	V - VENDOR DRAWING; (NOT PROVIDED).	

REVISION: 1

ENGINEERING DATA LIST

HISTORY

DATE:	DATA TECH:	ORGANIZATION/OFFICE SYMBOL:	END ITEM:	PAGE:
28 OCT 2025	Williamson, Tiffany	429 SCMS / GUMACB	LGM-30	3 OF 6
CAGE:	**MANUFACTURER NAME:**	**REFERENCE NUMBER:**	**NOUN:**	**NSN:**
98747	OGDEN AIR LOGISTICS CENTER	68J52342G2	SUPPORT ASSEMBLY FR	1420004351313AH

LINE/ SUB	CAGE	ENG DRAWING NUM/ ACCOMP DOC NUM	REV	NR SHEETS	FURN CODE	DIST CODE	NOUN	REMARKS
L	07868	68D48693	A		S	D	STIFFENER, 56'30' FRUSTUM ASSY	
L	07868	68D48694			S	D	INTERCOSTAL - STA129.65	
L	07868	68D48696	B		S	D	BRACKET, CONNECTOR	
L	07868	68J52342G2	AK		S	D	SUPPORT, FRUSTUM-MXU-595/A	NAME: Williamson, Tiffany DATE: 25 FEB 2026 WITH PARTS LIST
L	07868	69A47526	A		S	D	STUD, PROTRUDING HEAD, HEX SOCKET DRIVE - STRESSED	
L	07868	69A47537			S	D	SNAP RING, RETAINING - STRESSED PANEL FASTENER	
L	07868	69A47538	A		S	D	RECEPTACLE, STRESSED PANEL FASTENER	
L	07868	69A47546/1	B		S	D	RIVETING- REQUIREMENTS FOR HI-SHEAR TYPE	
L	07868	69A47546/2	B		S	D	RIVETING REQUIREMENTS FOR SOLID TYPE	
S	98747	21A3059-H			S	D	ENGINEERING ORDER	
L	07868	69E48945	B		S	D	BRACKET, ELECTRICAL CONNECTOR	
L	07868	69J48139	C		S	D	STIFFENER & BRACKET	
L	07868	76A41143			S	D	LUBRICANT SOLID FILM, AIR DRYING	
S	98747	99A0013-H			S	D	ENGINEERING ORDER	
L	07868	76J41727			S	D	MOD KIT - SUPPORT PAYLOAD BULKHEAD	
L	15226	118A1526	AE		S	D	IDENTIFICATION MARKING	
S	98747	2024A7004-H			S	D	ENGINEERING ORDER	
L	15226	118A1526/1	B		S	D	IDENTIFICATION MARKING	
S	98747	18A0034-H			S	D	ENGINEERING ORDER	
S	98747	21A3091-H			S	D	ENGINEERING ORDER	

FURNISHED METHOD CODE LEGEND:

C - CLASSIFIED DOCUMENT.	X - DATA SUPPLIED (NOT IN JEDMICS).	G - GOV'T DOCUMENT.
S - FURNISHED WITH SOLICITATION.	R - FURNISHED BY PCO UPON REQUEST.	O - OTHERS, CONTRACTOR MUST ACQUIRE.
M - STABLE BASE DRAWING REQUIRED; FURNISHED WITH CONTRACT AWARD.	P - PARTIAL DOCUMENT FURNISHED.	A- DATA NOT AVAILABLE.
	V - VENDOR DRAWING; (NOT PROVIDED).	

REVISION: 1

ENGINEERING DATA LIST

HISTORY

DATE:	DATA TECH:	ORGANIZATION/OFFICE SYMBOL:	END ITEM:	PAGE:
28 OCT 2025	Williamson, Tiffany	429 SCMS / GUMACB	LGM-30	4 OF 6
CAGE:	**MANUFACTURER NAME:**	**REFERENCE NUMBER:**	**NOUN:**	**NSN:**
98747	OGDEN AIR LOGISTICS CENTER	68J52342G2	SUPPORT ASSEMBLY FR	1420004351313AH

LINE/ SUB	CAGE	ENG DRAWING NUM/ ACCOMP DOC NUM	REV	NR SHEETS	FURN CODE	DIST CODE	NOUN	REMARKS
L	04615	118A1629	D		S	D	MAGNESIUM STRUCTURE CASTINGS - GENERAL SPECIFICATI	
L	15226	118A1664	J		S	D	DRAWING TERMS AND TOLERANCES - INTERPRETATION	
S	98747	21A3065-H			S	D	ENGINEERING ORDER	
L	15226	118A1669	E		S	D	MYLAR PLATES, IDENTIFICATION AND INFORMATION	
L	04615	128A5547	C		S	D	PENETRANT INSPECTION OF NON-MAGNETIC	
L	15226	128A5454	H		S	D	RESINS, LIQUID EPOXY	
L	15226	128A5466	K		S	D	ADHESIVES,THERMOPLASTIC, SYNTHETIC RUBBER	
L	15226	146A9264	J		S	D	MODIFIER, POLYAMINE RESINS	
S	98747	15A0970-H			S	D	ENGINEERING ORDER	
L	04615	146A9304	D		S	D	ROLLED AND HAND FORGED ALUMINUM AND ALLOY WHEELS	
L	15226	156A9747	A		S	D	ETCHANT FOR TEFLON SURFACES	
L	15226	165A4413	F		S	D	POLYURETHANE FOAM, RIGID, C02 - BLOWN	
L	15226	165A4414	D		S	D	POLYURETHANE FOAMS, RIGID, CO2-BLOWN, POTTING WITH	
L	15226	165A4434	G		S	D	EPOXY ADHESIVE, TWO-PART	
S	98747	ICBM10C131			S	D	ENGINEERING ORDER	
L	79272	171A4190	AA		S	D	SOVENTS, CLEANING, HIGH PURITY	
S	98747	13A0090-H			S	D	ENGINEERING ORDER	
L	79272	23039063			S	D	FUNGICIDE, PHENOL CLASS	
S	98747	ICBM17C057			S	D	ENGINEERING ORDER	

FURNISHED METHOD CODE LEGEND:

C - CLASSIFIED DOCUMENT.	X - DATA SUPPLIED (NOT IN JEDMICS).	G - GOV'T DOCUMENT.
S - FURNISHED WITH SOLICITATION.	R - FURNISHED BY PCO UPON REQUEST.	O - OTHERS, CONTRACTOR MUST ACQUIRE.
M - STABLE BASE DRAWING REQUIRED; FURNISHED WITH CONTRACT AWARD.	P - PARTIAL DOCUMENT FURNISHED.	A- DATA NOT AVAILABLE.
	V - VENDOR DRAWING; (NOT PROVIDED).	

REVISION: 1

ENGINEERING DATA LIST

HISTORY

DATE:	DATA TECH:	ORGANIZATION/OFFICE SYMBOL:	END ITEM:	PAGE:
28 OCT 2025	Williamson, Tiffany	429 SCMS / GUMACB	LGM-30	5 OF 6
CAGE:	**MANUFACTURER NAME:**	**REFERENCE NUMBER:**	**NOUN:**	**NSN:**
98747	OGDEN AIR LOGISTICS CENTER	68J52342G2	SUPPORT ASSEMBLY FR	1420004351313AH

LINE/ SUB	CAGE	ENG DRAWING NUM/ ACCOMP DOC NUM	REV	NR SHEETS	FURN CODE	DIST CODE	NOUN	REMARKS
L	79272	23033588	A		S	D	MATERIAL SPECIFICATION FOR EPOXY , STRUCTURAL ADH	
S	98747	16A7171-H			S	D	ENGINEERING ORDER	
L	15226	R2232	J		S	D	FASTENER PIN AND COLLAR ONE SIDE ASSEMBLING	
L	15226	R2351	C		S	D	NUT PLATE SELFLOCKING SIDE-BY-SIDE HOLES	
L	15226	R3356	A		S	D	NUT, CAPPED	
L	15226	R6591			S	D	MARKING INK, PERMANENT, (MACHINE APPLICATIONS)	
S	98747	18A1028-H			S	D	ENGINEERING ORDER	
S	98747	21A3057-H			S	D	ENGINEERING ORDER	
L	23991	S30009	D		S	D	DRAWING TERMS AND SHOP RUN TOLERANCES INTERPRETAT	
S	98747	18A0774-H			S	D	ENGINEERING ORDER	
S	98747	21C3055-H			S	D	ENGINEERING ORDER	
L	15226	S34056	A		S	D	RIVETS, PINS, AND LOCKBOLTS - REQUIREMENT FOR INS	
S	98747	18A0541-H			S	D	ENGINEERING ORDER	
S	98747	21A3061-H			S	D	ENGINEERING ORDER	
L	15226	S34059	B		S	D	TORQUE REQUIREMENTS FOR THREADED PARTS, GENERAL	
S	98747	20A6522-H			S	D	ENGINEERING ORDER	
L	15226	S34060	A		S	D	DRAWING TERMS AND SHOP RUN TOLERANCES - INTERPRETA	
S	98747	18A0635-H			S	D	ENGINEERING ORDER	
S	98747	21A3054-H			S	D	ENGINEERING ORDER	
L	15226	MSP535148			S	D	MATERIAL SPECIFICATION FOR CASTING RESINS	NAME: Williamson, Tiffany DATE: 25 FEB 2026 WITH EO'S 06A0609-H AND 20A6634-H

FURNISHED METHOD CODE LEGEND:

C - CLASSIFIED DOCUMENT.	X - DATA SUPPLIED (NOT IN JEDMICS).	G - GOV'T DOCUMENT.
S - FURNISHED WITH SOLICITATION.	R - FURNISHED BY PCO UPON REQUEST.	O - OTHERS, CONTRACTOR MUST ACQUIRE.
M - STABLE BASE DRAWING REQUIRED; FURNISHED WITH CONTRACT AWARD.	P - PARTIAL DOCUMENT FURNISHED.	A- DATA NOT AVAILABLE.
	V - VENDOR DRAWING; (NOT PROVIDED).	

REVISION: 1

ENGINEERING DATA LIST

HISTORY

DATE:	DATA TECH:	ORGANIZATION/OFFICE SYMBOL:	END ITEM:	PAGE:
28 OCT 2025	Williamson, Tiffany	429 SCMS / GUMACB	LGM-30	6 OF 6
CAGE:	**MANUFACTURER NAME:**	**REFERENCE NUMBER:**	**NOUN:**	**NSN:**
98747	OGDEN AIR LOGISTICS CENTER	68J52342G2	SUPPORT ASSEMBLY FR	1420004351313AH

LINE/ SUB	CAGE	ENG DRAWING NUM/ ACCOMP DOC NUM	REV	NR SHEETS	FURN CODE	DIST CODE	NOUN	REMARKS
L	15226	MSP535143			S	D	LIQUID EPOXY RESINS	NAME: Williamson, Tiffany DATE: 25 FEB 2026 WITH EO HER2537
L	98747	HILL AFB FORM 462			X	D	ENGINEERING DATA REQUIREMENTS (ATTACHMENT A)	

STANDARD ENGINEERING TEXT

NAME: Williamson, Tiffany DATE: 29 OCT 2025

RELEASE OF THIS DATA TO A FOREIGN OWNED, CONTROLLED OR INFLUENCED COMPANY IS DEPENDENT UPON THE APPROVAL OF THE FOREIGN DISCLOSURE OFFICE.

FURNISHED METHOD CODE LEGEND:

C - CLASSIFIED DOCUMENT.	X - DATA SUPPLIED (NOT IN JEDMICS).	G - GOV'T DOCUMENT.
S - FURNISHED WITH SOLICITATION.	R - FURNISHED BY PCO UPON REQUEST.	O - OTHERS, CONTRACTOR MUST ACQUIRE.
M - STABLE BASE DRAWING REQUIRED; FURNISHED WITH CONTRACT AWARD.	P - PARTIAL DOCUMENT FURNISHED.	A- DATA NOT AVAILABLE.
	V - VENDOR DRAWING; (NOT PROVIDED).	