805 CTS - IL4 Environment -
Enterprise Items List

Part #	Description	Qty (Each)
N9K-C9336C-FX2	Cisco System, Inc. Nexus 9300 Series, 36p 40/100G QSFP28	1
NXOS-CS-10.5.1F	Cisco System, Inc. Nexus 9300, 9500, 9800 NX-OS SW 10.5.1 (64bit) Cisco Silicon	1
NXK-ACC-KIT-1RU	Cisco System, Inc. Nexus 3K/9K Fixed Accessory Kit, 1RU front and rear removal	1
MODE-NXOS	Cisco System, Inc. Mode selection between ACI and NXOS	1
NO-POWER-CORD	Cisco System, Inc. ECO friendly green option, no power cable will be shipped	2
DCN-OTHER	Cisco System, Inc. Select if this product will NOT be used for AI Applications	1
NXOS-AD-XF	Cisco System, Inc. NX-OS Advantage License for Nexus 9300 (10G+) Platforms	1
C1-SUBS-OPTOUT	Cisco System, Inc. OPT OUT FOR "Default" DCN Subscription Selection	1
NXA-FAN-65CFM-PE	Cisco System, Inc. Nexus Fan, 65CFM, port side exhaust airflow	3
NXA-PAC-1100W-PE2	Cisco System, Inc. Nexus AC 1100W PSU - Port Side Exhaust	2
NXK-AF-PE	Cisco System, Inc. Dummy PID for Airflow Selection Port-side Exhaust	1
UCS-M8-MLB	Cisco System, Inc. UCS M8 RACK MLB	1
DC-MGT-SAAS	Cisco System, Inc. Cisco Intersight SaaS	1
SAAS-OTHER	Cisco System, Inc. Other Use Case	1
DC-MGT-IS-PVAPP-AD	Cisco System, Inc. Infrastructure Services PVA - Advantage	2
DC-MGT-IS-UCSD	Cisco System, Inc. UCS Director - 1 Server License (includes Network, Storage)	2
SVS-DCM-SUPT-BAS	Cisco System, Inc. Cisco Support Standard for DCM	1
DC-MGT-UCSC-1S	Cisco System, Inc. UCS Central Per Server - 1 Server License	2
DC-MGT-ADOPT-BAS	Cisco System, Inc. Intersight - Virtual adopt session http://cs.co/requestCSS	1
UCSC-C245-M8SX	Cisco System, Inc. UCS C245M8 Rack w/oCPU, mem, drv, 2Uw24SFF HDD/SSD backplane	2
ISM-MANAGED	Cisco System, Inc. Deployment mode for C Series Servers in Standalone mode	2
UCSC-M-V5D200GV2D	Cisco System, Inc. Cisco VIC 15237 2x 40/100/200G mLOM C-Series w/Secure Boot	2
UCS-TPM2-002D-D	Cisco System, Inc. TPM 2.0 FIPS 140-2 MSW2022 compliant AMD M8 servers	2
UCSC-RAIL-D	Cisco System, Inc. Ball Bearing Rail Kit for C220 & C240 M7/M8 rack servers	2
CIMC-LATEST-D	Cisco System, Inc. IMC SW (Recommended) latest release for C-Series Servers.	2
UCSC-HSHP-C245M8	Cisco System, Inc. UCS C245 M8 Heatsink	4
UCSC-BBLKD-M8	Cisco System, Inc. UCS C-Series M6 & M8 SFF drive blanking panel	48
UCS-DDR5-BLK	Cisco System, Inc. UCS DDR5 DIMM Blanks	32
UCS-MRX64G2RE5	Cisco System, Inc. 64GB DDR5-6400 RDIMM 2Rx4 (16Gb)	16
UCSC-RIS1A-240-D	Cisco System, Inc. C240 M7 Riser1A; (x8;x16x, x8); StBkt; (CPU1)	2
UCSC-RIS2A-240-D	Cisco System, Inc. C240 M7 Riser2A; (x8;x16;x8);StBkt; (CPU2)	2
UCSC-RIS3A-240-D	Cisco System, Inc. C240 M7 Riser3A (x8;x8); StBkt; (CPU2)	2
UCSC-PSU1-1200W-D	Cisco System, Inc. 1200w AC Titanium Power Supply for C-series Rack Servers	4
NO-POWER-CORD	Cisco System, Inc. ECO friendly green option, no power cable will be shipped	4
UCSC-P-I8D100GF-D	Cisco System, Inc. Cisco-Intel E810CQDA2 2x100 GbE QSFP28 PCIe NIC	2
UCSC-P-I8D100GF-D	Cisco System, Inc. Cisco-Intel E810CQDA2 2x100 GbE QSFP28 PCIe NIC	2
CBL-NVME-C245M8	Cisco System, Inc. C245M8 CBL, ON MB CON NEAR RISR3 TO BKPLANE RDRV X2 FNVME X4	2
UCS-CPU-A9745	Cisco System, Inc. AMD 9745 2.4GHz 400W 128C/256MB Cache DDR5 6000MT/s	4
UCS-M2-480G-D	Cisco System, Inc. 480GB M.2 SATA SSD	4
UCSC-M2EXT-240-D	Cisco System, Inc. C240M7 2U M.2 Extender board	2

UCS-M2-HWRAID-D	Cisco System, Inc. Cisco Boot optimized M.2 Raid controller	2
UCS-M8-MLB	Cisco System, Inc. UCS M8 RACK MLB	1
DC-MGT-SAAS	Cisco System, Inc. Cisco Intersight SaaS	1
SAAS-OTHER	Cisco System, Inc. Other Use Case	1
DC-MGT-IS-PVAPP-AD	Cisco System, Inc. Infrastructure Services PVA - Advantage	3
DC-MGT-IS-UCSD	Cisco System, Inc. UCS Director - 1 Server License (includes Network, Storage)	3
SVS-DCM-SUPT-BAS	Cisco System, Inc. Cisco Support Standard for DCM	1
DC-MGT-UCSC-1S	Cisco System, Inc. UCS Central Per Server - 1 Server License	3
DC-MGT-ADOPT-BAS	Cisco System, Inc. Intersight - Virtual adopt session http://cs.co/requestCSS	1
UCSC-C245-M8SX	Cisco System, Inc. UCS C245M8 Rack w/oCPU, mem, drv, 2Uw24SFF HDD/SSD backplane	3
ISM-MANAGED	Cisco System, Inc. Deployment mode for C Series Servers in Standalone mode	3
UCSC-M-V5D200GV2D	Cisco System, Inc. Cisco VIC 15237 2x 40/100/200G mLOM C-Series w/Secure Boot	3
UCS-TPM2-002D-D	Cisco System, Inc. TPM 2.0 FIPS 140-2 MSW2022 compliant AMD M8 servers	3
UCSC-RAIL-D	Cisco System, Inc. Ball Bearing Rail Kit for C220 & C240 M7/M8 rack servers	3
CIMC-LATEST-D	Cisco System, Inc. IMC SW (Recommended) latest release for C-Series Servers.	3
UCSC-BBLKD-M8	Cisco System, Inc. UCS C-Series M6 & M8 SFF drive blanking panel	72
UCS-DDR5-BLK	Cisco System, Inc. UCS DDR5 DIMM Blanks	48
UCS-MRX64G2RE5	Cisco System, Inc. 64GB DDR5-6400 RDIMM 2Rx4 (16Gb)	24
UCSC-RIS1A-240-D	Cisco System, Inc. C240 M7 Riser1A; (x8;x16x, x8); StBkt; (CPU1)	3
UCSC-RIS2A-240-D	Cisco System, Inc. C240 M7 Riser2A; (x8;x16;x8);StBkt; (CPU2)	3
UCSC-PSU1-1200W-D	Cisco System, Inc. 1200w AC Titanium Power Supply for C-series Rack Servers	6
NO-POWER-CORD	Cisco System, Inc. ECO friendly green option, no power cable will be shipped	6
COMPUTE-OTHER	Cisco System, Inc. Compute Other Use Case	3
UCSC-GPUAD-C245M8	Cisco System, Inc. GPU AIR DUCT FOR C245M8	3
UCSC-HSLP-C245M8	Cisco System, Inc. UCS C245 M8 GPU Heatsink	6
CBL-L40GPU-C240M7	Cisco System, Inc. C240M7 PCIe CEM compliant 12VHPWR power cable(upto 300W)	6
UCSC-RIS3C-240-D	Cisco System, Inc. C240 M7 Riser 3C	3
UCS-M2-480G-D	Cisco System, Inc. 480GB M.2 SATA SSD	6
CBL-NVME-C245M8	Cisco System, Inc. C245M8 CBL, ON MB CON NEAR RISR3 TO BKPLANE RDRV X2 FNVME X4	3
UCSC-M2EXT-240-D	Cisco System, Inc. C240M7 2U M.2 Extender board	3
UCSC-P-I8D100GF-D	Cisco System, Inc. Cisco-Intel E810CQDA2 2x100 GbE QSFP28 PCIe NIC	3
UCS-M2-HWRAID-D	Cisco System, Inc. Cisco Boot optimized M.2 Raid controller	3
UCSC-P-I8D100GF-D	Cisco System, Inc. Cisco-Intel E810CQDA2 2x100 GbE QSFP28 PCIe NIC	3
UCS-CPU-A9565	Cisco System, Inc. AMD 9565 3.15GHz 400W 72C/384MB Cache DDR5 6000MT/s	6
UCS-M8-MLB	Cisco System, Inc. UCS M8 RACK MLB	1
DC-MGT-SAAS	Cisco System, Inc. Cisco Intersight SaaS	1
SAAS-OTHER	Cisco System, Inc. Other Use Case	1
DC-MGT-IS-PVAPP-AD	Cisco System, Inc. Infrastructure Services PVA - Advantage	2
DC-MGT-IS-UCSD	Cisco System, Inc. UCS Director - 1 Server License (includes Network, Storage)	2
SVS-DCM-SUPT-BAS	Cisco System, Inc. Cisco Support Standard for DCM	1
DC-MGT-UCSC-1S	Cisco System, Inc. UCS Central Per Server - 1 Server License	2
DC-MGT-ADOPT-BAS	Cisco System, Inc. Intersight - Virtual adopt session http://cs.co/requestCSS	1
UCSC-C245-M8SX	Cisco System, Inc. UCS C245M8 Rack w/oCPU, mem, drv, 2Uw24SFF HDD/SSD backplane	2
ISM-MANAGED	Cisco System, Inc. Deployment mode for C Series Servers in Standalone mode	2
UCSC-M-V5D200GV2D	Cisco System, Inc. Cisco VIC 15237 2x 40/100/200G mLOM C-Series w/Secure Boot	2
UCS-TPM2-002D-D	Cisco System, Inc. TPM 2.0 FIPS 140-2 MSW2022 compliant AMD M8 servers	2
UCSC-RAIL-D	Cisco System, Inc. Ball Bearing Rail Kit for C220 & C240 M7/M8 rack servers	2
CIMC-LATEST-D	Cisco System, Inc. IMC SW (Recommended) latest release for C-Series Servers.	2

UCSC-BBLKD-M8	Cisco System, Inc. UCS C-Series M6 & M8 SFF drive blanking panel	48
UCS-DDR5-BLK	Cisco System, Inc. UCS DDR5 DIMM Blanks	32
UCSC-PSU1-1200W-D	Cisco System, Inc. 1200w AC Titanium Power Supply for C-series Rack Servers	4
NO-POWER-CORD	Cisco System, Inc. ECO friendly green option, no power cable will be shipped	4
UCSC-GPUAD-C245M8	Cisco System, Inc. GPU AIR DUCT FOR C245M8	2
UCS-M2-480G-D	Cisco System, Inc. 480GB M.2 SATA SSD	4
UCS-M2-HWRAID-D	Cisco System, Inc. Cisco Boot optimized M.2 Raid controller	2
UCSC-HSLP-C245M8	Cisco System, Inc. UCS C245 M8 GPU Heatsink	4
UCSC-M2EXT-240-D	Cisco System, Inc. C240M7 2U M.2 Extender board	2
UCSC-RIS2C-245M8	Cisco System, Inc. UCS C-Series M8 2U Riser 2C PCIe Gen5 (2x16); (CPU2)	2
UCSC-RIS1C-245M8	Cisco System, Inc. UCS C-Series M8 2U Riser 1C PCIe Gen5 (2x16)	2
UCSC-RIS3C-240-D	Cisco System, Inc. C240 M7 Riser 3C	2
UCSC-P-I8D100GF-D	Cisco System, Inc. Cisco-Intel E810CQDA2 2x100 GbE QSFP28 PCIe NIC	2
CBL-NVME-C245M8	Cisco System, Inc. C245M8 CBL, ON MB CON NEAR RISR3 TO BKPLANE RDRV X2 FNVME X4	2
UCSC-P-I8D100GF-D	Cisco System, Inc. Cisco-Intel E810CQDA2 2x100 GbE QSFP28 PCIe NIC	2
UCS-MRX64G2RE5	Cisco System, Inc. 64GB DDR5-6400 RDIMM 2Rx4 (16Gb)	16
UCS-CPU-A9745	Cisco System, Inc. AMD 9745 2.4GHz 400W 128C/256MB Cache DDR5 6000MT/s	4
UCSC-RISAB-245M8	Cisco System, Inc. UCS C-Series M8 2U Air Blocker GPU only	2
UCS-M8-MLB	Cisco System, Inc. UCS M8 RACK MLB	1
DC-MGT-SAAS	Cisco System, Inc. Cisco Intersight SaaS	1
SAAS-OTHER	Cisco System, Inc. Other Use Case	1
DC-MGT-IS-PVAPP-AD	Cisco System, Inc. Infrastructure Services PVA - Advantage	2
DC-MGT-IS-UCSD	Cisco System, Inc. UCS Director - 1 Server License (includes Network, Storage)	2
SVS-DCM-SUPT-BAS	Cisco System, Inc. Cisco Support Standard for DCM	1
DC-MGT-UCSC-1S	Cisco System, Inc. UCS Central Per Server - 1 Server License	2
DC-MGT-ADOPT-BAS	Cisco System, Inc. Intersight - Virtual adopt session http://cs.co/requestCSS	1
UCSC-C245-M8SX	Cisco System, Inc. UCS C245M8 Rack w/oCPU, mem, drv, 2Uw24SFF HDD/SSD backplane	2
ISM-MANAGED	Cisco System, Inc. Deployment mode for C Series Servers in Standalone mode	2
UCSC-M-V5D200GV2D	Cisco System, Inc. Cisco VIC 15237 2x 40/100/200G mLOM C-Series w/Secure Boot	2
UCS-TPM2-002D-D	Cisco System, Inc. TPM 2.0 FIPS 140-2 MSW2022 compliant AMD M8 servers	2
UCSC-RAIL-D	Cisco System, Inc. Ball Bearing Rail Kit for C220 & C240 M7/M8 rack servers	2
CIMC-LATEST-D	Cisco System, Inc. IMC SW (Recommended) latest release for C-Series Servers.	2
UCSC-BBLKD-M8	Cisco System, Inc. UCS C-Series M6 & M8 SFF drive blanking panel	48
UCS-DDR5-BLK	Cisco System, Inc. UCS DDR5 DIMM Blanks	32
UCSC-PSU1-1200W-D	Cisco System, Inc. 1200w AC Titanium Power Supply for C-series Rack Servers	4
NO-POWER-CORD	Cisco System, Inc. ECO friendly green option, no power cable will be shipped	4
UCSC-GPUAD-C245M8	Cisco System, Inc. GPU AIR DUCT FOR C245M8	2
UCS-M2-480G-D	Cisco System, Inc. 480GB M.2 SATA SSD	4
UCS-M2-HWRAID-D	Cisco System, Inc. Cisco Boot optimized M.2 Raid controller	2
UCSC-HSLP-C245M8	Cisco System, Inc. UCS C245 M8 GPU Heatsink	4
UCSC-M2EXT-240-D	Cisco System, Inc. C240M7 2U M.2 Extender board	2
UCSC-RIS2C-245M8	Cisco System, Inc. UCS C-Series M8 2U Riser 2C PCIe Gen5 (2x16); (CPU2)	2
UCSC-RIS1C-245M8	Cisco System, Inc. UCS C-Series M8 2U Riser 1C PCIe Gen5 (2x16)	2
UCSC-RIS3C-240-D	Cisco System, Inc. C240 M7 Riser 3C	2
UCSC-P-I8D100GF-D	Cisco System, Inc. Cisco-Intel E810CQDA2 2x100 GbE QSFP28 PCIe NIC	2
CBL-NVME-C245M8	Cisco System, Inc. C245M8 CBL, ON MB CON NEAR RISR3 TO BKPLANE RDRV X2 FNVME X4	2
UCSC-P-I8D100GF-D	Cisco System, Inc. Cisco-Intel E810CQDA2 2x100 GbE QSFP28 PCIe NIC	2
UCS-CPU-A9845	Cisco System, Inc. AMD 9845 2.1GHz 390W 160C/320MB Cache DDR5 6000MT/s	4

UCS-MR128G2RG5	Cisco System, Inc. 128GB DDR5-6400 RDIMM 2Rx4 (32Gb)	16
UCSC-RISAB-245M8	Cisco System, Inc. UCS C-Series M8 2U Air Blocker GPU only	2
UCSC-GPU-H200-NVL=	Cisco System, Inc. NVIDIA OEM H200-NVL GPU 600W, 141GB, 2-slot FHFL;	4
UCSC-GPU-L40S=	Cisco System, Inc. NVIDIA L40S: 350W, 48GB, 2-slot FHFL GPU	6
SX-1004-5P	Liqid Inc. SmartStack 10 G5: 10-Slot/4-Host PCIe Gen5	1
DX-9316	Liqid Inc. Director - Management Node, 16x Fabric Mgmt. Ports, 1U	1
EX-5410P	Liqid Inc. 10-Slot Expansion Chassis, PCIe 5.0, 4U, incl 10x high power GPUpower cables	1
FX-5016P	Liqid Inc. 16 Port Switch - PCIe Gen5, 1U	1
LIC-1036	Liqid Inc. Matrix Software 36 Month License + Support - 10 Slot	10
HX-5160-1C	Liqid Inc. HBA Card - PCIe Gen5, incl 1 cable	4
WS5-1004-SX36	Liqid Inc. Gen5 SmartStack Hardware Warranty & Support - 36 month	1
PS-Dom	Liqid Inc. Professional Services - Installation & Integration - Domestic	1
WS-HW12	Liqid Inc. Hardware Warranty & Support - 12 month	1
LIC-1012	Liqid Inc. Matrix Software 12 Month License + Support - 10 Slot	10
HX-5160-1C	Liqid Inc. HBA Card - PCIe Gen5, incl 1 cable	3
C9300X-24Y-A	Cisco System, Inc. Catalyst 9300X 24x25G Fiber Ports, modular uplink Switch	2
CAB-C15-CBN	Cisco System, Inc. Cabinet Jumper Power Cord, 250 VAC 13A, C14-C15 Connectors	2
D-DNAS-EXT-S-T	Cisco System, Inc. Cisco DNA Spaces Extend Term License for Catalyst Switches	2
D-DNAS-EXT-S-5Y	Cisco System, Inc. Cisco DNA Spaces Extend for Catalyst Switching - 5Year	2
TE-C9K-SW	Cisco System, Inc. TE agent for IOSXE on C9K	2
NETWORK-PNP-LIC	Cisco System, Inc. Network Plug-n-Play Connect for zero-touch device deployment	2
TE-EMBEDDED-T	Cisco System, Inc. Cisco ThousandEyes Enterprise Agent IBN Embedded	2
TE-EMBEDDED-T-5Y	Cisco System, Inc. ThousandEyes - Enterprise Agents	2
PWR-C1-715WAC-P/2	Cisco System, Inc. 715W AC 80+ platinum Config 1 SecondaryPower Supply	2
C9K-ACC-SCR-4	Cisco System, Inc. 12-24 and 10-32 SCREWS FOR RACK INSTALLATION, QTY 4	2
C9300X-NW-A-24	Cisco System, Inc. C9300 Network Advantage, 24-port license	2
STACK-T1-50CM	Cisco System, Inc. 50CM Type 1 Stacking Cable	2
C9300X-DNA-24Y-A	Cisco System, Inc. C9300 DNA Advantage, Term License	2
C9300-DNA-L-A-5Y	Cisco System, Inc. DNA Advantage 5 Year License	2
C9300X-NM-4C	Cisco System, Inc. Catalyst 9300 4 x 40G/100G Network Module QSFP+/QSFP28	2
C9300-SSD-NONE	Cisco System, Inc. No SSD Card Selected	2
CAB-GUIDE-1RU	Cisco System, Inc. 1RU CABLE MANAGEMENT GUIDES 9200 and 9300	2
C9K-ACC-RBFT	Cisco System, Inc. RUBBER FEET FOR TABLE TOP SETUP 9200 and 93xx	2
PWR-C1-715WAC-P	Cisco System, Inc. 715W AC 80+ platinum Config 1 Power Supply	2
CAB-SPWR-150CM	Cisco System, Inc. Catalyst Stack Power Cable 150 CM - Upgrade	2
SC9300UK9-1715	Cisco System, Inc. CAT9300/9400/9500/9600 UNIVERSAL	2
C9200L-24T-4X-A++	Cisco System, Inc. TAA C9200 24p data only, 4 x 10G ,Network Advantage	2
STACK-T4-50CM	Cisco System, Inc. 50CM Type 4 Stacking Cable	2
C9200L-NW-A-24	Cisco System, Inc. C9200L Network Advantage, 24-port license	2
C9K-ACC-RBFT	Cisco System, Inc. RUBBER FEET FOR TABLE TOP SETUP 9200 and 93xx	2
C9K-ACC-SCR-4	Cisco System, Inc. 12-24 and 10-32 SCREWS FOR RACK INSTALLATION, QTY 4	2
C9200L-DNA-A-24	Cisco System, Inc. C9200L Cisco DNA Advantage, 24-port Term license	2
C9200L-DNA-A-24-3Y	Cisco System, Inc. C9200L Cisco DNA Advantage, 24-port, 3 Year Term license	2
C9200-STACK	Cisco System, Inc. Catalyst 9200 Stack Module	4
NETWORK-PNP-LIC	Cisco System, Inc. Network Plug-n-Play Connect for zero-touch device deployment	2
PWR-C5-125WAC/2	Cisco System, Inc. 125W AC Config 5 Power Supply - Secondary Power Supply	2
CAB-GUIDE-1RU	Cisco System, Inc. 1RU CABLE MANAGEMENT GUIDES 9200 and 9300	2
NO-POWER-CORD	Cisco System, Inc. ECO friendly green option, no power cable will be shipped	4

FPR3120-NGFW-K9	Cisco System, Inc. Cisco Secure Firewall 3120 NGFW Appliance, 1U	2
NO-PWR-CORD	Cisco System, Inc. No Power Cord Chosen	4
SF-F3K-TD7.4-K9	Cisco System, Inc. Threat Defense software v7.4 for 3100 Series appliances	2
FPR3K-SSD900	Cisco System, Inc. Cisco Secure Firewall 3K Series 900GB	2
FPR3K-FAN	Cisco System, Inc. Cisco Secure Firewall 3K Series Fan Tray	4
FPR3120-BSE	Cisco System, Inc. Cisco Secure Firewall 3120 Base Lic	2
FPR3K-PWR-AC-400	Cisco System, Inc. Cisco Secure Firewall 3K Series 400W AC Power Supply	2
FPR3120T-TMC	Cisco System, Inc. Cisco Secure Firewall 3120 TD, Malware and URL License	2
L-FPR3120T-TMC-3Y	Cisco System, Inc. Cisco Secure Firewall 3120 TD, AMP & URL Filtering 3Y Subs	2
FPR3K-SLIDE-RAILS	Cisco System, Inc. Cisco Secure Firewall 3100 Slide Rail Kit	2
CAB-CONS-RJ45-DB9	Cisco System, Inc. Console Cable 6ft with RJ45 and DB9F	2
FPR3K-PWR-AC-400	Cisco System, Inc. Cisco Secure Firewall 3K Series 400W AC Power Supply	2
FPR3K-XNM-8X10G	Cisco System, Inc. Cisco Secure Firewall 3100 8X10G SFP+ Netmod	2
FPR3K-SSD-BLANK	Cisco System, Inc. Cisco Secure Firewall 3100 Series SSD Blank Slot Cover	2
SF-FMC-VMW-K9	Cisco System, Inc. Cisco Firepower Management Center, (VMWare) for 25 devices	1
CON-ECMU-SFFMCVKF	Cisco System, Inc. SWSS UPGRADES Cisco Firepower Management Center, (VMWa	1
SNS-3815-K9	Cisco System, Inc. Small Secure Network Server for ISE Applications	1
SNS-SD960GM2NK9-D	Cisco System, Inc. 960GB 2.5in Enter Value 6G SATA Micron G2 SSD (SED)	1
SNS-RAID-M1L16	Cisco System, Inc. 24G Tri-Mode M1 RAID Controller w/4GB FBWC 16Drv w/1U Brkt	1
SNS-PSU1-1200W-D	Cisco System, Inc. 1200w AC Titanium Power Supply for C-series Rack Servers	1
SNS-PSU1-1200W-D2	Cisco System, Inc. 1200w AC Titanium Power Supply for C-series Rack Servers	1
SW-38X5-ISE-K9	Cisco System, Inc. Cisco ISE Software Load on SNS-38x5-K9 appliance	1
SNS-CPU-A9115	Cisco System, Inc. AMD 9115 2.6GHz 125W 16C/64MB Cache DDR5 6000MT/s	1
SNS-MRX32G1RE5	Cisco System, Inc. 32GB DDR5-6400 RDIMM 1Rx4 (16Gb)	2
SNS-O-ID10GC-D	Cisco System, Inc. Intel X710T2LOCPV3G1L 2x10GbE RJ45 OCP3.0 NIC	1
SNS-OCP3-KIT-D	Cisco System, Inc. C2XX OCP 3.0 Interposer W/Mech Assy	1
SNS-RIS1A-225M8	Cisco System, Inc. C225 M8 1U Riser 1A PCIe Gen4 x16 HH	1
SNS-TPM2-002D-D	Cisco System, Inc. TPM 2.0 FIPS 140-2 MSW2022 compliant AMD M8 servers	1
SNS-BBLKD-M8	Cisco System, Inc. UCS C-Series M6 & M8 SFF drive blanking panel	9
SNS-HPBKT-225M8	Cisco System, Inc. C225 M8 Tri-Mode 24G SAS RAID Controller Bracket	1
SNS-CBL-SAS-C225M8	Cisco System, Inc. C225M8 SAS Cable, Mainboard to RAID card	1
NO-POWER-CORD	Cisco System, Inc. ECO friendly green option, no power cable will be shipped	2
SNS-PCIEIQ10GF-D	Cisco System, Inc. Intel X710 quad-port 10G SFP+ NIC	1
L-ISE-TACACS-ND=	Cisco System, Inc. Cisco ISE Device Admin Node License	1
ISE-SEC-SUB	Cisco System, Inc. Cisco System, Inc. Cisco Identity Service Engine Subscription	1
ISE-P-LIC	Cisco System, Inc. Cisco System, Inc. Cisco Identity Service Engine Premier Subscription	100
SVS-ISE-SUP-B	Cisco System, Inc. Cisco System, Inc. Cisco Support Standard for ISE	1
PX3-5545V-V2	Raritan 3PH, 208V AC, 60A (48A/PH rated); 24 outlets: 24x C13; plug: IEC 60309 3P+E 9h 60A (Delta Bottom-bottom feed), 17.3kVA; Outlet Metered/Switched,	8
PX4-4946R-E8V2	3PH, 208V, 60A (rated to 48A), 18 Outlets: 18 x HDOT Cx, Input: IEC 60309 3P+G 60A, 2U Horizontal PDU, 17.3kW, 6 x 20A, 10kAIC breakers, Outlet Metered,	2
DX2-T2H2	Raritan Temperature (2) & Humidity (2) Sensor with Replaceable Sensor Head for PX3 PDU. Need 3.4.20 or above f/w	4
DX2-WSF-35-KIT	Raritan 1x DX2-WS1 + 3. 5M Floor water sensor	1
S2629	StayOnline StayOnline IEC320 C14 Male Plug to C13 Connector 0.3 Meters / 1 Foot 15A/250V 14/3 SJT Red - Power Cord	4
S2630	StayOnline StayOnline IEC320 C14 Male Plug to C13 Connector 0.6 Meters / 2 Foot 15A/250V 14/3 SJT Red - Power Cord	4
S2631	StayOnline StayOnline IEC320 C14 Male Plug to C13 Connector 0.9 Meters / 3 Foot 15A/250V 14/3 SJT Red - Power Cord	4
S2640	StayOnline StayOnline IEC320 C14 Male Plug to C13 Connector 1.4 Meters / 4 Foot 15A/250V 14/3 SJT Red - Power Cord	4
S7365	StayOnline StayOnline IEC320 C14 Male Plug to C13 Connector 0.3 Meters / 1 Foot 15A/250V 14/3 SJT Black - Power Cord	4
S1965	StayOnline StayOnline IEC320 C14 Male Plug to C13 Connector 0.6 Meters / 2 Foot 15A/250V 14/3 SJT Black - Power Cord	4
S4490	StayOnline StayOnline IEC320 C14 Male Plug to C13 Connector 0.9 Meters / 3 Foot 15A/250V 14/3 SJT Black - Power Cord	4

S1529	StayOnline StayOnline IEC320 C14 Male Plug to C13 Connector 1.4 Meters / 4 Foot 15A/250V 14/3 SJT Black - Power Cord	4
7171	StayOnline StayOnline C14 SecureSleeveTab Contact Retention Insert for connecting a C14 cord end into a C13 Outlet Black	80
6164	StayOnline StayOnline C13 SecureSleeveTab Contact Retention Insert for connecting a C13 cord end into a C14 Inlet Black	32
S3979	StayOnline StayOnline IEC320 C14 Male Plug to C15 Connector 0.3 Meters / 1 Foot 15A/250V 14/3 SJT Red - Power Cord	6
S3980	StayOnline StayOnline IEC320 C14 Male Plug to C15 Connector 0.6 Meters / 2 Feet 15A/250V 14/3 SJT Red - Power Cord	6
S3981	StayOnline StayOnline IEC320 C14 Male Plug to C15 Connector 0.9 Meters / 3 Feet 15A/250V 14/3 SJT Red - Power Cord	6
S3982	StayOnline StayOnline IEC320 C14 Male Plug to C15 Connector 1.2 Meters / 4 Feet 15A/250V 14/3 SJT Red - Power Cord	6
S3548	StayOnline StayOnline IEC320 C14 Male Plug to C15 Connector 0.3 Meters / 1 Foot 15A/250V 14/3 SJT Black - Power Cord	6
S3547	StayOnline StayOnline IEC320 C14 Male Plug to C15 Connector 0.6 Meters / 2 Feet 15A/250V 14/3 SJT Black - Power Cord	6
S2121	StayOnline StayOnline IEC320 C14 Male Plug to C15 Connector 0.9 Meters / 3 Feet 15A/250V 14/3 SJT Black - Power Cord	6
S8984	StayOnline StayOnline IEC320 C14 Male Plug to C15 Connector 1.2 Meters / 4 Feet 15A/250V 14/3 SJT Black - Power Cord	6
3809	StayOnline StayOnline C15 SecureSleeveTab Contact Retention Insert for connecting a C15 cord end into a C16 Inlet Black	48
SFP-H10G-CU0-5M-AO	AddOn Newtorks Addon Networks Cisco® SFP-H10GB-CU0-5M Compatible TAA Compliant 10GBase-CU SFP+ to SFP+ Direct Attach Cable (Passive Twinax, 0.5m) - Twinaxial for Network Device - 0.5m - 1 x SFP+ Network - 1 x SFP+ Network	2
SFP-H10G-CU1M-AO	AddOn Newtorks Addon Networks Cisco® SFP-H10GB-CU1M Compatible TAA Compliant 10GBase-CU SFP+ to SFP+ Direct Attach Cable (Passive Twinax, 1m) - Twinaxial for Network Device - 1m - 1 x SFP+ Network - 1 x SFP+ Network	6
SFP-H10G-CU1-5M-AO	AddOn Newtorks Addon Networks Cisco® SFP-H10GB-CU0-5M Compatible TAA Compliant 10GBase-CU SFP+ to SFP+ Direct Attach Cable (Passive Twinax, 0.5m) - Twinaxial for Network Device - 0.5m - 1 x SFP+ Network - 1 x SFP+ Network	2
SFP-H10G-CU2M-AO	AddOn Newtorks Addon Networks Cisco® SFP-H10GB-CU2M Compatible TAA Compliant 10GBase-CU SFP+ to SFP+ Direct Attach Cable (Passive Twinax, 2m) - Twinaxial for Network Device - 2m - 1 x SFP+ Network - 1 x SFP+ Network	2
SFP-H10G-CU2-5M-AO	AddOn Newtorks Addon Networks Cisco® SFP-H10GB-CU0-5M Compatible TAA Compliant 10GBase-CU SFP+ to SFP+ Direct Attach Cable (Passive Twinax, 0.5m) - Twinaxial for Network Device - 0.5m - 1 x SFP+ Network - 1 x SFP+ Network	2
SFP-H10G-CU3M-AO	AddOn Newtorks Addon Networks Cisco® SFP-H10GB-CU3M Compatible TAA Compliant 10GBase-CU SFP+ to SFP+ Direct Attach Cable (Passive Twinax, 3m) - Twinaxial for Network Device - 3m - 1 x SFP+ Network - 1 x SFP+ Network	2
QSFP-4SFP10G-CU0-5M-AO	AddOn Newtorks Addon Networks Cisco® QSFP-4SFP10G-CU0-5M Compatible TAA Compliant 40GBase-CU QSFP+ to 4xSFP+ Direct Attach Cable (Passive Twinax, 50cm)	4
QSFP-4SFP10G-CU1M-AO	AddOn Newtorks Addon Networks Cisco® QSFP-4SFP10G-CU1M Compatible TAA Compliant 40GBase-CU QSFP+ to 4xSFP+ Direct Attach Cable (Passive Twinax, 1m)	4
QSFP-4SFP10G-CU1-5M-AO	AddOn Newtorks Addon Networks Cisco® QSFP-4SFP10G-CU1-5M Compatible TAA Compliant 40GBase-CU QSFP+ to 4xSFP+ Direct Attach Cable (Passive Twinax, 1.5m)	4
QSFP-4SFP10G-CU2M-AO	AddOn Newtorks Addon Networks Cisco® QSFP-4SFP10G-CU2M Compatible TAA Compliant 40GBase-CU QSFP+ to 4xSFP+ Direct Attach Cable (Passive Twinax, 2m)	4
QSFP-4SFP10G-CU3M-AO	AddOn Newtorks Addon Networks Cisco® QSFP-4SFP10G-CU3M Compatible TAA Compliant 40GBase-CU QSFP+ to 4xSFP+ Direct Attach Cable (Passive Twinax, 3m)	4
S3032	StayOnline StayOnline IEC320 C20 Male Plug to C19 Connector 0.3 Meters / 1 Foot 20A/250V 12/3 SJT Red - Power Cord	9
S3035	StayOnline StayOnline IEC320 C20 Male Plug to C19 Connector 0.6 Meters / 2 Foot 20A/250V 12/3 SJT Red - Power Cord	9
S3037	StayOnline StayOnline IEC320 C20 Male Plug to C19 Connector 0.9 Meters / 3 Foot 20A/250V 12/3 SJT Red - Power Cord	9
S3039	StayOnline StayOnline IEC320 C20 Male Plug to C19 Connector 1.2 Meters / 4 Foot 20A/250V 12/3 SJT Red - Power Cord	9
S2881	StayOnline StayOnline IEC320 C20 Male Plug to C19 Connector 0.3 Meters / 1 Foot 20A/250V 12/3 SJT Black - Power Cord	9
S3101	StayOnline StayOnline IEC320 C20 Male Plug to C19 Connector 0.6 Meters / 2 Foot 20A/250V 12/3 SJT Black - Power Cord	9
S2992	StayOnline StayOnline IEC320 C20 Male Plug to C19 Connector 0.3 Meters / 3 Foot 20A/250V 12/3 SJT Black - Power Cord	9
S3022	StayOnline StayOnline IEC320 C20 Male Plug to C19 Connector 1.4 Meters / 4 Foot 20A/250V 12/3 SJT Black - Power Cord	9
8436	StayOnline StayOnline C19 SecureSleeveTab Contact Retention Insert for connecting a C19 cord end into a C20 Inlet Black	72
7120	StayOnline StayOnline C20 SecureSleeveTab Contact Retention Insert for connecting a C20 cord end into a C19 Outlet Black	72
QSFP-100G-CU0-5M-AO	AddOn Newtorks Addon Networks CISCO QSFP-100G-CU0-5M-AO COMPATIBLE TAA COMPLIANT 100GBASE-CU QSFP28 DIRECT ATTACH CABLE (PASSIVE TWINAX 0.5M)	24
QSFP-100G-CU1M-AO	AddOn Newtorks Addon Networks Cisco® QSFP-100G-CU1M Compatible TAA Compliant 100GBase-CU QSFP28 to QSFP28 Direct Attach Cable (Passive Twinax, 1m)	30

QSFP-100G-CU1-5M-AO	AddOn Newtorks Addon Networks Cisco® QSFP-100G-CU1-5M Compatible TAA Compliant 100GBase-CU QSFP28 to QSFP28 Direct Attach Cable (Passive Twinax, 1.5m)	30
QSFP-100G-CU2M-AO	AddOn Newtorks Addon Networks Cisco® QSFP-100G-CU2M Compatible TAA Compliant 100GBase-CU QSFP28 Direct Attach Cable (Passive Twinax, 2m)	18
QSFP-100G-CU3M-AO	AddOn Newtorks Addon Networks Cisco® QSFP-100G-CU3M Compatible TAA Compliant 100GBase-CU QSFP28 Direct Attach Cable (Passive Twinax, 3m)	4
QDD-2QSFP28-400-CU1M-AO	AddOn Newtorks Cisco® QDD-2QSFP28-400-CU1M Compatible TAA Compliant 200GBase-CU QSFP-DD 200G to 2xQSFP28 100G NRZ Direct Attach Cable (Passive Twinax, 1m)	6
QDD-2QSFP28-400-CU2M-AO	AddOn Newtorks Cisco® QDD-2QSFP28-400-CU2M Compatible TAA Compliant 200GBase-CU QSFP-DD 200G to 2xQSFP28 100G NRZ Direct Attach Cable (Passive Twinax, 2m)	72
G0907044-16	Clearcube Technology, Inc ClearCube Technology, Inc. CD7044 ZERO+ CAC Intel 16gb, 64gb Dual DP	50
G0900139	Clearcube Technology, Inc ClearCube Technology, Inc. Copper SFP Module 1000Base-T	50
G0900367	Clearcube Technology, Inc ClearCube Technology, Inc. Onboard WiFi Option	50
G09GOV1Y	Clearcube Technology, Inc ClearCube Technology, Inc. IGEL GOV Plus 1 Year	50
CML-ENT-BASE	Cisco System, Inc. Cisco Systems, Inc. CML Enterprise Base w/20 Nodes	1
CML-ENTERPRISE	Cisco System, Inc. Cisco Systems, Inc. CML Enterprise Edition	1
SVS-LCS-SUPT-BAS	Cisco System, Inc. Cisco Systems, Inc. SW Bas Supt for CML	1