127EAY26Q0085
Unmanned Aircraft System Trailer
Lassen National Forest

Trailer Specs Required

- Enclosed Cargo trailer, lockable doors
- Approximate Dimensions: Width 7ft by Length 14ft
- Bumper pull hitch type
- GVWR 7000 lbs
- 2,000lb Top Wind Tongue Jack
- 3/4in PlexCore Decking
- Sidewall Flow-Thru Vents
- Breakaway Kit Assembly w/Charger
- 12v Surface-Mount Switch
- 3/8in PlexCore Sidewall Liner
- ArmorTech on A-Frame and Rear End Rail
- Crossmembers 16in On Center
- Polar White .030 Aluminum Exterior
- Polar White .030 Aluminum Exterior
- a Steel Frame
- LED Fender Mount Clearance Lights
- Hat Section Roof Bows 16in On Center
- 2in x 4in Tube Main Rails
- ST205/75R15 Radial 5B Silver Mod Steel Wheel
- LED Slim Line Clear Lens Tail Lights
- LED Clear Lens Amber Clearance Lights
- LED Clear Lens Red Clearance Lights
- Round Front
- Vertical Posts 16in On Center
- 5000lb Rear Ramp Door (8'H Max) w/Ramp Extn.
- Generator Ready (50amp)
- 1 Aluminum Insulated Interior
- Generator Box 36inW x 33inH Generator Door (req compartment)
- Generator Slides
- 50amp Auto Transfer Switch for
- Commercial Genset
    - 1 Carbon Monoxide(CO) Detector -
- Battery Operated
- Light Package MB - 30amp (Req Ceiling Liner)

127EAY26Q0085
Unmanned Aircraft System Trailer
Lassen National Forest

    - 1 120v 30A Service Panel
    - 1 120v 30A Motorbase with Twist Lock Connect
    - 1 120v 30A Power Cord/Plug - 25ft
    - 2 120v 4FT LED Ceiling Wrap Light
    - Fixture
    - 1 120v 15a 1g Self-Contained Switch
    - 2 120v 15a Duplex 1g Self-Cont Recept
    - (2 Outlet)
- Round Roof
- Piece Aluminum Roof
- 8/0 x 27" G3 Safety Chains with Slip Hook
- 24in ATP Stoneguard
- Tandem Axles
- ATP Fenders
- UPG - 2-5/16" 20,000lb
- Adjustable Coupler - 3 Position
- 7'0" Approximate Inside Height
- 74-3/4in Tube Posts 14 FT
- 12in Extended A-Frame
- Tongue (CDB required)
- 3.5K Torflex Ele Brake
- Axles, 45Down,5b,EZ Lube
- 36 x 72 Side PT Door -RH Hinge
- 12v LED 9"x7" 5K Lumen
- Scene Light, 2 EA
- 12v LED Side Surface Mount
- Back-Up Light
- 2000lb Drop Down Stabilizer Jacks
- 3-Piece Aluminum Ladder Rack 1 EA
- Removable Aluminum Ladder 1 EA
- .030 White Alum. Sidewall Covering 14 FT
- a Center Drawbar 1 EA
- Spare Tire ST205/75R15 Rad 5B
- Silver Mod Steel Wheel
- a White Aluminum Ceiling Liner 14 FT

127EAY26Q0085
Unmanned Aircraft System Trailer
Lassen National Forest

- Insulated Ceiling
- 14 FT Insulated Sidewalls 14
- 84in Wide x 18.5in Tall White Alum OH Cabinet (1 EA)
- Straight Base Cabinet - Black - 84x24x40 (1 EA)
- 14in x 14in 12v Powered Roof Vent
- 50in x 30in Horizontal Radius
- Slider Window 1 EA
- 13.5Mach3 A/C-Wall TStat-White(req 12v) 1 EA
- Black Coin Rubber Rear Ramp
- Door Covering
- Black Coin Rubber Floor
- Covering 14 FT
- a PT Door Bar Lock Assembly 1 EA
- 120v 15a Duplex 1g Exterior
- GFI Recept (2 Outlet) 1 EA
- Marine Battery w/Vented Int
- Above Floor Bat Box
- a 20"W Fold Out Steel Step 1 EA