DEFENSE LOGISTICS AGENCY
WEAPONS SUPPORT (RICHMOND)
6090 STRATHMORE ROAD
RICHMOND, VIRGINIA 23237

June 8, 2026

MEMORANDUM FOR: Honeywell International, Inc.

FROM: Brent Weilmuenster/DLA Weapons Support at OKC

SUBJECT: Letter Solicitation SPRTA1-26-Q-0376

This Solicitation is issued for the purpose of acquiring the HEAD ASSEMBLY, REGUL; NSN: 1660-00-601-0655; P/N: 96570-1, Cage 70210 which is sole sourced to Honeywell International, Inc.

CLIN	P/N	NSN	Noun	BEQ (Best Estimated Quantity)
0001	96570-1	1660-00-601-0655	HEAD ASSEMBLY, REGUL	3

Please provide pricing and delivery for purchase of this NSN in accordance with the terms and conditions of SPE4A1-22-G-0014. Honeywell International, Inc. is requested to provide capacity, PLT and pricing based upon the quantity listed below.

Quantities: The current required quantity is **3 ea.** However, the required quantity may change therefore contractor shall provide proposed prices to the following ranges. If the quantity ranges provided in this solicitation do not provide the best pricing option then the contractor shall submit quantity ranges that yield the best prices to the Government based on the Min quantity of **1 ea.** and Max quantity of **5 ea.** The quantity of this solicitation will be re-evaluated upon receipt of the contractor's proposal.

IUID APPLIES: DFARS 252.211.7003

Inspection: Origin
Acceptance: Origin
Inspection/Acceptance Report: Receiving Report Required
Quality Assurance: Standard Inspection
Buy American Act/balance of Payments Program

Requested Delivery: 3 each On or Before 09 Feb 2028

Ship to:
SW3211

DEFENSE LOGISTICS AGENCY
WEAPONS SUPPORT (RICHMOND)
6090 STRATHMORE ROAD
RICHMOND, VIRGINIA 23237

The terms and conditions of SPE4A1-22-G-0014 will apply to this NSN. Please respond with your pricing and delivery for the item by the solicitation closing date of 10 July 2026. If you have any further questions, please contact Brent Weilmuenster at 385-591-2959 or brent.weilmuenster@us.af.mil.

Sincerely,

Brent Weilmuenster
Contracts Specialist

ATTACHMENTS:
NOTE 1 – Packaging to be accomplished IAW the Packaging Requirements documents attached.
NOTE 2 - Transportation to be accomplished IAW the applicable Transportation documents attached.
NOTE 3 – Item identification to be accomplished IAW the applicable IUID document
NOTE 4 – Qualification to be accomplished IAW the applicable Qualification Requirement documents

SUPPLEMENT TO AFLC FORM 761		Mar 19, 2008
NOUN Regulator Head Assembly	NATIONAL STOCK NUMBER 1660006010655	PART NUMBER 96570-1

Only the checked statement applies to this NSN.

QUALIFICATIONS REQUIREMENTS PRIOR TO 19 OCT 84

- **Section F.1**

This item qualifies under FAR 9.206-1(a)(2) and the requirements of FAR 9.202(a) are not applicable. Prequalification of sources is essential to maintain high quality and maximum operational safety.

- **Section F.2**

(a) _____Qualification requirements are set forth in OC-ALC Source Approval Information Booklet. Due to the complexity and criticality of this part, **only actual manufactures** that have successfully completed all testing required by the original company responsible for the design, can be considered approved sources for this item.

(b) __X__ Qualification requirements are set forth in OC-ALC Source Approval Information Booklet. Due to the complexity and criticality of this part, **only actual manufactures** that have successfully completed all testing required by the original company responsible for the design, **or manufacturers that have successfully completed all testing on items determined by the government to be similar in complexity and criticality, can be considered approved sources for this item.**

(c) _____ Qualification requirements are set forth in OC-ALC Source Approval Information Booklet. Category III capability is permissible.

- **Section F.3**

The provisions of FAR 9.206-1 and -2, as supplemented, apply. In accordance with AFMCFARS, 1 July 97, Part 5309.206-1(e)(1), Notes A and B apply. Qualification requirements were established prior to 19 Oct 84.

QUALIFICATION REQUIREMENTS AFTER 19 OCT 84

Justification for Qualification Requirement (JQR) is required.

- **Section F.1**

Prequalification of sources is essential to maintain high quality and maximum operational safety. The requirements of FAR 9.202(a) apply.

- **Section F.2**

(a)_____ Qualification requirements are set forth in OC-ALC Source Approval Information Booklet. Due to the complexity and criticality of this part, **only actual manufactures** that have successfully completed all testing required by the original company responsible for the design, can be considered approved sources for this item.

(b)_____ Qualification requirements are set forth in OC-ALC Source Approval Information Booklet. Due to the complexity and criticality of this part, **only actual manufacturers**, that have successfully completed all testing required by the original company responsible for the design, **or manufacturers that have successfully completed all testing on items determined by the government to be similar in complexity and criticality, can be considered approved sources for this item.**

- **Section F.3**

The provisions of FAR 9.206-1 and -2, as supplemented, apply. In accordance with AFMCFARS, 1 July 97, Part 5309.206-1(e)(1), Notes A and D apply. Qualification requirements were established after 19 Oct 84.

EVALUATING ENGINEER/TECHNICIAN (Signature)	SYMBOL	EXTENSION
Jeff Brown	GBMA	65077

ITEM UNIQUE IDENTIFICATION (IUID) CHECKLIST

I. IUID DETAILS: DFARS 252.211.7003

SECTION (c) (1) (ii) APPLIES TO THE FOLLOWING:

ITEM REQUIRING IUID MARKING

NSN	VERSION NUMBER
1660006010655	2

NOUN

HEAD ASSEMBLY,REGUL

INITIATOR	ORGANIZATION CODE / OFFICE SYMBOL
Stephens, Andrew B	423 SCMS / GUEA
COMMERCIAL PHONE	DSN PHONE
405-734-7840	884-7840

CAGE / REFERENCE NUMBER

MARKING IS TO BE PERFORMED IN ACCORDANCE WITH THE LATEST VERSION OF MIL-STD-130

MARKING GUIDANCE	ENGINEERING DRAWING / ECP / ECO NUMBER
Contractor Determined Location and Method	
MARKING TYPE	MARKING METHOD

DESCRIPTION / LOCATION

REMARKS

ATTACHMENT(S)

II. EMBEDDED ITEMS

SECTION (c) (1) (iii) APPLIES TO THE FOLLOWING:

NSN	NOUN

CAGE / REFERENCE NUMBER

ITEM IS AN EMBEDDED ITEM FOR NSN / PSEUDO NSN: 1660006010655

MARKING GUIDANCE	ENGINEERING DRAWING / ECP / ECO NUMBER
MARKING TYPE	MARKING METHOD

DESCRIPTION / LOCATION

REMARKS

ATTACHMENT(S)

PACKAGING REQUIREMENTS

PURCHASE INSTRUMENT NUMBER: FD20302601094-00	**VERSION:** 1
MIL-STD 129 REVISION: R	**MIL-STD 2073-1 REVISION:** E

THE FOLLOWING STATEMENT IS IN COMPLIANCE WITH THE UNITED NATIONS-IMPLEMENTED RESTRICTIONS ON WOOD PACKAGING MATERIAL (WPM). THIS REQUIREMENT IS SPECIFICALLY CONCERNED WITH INVASIVE SPECIES SUCH AS THE PINEWOOD NEMATODE. WPM IS DEFINED AS WOOD PALLETS, SKIDS, LOAD BOARDS, PALLET COLLARS, WOODEN BOXES, REELS, DUNNAGE, CRATES, FRAMES, AND CLEATS. THE STATEMENT BELOW CITES THE REQUIREMENTS IN DETAIL AND COVERS LUMBER FOR BUILDING CONTAINERS AND PALLETS USED FOR DELIVERIES RESULTING IN SHIPMENTS WORLDWIDE (DIRECT, OR THROUGH AIR LOGISTICS CENTERS (ALC), CONTAINER CONSOLIDATION POINTS (CCP), OR OTHER BASES). WOODEN LUMBER, WOODEN PALLET AND PACKAGING/CONTAINER STATEMENT:
ALL WOODEN LUMBER, WOODEN PALLET'S, AND WOODEN CONTAINERS PRODUCED ENTIRELY OR IN PART OF WOOD PACKING MATERIAL (WPM) SHALL BE CONSTRUCTED FROM DEBARKED WOOD IN ADDITION TO THE APPLICATION OF HEAT-TREATED (HT) MATERIAL (HT TO 56 DEGREES CENTIGRADE OR 133 DEGREES FAHRENHEIT FOR 30 MINUTES). CERTIFICATION/MARKING IS REQUIRED BY AN ACCREDITED AGENCY RECOGNIZED BY THE AMERICAN LUMBER STANDARDS COMMITTEE (ALSC). FOR REFERENCE DOCUMENTATION, SEE LATEST REVISION OF "INTERNATIONAL STANDARDS FOR PHYTOSANITARY MEASURES" (ISPM)NO.15), "REGULATION OF WOOD PACKAGING MATERIAL IN INTERNATIONAL TRADE."

PACRN:	PACKAGING REQUIREMENT:	PRESERVATION LEVEL:	PACKAGING LEVEL:	SPI:	SPI REV:	SPI DATE:
AAA	MIL Long Line Packaging	MIL	B			

ITEM(S):

1660006010655

CODED DATA:

QUP	ICQ	PRES METH	CD	PRES MTL	WRAP MTL	CUSH DUNN	CT	UNIT CONT	INT CONT	UCL	SPEC MKG	UNIT PACK WEIGHT	UNIT PACK LENGTH	UNIT PACK WIDTH	UNIT PACK DEPTH	UNIT PACK CUBE	OPI
1	AAA	10	1	00	EA	NA	A	NS	00	B	17	0.80	6.3	5.3	3.0	0.057	M

ADDITIONAL PACKAGING AND CONTAINER MARKING REQUIREMENTS:

SUPPLEMENTAL PACKAGING INSTRUCTION TEXT:

VENDOR PACKAGING INSTRUCTIONS:

Military Packaging and Marking
Items shall be packaged in accordance with MIL-STD-2073-1, Standard Practice for Military Packaging. Shipping and storage markings shall be in accordance with MIL-STD-129, Standard Practice for Military Marking.

Shipping Container Marking
Shipping containers shall be marked meeting the following criteria: (a) MIL-STD-129, Standard Practice for Military Marking. (b) Additional marking and/or bar coding requirements exceeding those of MIL-STD-129 (e.g., unit serial numbers, original equipment manufacturers (OEM) name, or OEM model number, as specified on the AFMC Form 158.

ORGANIZATION / OFFICE SYMBOL:	PACKAGING SPECIALIST:	PHONE NUMBER:	SIGNATURE:	DATE:
406 SCMS / GULAA	Cox, Sean R	405-582-1901 / 852-1901	//SIGNED//Cox, Sean R	26062 - 03 MAR 2026

TRANSPORTATION DATA FOR SOLICITATIONS

PURCHASE INSTRUMENT NUMBER:	DATE INITIATED:
FD20302601094-00	03 MAR 2026

COMMODITY: See Continuation

STOCK NUMBER: See Continuation

F.O.B. TERMS RECOMMENDED AS BEST SUITED FOR THIS PROCUREMENT

[X] ORIGIN [ ] DESTINATION [ ] OTHER *(Specify)* [ ] DATA / FIRST ARTICLE F.O.B. DESTINATION

TRANSPORTATION PROVISIONS / CLAUSES	FAR CITATION
F.O.B. Origin	52.247-29
Freight Classification Description	52.247-53
Marking of Shipments	47.305-10
Contact DCMA Transportation Contact DCMA Transportation on ALL "DCMA Administered" contracts prior to shipment for shipping instructions using the DCMA Shipment Instruction Request (SIR) eTool System, at http://www.dcma.mil <http://www.dcma.mil/> for ALL FOB: Origin, Foreign Military Sales (FMS), and FOB: Destination OCONUS/Export movements to obtain the appropriate DOD regulatory clearances, shipping documentation and instructions from your cognizant DCMA Transportation Office. If you are new to DCMA, and do not already have a SIR eTool account, you will first need to request an account via DCMA External Web Access Management (EWAM) application which can be accessed at http://www.dcma.mil. If you need additional assistance, email DCMA Transportation Group at: Transportation.Division@dcma.mil. Do not move any freight to a water or aerial port prior to contacting DCMA or it will become frustrated. Failure to contact the responsible DCMA may result in vendor incurring additional expenditures.	Vendor Transportation Instructions

TACRN:

AAA

TRANSPORTATION FUNDS INFORMATION:

Purchase Instrument Line LOA: 97X4930.FC04 646 47GT 159999 01N000 00000 GGGTTT 503000 F03000 FSR: 013352 PSR: K42924

First Destination Transportation Account Code: FRS2

Miscellaneous Obligation / Reimbursement Document:

Second Destination Transportation Account Code:

FMS LOA:

Additional Funding Information:

ITEM / SHIP TO(s):

NSN / Pseudo NSN: 1660006010655

Purchase Instrument Line Item Number: 0001

Ship to (DoDAAC / MAPAC): SW3211

Mark For: Account 09

Ship To (Address): DLA DISTRIBUTION DEPOT OKLAHOMA
3301 F AVE CEN REC BLDG 506 DR 22
TINKER AFB OK 73145-8000
73145 - 8000
USA

WPOD:

APOD:

BBP / CCP:

RIC: 1

Ship To (Remarks):

Requisition Number:

Supplemental Address:

FMS Case:

EVALUATION OF PORT BID OR PROPOSAL:

SOLICITATION DATA NOTES:

OTHER TRANSPORTATION DATA:

NAME	ORGANIZATION / OFFICE SYMBOL	COMMERCIAL / DSN PHONE	SIGNATURE	DATE
Cole, Chiquita D	406 SCMS / GULAA	478-926-7702 / 468-7702	//SIGNED//Cole, Chiquita D	03 MAR 2026