EXHIBIT A - COMPONENTS LIST

National Stock Number	Image	Ind	Item Description	ARC	CIIC	UI	Qty Auth
5140016214149		B	TOOL BOX, PORTABLE			EA	1
5130010213318		B	BIT,SCREWDRIVER, NO. 1; POZIDRIVE CROSS TIP; 1/4 INCH HEX DRIVE SHANK; 6 INCH NOMINAL LENGTH. LOCATED IN DRAWER 3	X	M	EA	1
5130008161314		B	BIT,SCREWDRIVER, NO. 2; TORQ SET; 1/4 INCH HEX DRIVE SHANK; 3-1/2 INCH NOMINAL LENGTH. LOCATED IN DRAWER 3	X	U	EA	5
5120008885831		B	BIT,SCREWDRIVER, NO. 10; TORQ SET; 1/4 INCH HEX DRIVE SHANK; 1 INCH NOMINAL LENGTH. LOCATED IN DRAWER 3	X	U	EA	1
8020002976657		B	BRUSH,PAINT, OVAL SHAPE EDGE; 2-7/8 INCH EXPOSED BRISTLES; 1-1/4 INCH WIDE. THIS IS A CONSUMABLE ITEM. LOCATED IN TOP TRAY	X	U	EA	1
5120014726922		B	EXTENSION,SCREWDRIVER, 1/4 INCH HEX DRIVE; THIS POWER BIT ADAPTER ENABLES THE BALL POINT BITS TO BE USED WITH THE TORQUE SCREWDRIVER. LOCATED IN DRAWER 2	D	M	EA	1

EXHIBIT A - COMPONENTS LIST

National Stock Number	Image	Ind	Item Description	ARC	CIIC	UI	Qty Auth
5120000618543		B	HAMMER,HAND, MACHINIST'S BALLPEEN; 16 OZ HEAD WEIGHT; GLASS FIBER HANDLE WITH CUSHIONED RUBBER GRIP; 13-1/2 INCH OVERALL NOMINAL LENGTH. LOCATED IN DRAWER 7	X	U	EA	1
5120002405364		B	HANDLE,SOCKET WRENCH, 3/8 INCH SQUARE DRIVE; REVERSIBLE RATCHET; 5-3/4 INCH MINIMUM LENGTH. LOCATED IN DRAWER 2	X	U	EA	1
5120010188956		B	KEY SET,SOCKET HEAD, CONTAINS 9 BALL POINT HEX KEY BLADES SIZE 0.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, AND 3/16 INCH; WITH REGULAR HANDLE & EXTENSION. LOCATED IN DRAWER 3	D	U	SE	1
5120010188975		C	BIT,SCREWDRIVER, MALE HEXAGONAL BALL TIP; 0.050 INCH WIDE; 4 INCH NOMINAL LENGTH. LOCATED IN DRAWER 3	D	M	EA	1
5120014349663		C	BIT,SCREWDRIVER, MALE HEXAGONAL BALL TIP; 1/16 INCH WIDE; 4 INCH NOMINAL LENGTH. LOCATED IN DRAWER 3	X	U	EA	1

EXHIBIT A - COMPONENTS LIST

National Stock Number	Image	Ind	Item Description	ARC	CIIC	UI	Qty Auth
5120010188977		C	BIT,SCREWDRIVER, MALE HEXAGONAL BALL TIP; 5/64 INCH WIDE; 4 INCH NOMINAL LENGTH. LOCATED IN DRAWER 3	D	M	EA	1
5120014349686		C	BIT,SCREWDRIVER, MALE HEXAGONAL BALL TIP; 3/32 INCH WIDE; 4 INCH NOMINAL LENGTH. LOCATED IN DRAWER 3	X	M	EA	1
5120010188979		C	BIT,SCREWDRIVER, MALE HEXAGONAL BALL TIP; 7/64 INCH WIDE; 4 INCH NOMINAL LENGTH. LOCATED IN DRAWER 3	D	M	EA	1
5120010188980		C	BIT,SCREWDRIVER, MALE HEXAGONAL BALL TIP; 1/8 INCH WIDE; 4 INCH NOMINAL LENGTH. LOCATED IN DRAWER 3	D	M	EA	1
5120010188981		C	BIT,SCREWDRIVER, MALE HEXAGONAL BALL TIP; 9/64 INCH WIDE; 4 INCH NOMINAL LENGTH. LOCATED IN DRAWER 3	X	U	EA	1

EXHIBIT A - COMPONENTS LIST

National Stock Number	Image	Ind	Item Description	ARC	CIIC	UI	Qty Auth
5120010188982		C	BIT,SCREWDRIVER, MALE HEXAGONAL BALL TIP; 5/32 INCH WIDE; 4 INCH NOMINAL LENGTH. LOCATED IN DRAWER 3	X	U	EA	1
5120010202888		C	BIT,SCREWDRIVER, MALE HEXAGONAL BALL TIP; 3/16 INCH WIDE; 4 INCH NOMINAL LENGTH. LOCATED IN DRAWER 3	D	M	EA	1
5120000563935		C	HANDLE,SCREWDRIVER, PLASTIC, REGULAR; 13/16 INCH DIAMETER X 4-1/8 INCH NOMINAL LENGTH. LOCATED IN DRAWER 3	X	M	EA	1
5120001528991		C	EXTENSION,SCREWDRIVER, MALE STRAIGHT ROUND SHANK; 5 INCH NOMINAL LENGTH. LOCATED IN DRAWER 3	X	M	EA	1
5120002475177		B	PLIERS, LONG ROUND NOSE; WITH CUTTER; 6 INCH OVERALL NOMINAL LENGTH. LOCATED IN DRAWER 4	X	U	EA	1

EXHIBIT A - COMPONENTS LIST

National Stock Number	Image	Ind	Item Description	ARC	CIIC	UI	Qty Auth
5120002406082		B	PUNCH,DRIVE PIN, 1/16 INCH POINT SIZE; 1/2 INCH PIN LENGTH; ROUND KNURLED SHANK; 4 INCH NOMINAL OVERALL LENGTH. LOCATED IN DRAWER 6	X	U	EA	1
5210009718827		B	RULE,MACHINIST'S, 6 INCH LONG; 1/2 INCH NOMINAL WIDTH; SMALLEST GRADUATION UNIT 1/100, 1/64, 1/32, AND 1/10 INCH; RIGHT HAND READING DIRECTION; STEEL. LOCATED IN DRAWER 6	X	U	EA	1
5120013673503		B	SCREWDRIVER ATTACHM, HEX HEAD DRIVER; 5/64 INCH REPLACEABLE HEX BIT; TWO PIECE DESIGN; 1-7/8 INCH OVERALL NOMINAL LENGTH; 1/4 INCH SQUARE DRIVE. LOCATED IN DRAWER 2	X	U	EA	1
5120008326224		B	SCREWDRIVER BIT SET, TORQUE LIMITING, ENGLISH/METRIC SET WITH CASE; CONSISTS OF: ONE TORQUE LIMITING SCREWDRIVER 0.2 TO 4.0 NM AND 2 TO 36 INCH LBS; ONE 1/4 INCH HEX TO 1/4 INCH SQUARE DRIVE SOCKET ADAPTER; ONE NUMBER 1 PHILLIPS POWER BIT; ONE NUMBER 2 PHILLIPS POWER BIT; ONE NUMBER 2 FLAT TIP POWER BIT; ONE NUMBER 4 FLAT TIP POWER BIT; AND ONE CASE. THE DOWNSIZED 94A TOOL KIT DOES NOT CONTAIN THE PLASTIC CASE; THEREFORE, THIS NSN IS NOT SEPARATELY AUTHORIZED IN THE CL. ALL DOWNPARTS WILL REMAIN IN THE 94A TOOL KIT CL IN DRAWER 7.	D	U	SE	1
5130000212042		C	ADAPTER,SCREWDRIVER, 1/4 INCH MALE HEX DRIVE TO 1/4 INCH MALE SQUARE DRIVE. LOCATED IN DRAWER 7	X	U	EA	1

EXHIBIT A - COMPONENTS LIST

National Stock Number	Image	Ind	Item Description	ARC	CIIC	UI	Qty Auth
5130011076963		C	BIT,SCREWDRIVER, NO. 1; PHILLIPS; 1/4 INCH HEX DRIVE SHANK; 2 INCH NOMINAL LENGTH. LOCATED IN DRAWER 7	X	U	EA	1
5130014739384		C	BIT,SCREWDRIVER, NO. 2; PHILLIPS, 1/4 INCH HEX DRIVE SHANK, 2 INCH NOMINAL LENGTH. LOCATED IN DRAWER 7	X	U	EA	1
5130011103530		C	BIT,SCREWDRIVER, NO. 2; FLAT TIP; 1/4 INCH HEX DRIVE SHANK; 1-1/2 INCH NOMINAL LENGTH. LOCATED IN DRAWER 7	X	U	EA	1
5130011090683		C	BIT,SCREWDRIVER, NO. 4; FLAT TIP; 1/4 INCH HEX DRIVE SHANK; 1-7/8 INCH NOMINAL LENGTH. LOCATED IN DRAWER 7	X	M	EA	1
5120008963692		C	SCREWDRIVER,TORQUE, TORQUE LIMITING; DUAL SCALE 0.2 TO 4.0 NM AND 2 TO 36 INCH LBS; 0.0 NM GRADUATIONS AND 2.0 INCH LB GRADUATIONS; 1/4 INCH HEX FEMALE DRIVE; 7-1/2 INCH NOMINAL LENGTH. THIS ITEM REQUIRES PERIODIC CALIBRATION. LOCATED IN DRAWER 7	D	U	EA	1
5120005293101		B	SCREWDRIVER,CROSS TIP, NO. 1; PHILLIPS; 8 INCH NOMINAL BLADE; PLASTIC HANDLE. LOCATED IN DRAWER 5	X	U	EA	1

EXHIBIT A - COMPONENTS LIST

National Stock Number	Image	Ind	Item Description	ARC	CIIC	UI	Qty Auth
5120005423438		B	SCREWDRIVER,CROSS TIP, NO. 2; PHILLIPS; 8 INCH NOMINAL BLADE; PLASTIC HANDLE. LOCATED IN DRAWER 5	X	U	EA	1
5120008885833		B	HANDLE,SCREWDRIVER, PLASTIC; STRAIGHT; FOR 1/4 INCH HEX SHANK INSERT BITS; 3-9/32 INCH LONG STEEL SHANK; 7-1/2 INCH OVERALL NOMINAL LENGTH. LOCATED IN DRAWER 3	X	U	EA	1
5110005424487		B	STRIPPER,WIRE,HAND, PIVOT HANDLE STYLE; AUTOMATIC STOP RETURN AND COIL SPRING; FOR SIZE 14 TO 30 AWG. LOCATED IN DRAWER 7	X	U	EA	1
5110002931585		B	KNIFE,CRAFTSMANS, LIGHT DUTY; INCLUDES HANDLE AND BLADES (CURVED, SQUARE, AND BEVELED BLADES). LOCATED IN DRAWER 6	X	U	SE	1
5120013999584		B	SOCKET, SOCKET WRENCH, STANDARD, 3/8" (2nd Drawer #12) 3/8" 6 point.	X	U	EA	1

EXHIBIT A - COMPONENTS LIST

National Stock Number	Image	Ind	Item Description	ARC	CIIC	UI	Qty Auth
5120002249219		B	ADAPTER,SOCKET WRENCH, 1/4 INCH SQUARE FEMALE OPENING; 3/8 INCH SQUARE MALE TANG. LOCATED IN DRAWER 2	X	U	EA	1
5120013966070		B	WRENCH, TORQUE; 1/4 INCH SQUARE MALE DRIVE; MICROMETER END; 30-150 INCH LBS TORQUE RANGE; 2 INCH LBS GRADUATIONS. THIS ITEM REQUIRES PERIODIC CALIBRATION. LOCATED IN DRAWER 7	D	U	EA	1