RFQ# 140P8626Q0035

Parashant National Monument

(PARA) **PR# 0044048001**

Statement of Work and Specifications

REQUIREMENT: New Utility Terrain Vehicle (UTV)

Parashant National Monument, located in St. George, UT 84790

Requires a New UTV That Meets the Following Specifications:

UTV MAKE AND MODEL

2026 Polaris Ranger Crew XP 1000 Northstar Edition Premium UTV or 2027 Ranger Crew XP 1000 CAB or equal.

BODY

Cab - Fully Enclosed with Powered Front Door Windows (Factory Installed) - Minimum

Windshield - Minimum- Full Glass

Rear Panel - Glass

Crank Rear Windows - Minimum

Windshield Wiper /Washer

Roll Over Protection System (ROPS)

Seating - Bench Style, 6-Person Capacity (Minimum)

Rear View Mirror

Door Mounted Sideview Mirrors (Polaris 2889241) or Equivalent

BODY PROTECTION

Full Body Skid Plate

Full Size Rock Guard w/Step (Polaris 2883398) or Equivalent

Full-Size HD Rear Brushguard (Polaris 2884217) or Equivalent

Front Bumper with Integrated Winch - Minimum 4,500 lbs. w Synthetic Rope

BRAKES

Minimum - 4-Wheel Hydraulic Disc (Front and Rear)

Parking Brake

CARGO

Cargo Box Payload Capacity - Minimum 1,000 lbs.

Cargo Box - Gas Assist Dumping

DRIVETRAIN

Drive System – Minimum - Selectable On-Demand 2WD, AWD

Transmission - Minimum - Automatic 5 Speed

Final Drive – Shaft

ELECTRICAL

Charging System - Minimum 140 AMP

ENGINE

Minimum 995 cc - Liquid Cooled, Electronic Fuel Injection, 4-Stroke Twin Cylinders DOHC Design Capable of Producing a Minimum of 80 HP

Run on 87 Octane or Higher Pump Gasoline.

Fuel Capacity – Minimum 11 Gallons

INSTRUMENTATION

UTV Standard Instrumentation Must Include Speedometer, Odometer, Tachometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Hi-Temp and Coolant Temperature Sensor, Voltmeter, Service Indicator, and a Minimum of ONE 12-volt DC Outlet and ONE USB Outlet.

UTV Will Come with Standard LED Headlights (High/low Beam), LED Taillights, and LED Brake Lights.

STEERING

Minimum Electronic Power Steering (EPS) with Tilt Adjustable Steering Wheel

STORAGE

Full Size Headache Rack (Polaris 2890233) or Equivalent

Full Size Front Hood Storage Rack (Polaris 2890583) or Equivalent

SUSPENSION

Ground Clearance - Minimum 14 inches.

Independent Dual A-Arm Front and Rear Suspension with a Minimum of 10-inch Front and a Minimum 10-inch Rear Suspension Travel

High Clearance A-Arms – Front (Polaris 2889269)/Rear (Polaris 2889270) or Equivalent

TECHNOLOGY

Anti-Theft System

TOWING

Towing Capacity - Minimum 2500 lbs.

Hitch Type - Minimum Standard 2" Receiver

WHEELS & TIRES

Tire Size Minimum - Front Tires (29 X 9-14), Rear Tires (29 X 11-14)

Tires – Radial Construction. Minimum 8 Ply Off Road Rated.

Wheel Composition – Alloy or Equivalent

PERIOD of PERFORMANCE (POP):

The Period of Performance is 90 days from the date of the award.

UTV to be delivered between 8:00 AM-2:00 PM Utah Time - Monday - Thursday

DELIVERY LOCATION:

National Park Service – Parashant National Monument (PARA)

4001 E. Aviator Dr.

St. George, UT 84790