

Envelope Diagrams

7504-0245547

Event ID 0000039469 Attachment 2A

Diagram 150006-150300

Date: July 9, 2026

1-1/8 x 4-1/2
Left:7/8 Bottom:11/16

GRAPHICS ID: 020514_A000252303_1

MAX FORM #: MCC 150006

PROOF DATE: 06/05/2026		CUSTOMER: CA OFFICE OF STATE PUBLISHING			
CSR: KIM.NGUYEN		SIZE: 4.12500 x 9.50000	STYLE:DISS (OSSS)	FLAP SIZE: 1.31250	GUM: REGULAR GUM-FULL
PAPER: 024 / WHITE / WHITE WOVE					
WIN 1:1 1/8 x 4 1/2		LEFT: 7/8	BOTTOM: 11/16	WIN 2:	LEFT: BOTTOM:
OUTSIDE COLORS: -			INSIDE COLOR & TINT: PMS REFLEX BLUE CVO 05		
DIE#: KG1W1002		APPROVED: AS IS ☐ WITH CHANGES ☐ CORRECT & RE-PROOF ☐		BY:	DATE:
IMPORTANT: This proof is presented to you for your review so YOU can be sure your job is set correctly. Please check CAREFULLY for any errors or issues including misspellings, grammatical errors, missing fonts, missing or re-wrapping text, or misplaced images (both in your supplied electronic files and generated design/composition) that may appear. Cenvéo will not be responsible for errors you neglect to bring to Cenvéo’s attention. Unless otherwise specified on the proofs, throat depths, knife angles, adhesive and patch layouts, and other construction specifics are approximations for reference only and may not be matched exactly during production.					

REVISION1


OPERATOR INITIALS RAB

OFFICIAL SAMPLE:

DATE:

VERIFIED BY:
CSR KIM NGUYEN

Order QTY:




DMV 96 C (REV. 5/2015)

DEPARTMENT OF MOTOR VEHICLES
P.O. BOX 942869
SACRAMENTO, CALIFORNIA 94269-0001


FIRST-CLASS MAIL
PRESORTED
U.S. POSTAGE PAID
SACRAMENTO, CA
PERMIT NO. 1

FIRST CLASS MAIL



6" x 9" Booklet - 1 3/4" DD Flap

Diagram 150007 2 of 2





9

1-3/4"

DMV 97 C (REV. 5/2015)

DEPARTMENT OF MOTOR VEHICLES
P.O. BOX 942869
SACRAMENTO, CA 94269-0001

FIRST-CLASS MAIL
PRESORTED
U.S. POSTAGE PAID
SACRAMENTO, CA
PERMIT NO. 1

**FIRST CLASS MAIL
ENCLOSED**

6"

Window:
1-7/16x3-9/16
1/2 L 5/8 B



REG 1020 (NEW 5/2024)

DEPARTMENT OF MOTOR VEHICLES
SPECIAL PROCESSING UNIT MS D238
P.O. BOX 997601
SACRAMENTO, CA 95899-7601

FIRST CLASS MAIL

1-1/2" x 3-3/4"
Left 3/8"
Bottom 1-5/8"

3005


GRAPHICS ID: 014688_A000201681_1

MAX FORM #: REG 1020 (5/2024)

PROOF DATE: 08/08/2024		CUSTOMER: DEPARTMENT OF MOTOR VEHICLES											
CSR: STELLA,SANTIAGO		SIZE: 6,00000 x 9,50000		STYLE:DISS (OSSS)		FLAP SIZE: 1.75000		GUM: REGULAR GUM-FULL					
PAPER: 024 / WHITE / WHITE WOVE													
WIN 1: 1 1/2 x 3 3/4		LEFT: 3/8		BOTTOM: 1 5/8		WIN 2:		LEFT: BOTTOM:		WIN 3:		LEFT: BOTTOM:	
OUTSIDE COLORS: PMS 3005						INSIDE COLOR & TINT: -							
DIE#: LK3B40I8		APPROVED: AS IS ☐		WITH CHANGES ☐		CORRECT & RE-PROOF ☐		BY:		DATE:			
IMPORTANT: This proof is presented to you for your review so YOU can be sure your job is set correctly. Please check CAREFULLY for any errors or issues including misspellings, grammatical errors, missing fonts, missing or re-wrapping text, or misplaced images (both in your supplied electronic files and generated design/composition) that may appear. Cenveo will not be responsible for errors you neglect to bring to Cenveo's attention. Unless otherwise specified on the proofs, throat depths, knife angles, adhesive and patch layouts, and other construction specifics are approximations for reference only and may not be matched exactly during production.													

REVISION 1 OPERATOR INITIALS DG

OFFICIAL SAMPLE:	
DATE:	8/9/24
VERIFIED BY:	
CSR	Stella Santiago
Order QTY:	180,000



BLACK

GRAPHICS ID: 014688_A000199165_3


MAX FORM #: INF 642/14-642 (3/2024)

PROOF DATE: 07/18/2024		CUSTOMER: DEPARTMENT OF MOTOR VEHICLES	
CSR: STELLA.SANTIAGO		SIZE: 4.68750 x 11.43750 STYLE:DISS (OSSS) FLAP SIZE: 1.62500 GUM: LATEX 1"	
PAPER: 024 / WHITE / WHITE WOVE			
WIN 1: 1 3/16 x 4 1/2	LEFT: 1 3/8	BOTTOM: 1 3/8	WIN 2: LEFT: BOTTOM:
OUTSIDE COLORS: PMS BLACK (STD)		INSIDE COLOR & TINT: PMS 418 CVO 10	
DIE#: LG2W40EJ	APPROVED: AS IS ☐	WITH CHANGES ☐	CORRECT & RE-PROOF ☐ BY: DATE:
IMPORTANT: This proof is presented to you for your review so YOU can be sure your job is set correctly. Please check CAREFULLY for any errors or issues including misspellings, grammatical errors, missing fonts, missing or re-wrapping text, or misplaced images (both in your supplied electronic files and generated design/composition) that may appear. Cenvaeo will not be responsible for errors you neglect to bring to Cenvaeo's attention. Unless otherwise specified on the proofs, throat depths, knife angles, adhesive and patch layouts, and other construction specifics are approximations for reference only and may not be matched exactly during production.			
REVISION	3	OPERATOR INITIALS SHALL	


OFFICIAL SAMPLE:	
DATE:	7/22/24
VERIFIED BY:	
CSR	Stella Santiago
Order QTY:	570,000

Diagram 150016


Standard #9 Plain
24# White Wove
Side Seam



BLACK



SPLIT SEAL ADHESIVE PATTERN 1/2" TALL, CENTER 1-7/8" WIDE, SIDES 1-1/8" WIDE




MCC-150018

3-9/16 x 7-3/4 Diagonal Seam Poly Window


24 # White Wove

Standard Linen inside Tint, Color: Reflex Blue

Diagram 150019



MCC-150019
6" x 9" Catalog
28# Manila




MCC-150024

9" x 12" Booklet Regular

28# Manila Side Seam

Plain

Diagram 150025




MCC-150025

9" x 12" Open End


28# Manila Plain

Centered Seam




MCC-150026
10" x 13" Open End
28# Manila Plain
Centered Seam

Diagram 150027




MCC-150027
6-1/2 x 9-1/2 - Catalog
28# Manila


Diagram 150028



MCC-150028
7-1/2 x 10-1/2 - Catalog
28# Manila

Diagram 150037





MCC-150038

10 X 12 OPEN END WITH CLASP

28# MANILA

PLAIN

MCC-150042
12" x 15 - 1/2" Centered Seam
Clasp Manila 110#, Centered flaps
Adhesive Seal

Diagram 150042

Seal Adhesive 10-1/2" x 1"



2-3/16"



6-5/16"

12.0"


6-5/16"

15.0"


15-1/2"

15.0"

1-1/4"



MCC-150043
9-1/2"X12-5/8" booklet Plain
Side Seam
28# White Wove



GRAPHICS ID: 014688_A000199164_1

MAX FORM #: FO 540/6-540 (6/2005)

PROOF DATE: 07/09/2024		CUSTOMER: DEPARTMENT OF MOTOR VEHICLES	
CSR: STELLA.SANTIAGO		SIZE: 9.00000 x 12.00000	STYLE: CENTER
PAPER: 028 / BROWN / BROWN KRAFT		FLAP SIZE: 2.00000	GUM: LATEX 2"
WIN 1: 3 1/2 x 1 1/4	LEFT: 6 7/8	BOTTOM: 3/4	WIN 2: LEFT: BOTTOM:
OUTSIDE COLORS: PMS BLACK (STD)		INSIDE COLOR & TINT: -	
DIE#: K000800L	APPROVED: AS IS ☐ WITH CHANGES ☐	CORRECT & RE-PROOF ☐	BY: DATE:
IMPORTANT: This proof is presented to you for your review so YOU can be sure your job is set correctly. Please check CAREFULLY for any errors or issues including misspellings, grammatical errors, missing fonts, missing or re-wrapping text, or misplaced images. Both in your supplied electronic files and generated design composition that may appear. Canvasa will not be responsible for errors you neglect to bring to Canvasa's attention. Unless otherwise specified on the proofs, throat depths, knife angles, adhesive and patch layouts, and other construction specifics are approximations for reference only and may not be matched exactly during production.			
REVISION	1	OPERATOR INITIALS _RAB_	


OFFICIAL SAMPLE:

DATE: 7/18/24

VERIFIED BY:

CSR: Stella Santiago

Order QTY: 94,000



MS 11069
DEPARTMENT OF MOTOR VEHICLES
INTERNATIONAL REGISTRATION PLAN MS 11069
SACRAMENTO, CA 94212-3200


BLACK

GRAPHICS ID: 014688_A000160823_2 MAX FORM #: MC 5561 (2/2012)

PROOF DATE: 02/24/2022		CUSTOMER: DEPARTMENT OF MOTOR VEHICLES	
CSR: STELLASANTAGO		SIZE: 11,0000 x 4,2000	STYLE: CENTER TOPFLAP
TOPPER: 100 11069A / 11069A 1000T		Side Flap: 8,725	Bottom Flap: 1
WIN 1:	LEFT: BOTTOM:	WIN 2:	LEFT: BOTTOM:
OUTSIDE COLORS: PMS BLACK (STD)		INSIDE COLOR & TINT: -	
DEEP: K0001000	APPROVED: AS IS ☐ WITH CHANGES ☐ CORRECT & RE-PROOF ☐	BY:	DATE:
IMPORTANT: This proof is presented to you for your review so YOU can be sure your job is set correctly. Please check CAREFULLY for any errors or issues including misalignments, grammatical errors, missing fonts, missing or re-wrapping text, or misaligned images. Don't show up! (unless you and your design team agree that may appear). Conover will not be responsible for errors you neglect to bring to Conover's attention. Unless otherwise specified on the proofs, throat depths, knife angles, off-sets and punch layouts, and other construction specifics are approximations for reference only and may not be matched exactly during production.			
REVISION	2	OPERATOR INITIALS: RAB	

OFFICIAL SAMPLE:	
DATE:	7/17/24
VERIFIED BY:	CSA Stella Santiago
Order Qty:	45,000

Diagram 150052



MCC-150052
9" x 12" Side Seam
Poly Window, No inside Tint
28# White Wave






Diagram 150059

MCC-150059
6 x 9 Side Seam booklet w/Poly Window
24# White Wove
Prints in black ink on face

DSS-2 (8/23) S61
OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE, \$300


NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES





BUSINESS REPLY MAIL

FIRST-CLASS MAIL PERMIT NO. 99181 WASHINGTON, DC


POSTAGE WILL BE PAID BY ADDRESSEE







MCC-150062
9 x 12 Side Seam Booklet w/ Poly-Window
28# White Wove
Prints Black Ink on Face
Standard Linen Inside Tint, Color: Reflex Blue



MCC-150063

3-7/8X8-7/8 - Diagonal Seam Regular

24# White Wove

Standard Linen inside Tint, Color: Reflex Blue

Technical drawing of a book cover, showing the front cover and spine. The drawing includes dimensions and material specifications.

Front Cover Dimensions:

- Top edge: 1-9/16"
- Right edge: 3-1/4"
- Bottom edge: 3-1/2"
- Left edge: 3-1/4"
- Diagonal seam: 4-1/8" x 9-1/2"
- Seam adhesive: 1/8" Max. FROM Outside Edge
- Seal adhesive: 1/2" x 8-1/16"

Spine Dimensions:

- Top edge: 1-9/16"
- Right edge: 3-1/4"
- Bottom edge: 3-1/2"
- Left edge: 3-1/4"
- Diagonal seam: 4-1/8" x 9-1/2"
- Seam adhesive: 1/8" Max. FROM Outside Edge
- Seal adhesive: 1/2" x 8-1/16"

Material Specifications:


- MCC-150064
- 4-1/8" x 9-1/2" Diagonal Seam
- RIGHT WINDOW 24# White Wove
- Standard Linen inside Tint, Color: Reflex Blu

Standard Linen inside Tint,Color: Reflex Blue


Size: #10 Window Reflex Blue inside tint
Paper: 24# White Wove
Inks: 0/0

Diagram 150065
1 of 4

#10 Window



#10 Diagonal Seam











Diagram 150065
4 of 4










MCC-150071

3-7/8" x 8-7/8" Diagonal Seam

Poly Window 24# White Wove

Prints in black ink on face




MCC-150072

$4\frac{1}{8}" \times 9\frac{1}{2}"$ Diagonal Seam

24# White Wove

Standard Linen inside Tint, Color: Reflex Blue



MCC150074
6"x9-1/2" Plain White Wove
Booklet
28# Side Seam Inside Tint

Diagram 150075




Diagram 150080









Diagram 150100





MCC-150101 (gum seal w'poly-window)
 4-1/8" x 9-1/2" Diagonal seam
 24# white wove, round top flap
 Black interior security tint





MCC-150103


4-1/2 x 10-3/8 side Seam with window

24# White Wove

Special Dark Linen inside Tint, Color: Black

MCC-150104
9" x 11-1/4" Centered Seam Window
28# White Wove Wallet flaps
Latex Seal Interior Tinted Black

Diagram 150104



DSS-2 (6/15)
OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE, \$300

NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

BUSINESS REPLY MAIL
FIRST-CLASS MAIL PERMIT NO. 99181 WASHINGTON, DC
POSTAGE WILL BE PAID BY ADDRESSEE

Window:
1-3/4" x 5-1/8"
3-1/2" left, 3/4" bottom




Diagram 150107

3 of 4

9" x 12" Side Seam Poly Window


28# Brown Kraft Wallet Flaps


Gum Seal Black Inside Tint

Top Flap opens along 12" Side

(Printing Required)


FOLDS TO 6X9
FOR INSERTING







MCC-150109

Diagram 150109





MCC-150203

3-7/8 x 8-7/8 Side Seam

24# White Wove

Printed Black

