

**FACILITY PLANNING, CONSTRUCTION AND MANAGEMENT
DIVISION
DESIGN SERVICES AND STANDARDS BRANCH
ARCHITECTURE AND ENGINEERING SECTION**

**CONSTRUCTION BULLETIN
No. 1**

Institution: Calipatria State Prison - CAL

Bulletin Number: 1

Date of Issuance: July 22 st, 2024

Reference: Project #18-045, Replace Roof, Phase 11, including

Building 321	19-S-3270-C-NW
Building 322	19-S-3302-C-NW
Building 323	19-S-3303-C-NW
Building 324	19-S-3304-C-NW
Building 325	19-S-3305-C-NW
Building 331	19-S-3306-C-NW
Building 332	19-S-3307-C-NW
Building 333	19-S-3308-C-NW
Building 334	19-S-3309-C-NW
Building 335	19-S-3310-C-NW
Building 341	19-S-3311-C-NW
Building 342	19-S-3312-C-NW
Building 343	19-S-3313-C-NW
Building 344	19-S-3314-C-NW
Building 345	19-S-3315-C-NW
Building 351	19-S-3316-C-NW
Building 352	19-S-3317-C-NW
Building 353	19-S-3318-C-NW
Building 354	19-S-3319-C-NW
Building 355	19-S-3320-C-NW


Drawing numbers:

GA2.0, GA2.1, GA2.2, GA3.1, GA3.2, GA3.3, GA4.1, GA4.2, GA4.5, GA4.7,
HA2.0, HA2.1, HA2.2, HA3.1, HA3.2, HA4.1, HA4.2, HA4.5, & HA4.7.

Description: This bulletin is to revise the roof slope to the existing ¼” per foot and to revise the parallel AHU’s crickets to 1 ½” per foot on the upper roof per RFI 003 response. Plans and Sections have been revised show the updated roof slope. Parapet,

edge condition and safety railing details on the upper roof have been updated to show the reduction of insulation due to the revised roof slope.

Approved:



Martha Cervantes
Senior Architect

07/22/2024

Date



John Rodriguez
Supervising Architect

7.23.2024

Date

BULLETIN NUMBER: 1

The following items in this Bulletin shall supersede those in all previously issued Plans and Specifications.

Changes, modifications, corrections, clarifications, or additions as set forth herein shall apply to the above documents and shall be replaced all the requirements as though originally specified or shown.



This Bulletin consists of (19) item:


ITEM

NO. DESCRIPTION

1. Sheet GA2.0:
 - a. Revised roof slope to $\frac{1}{4}$ " per foot.
 - b. Revised cricket slope at upper roof AHU to be 1 $\frac{1}{2}$ " per foot.
 - c. Revised spot elevations and parapet height on upper roof.
2. Sheet GA2.1:
 - a. Revised roof slope to $\frac{1}{4}$ " per foot,
 - b. Revised spot elevations at upper roof.
 - c. Revised keynote #18.
3. Sheet GA2.2:
 - a. Revised roof slope to $\frac{1}{4}$ " per foot,
 - b. Revised spot elevations at upper roof.
 - c. Revised keynote #3
4. Sheet GA3.1:
 - a. Revised roof slope to $\frac{1}{4}$ " per foot, see detail B/GA 3.1
 - b. Revised spot elevations at upper roof, see detail B/GA 3.1
5. Sheet GA3.2:
 - a. Revised top of parapet elevations at upper roof per reduction of roof slope, see details B/GA3.2, A2/GA3.2, A/GA3.2
6. Sheet GA3.3:
 - a. Revised elevations per revised roof slope, see detail C/GA3.3.
 - b. Revised Guardrail slope per roof slope revision, see D/GA3.3
7. Sheet GA4.1:
 - a. Revised parapet detail to reduce parapet height per reduction of roof slope. See detail 1B/GA4.1.
8. Sheet GA4.2:
 - a. Revised roof edge condition detail per revised roof slope, see detail 3/GA4.2 and 5B/GA4.2.
9. Sheet GA4.5:
 - a. Revised steel size at roof hatch per the revised roof slope, see detail 7/GA4.5

10. Sheet GA4.7:
 - a. Revised parapet framing per revised roof slope, see detail 2/GA4.7
11. Sheet HA2.0:
 - a. Revised roof slope to $\frac{1}{4}$ " per foot.
 - b. Revised cricket slope at upper roof AHU to be 1 $\frac{1}{2}$ " per foot.
 - c. Revised spot elevations and parapet height on upper roof.
12. Sheet HA2.1:
 - a. Revised roof slope to $\frac{1}{4}$ " per foot,
 - b. Revised spot elevations at upper roof.
 - c. Revised keynote #18.
13. Sheet HA2.2:
 - a. Revised roof slope to $\frac{1}{4}$ " per foot,
 - b. Revised spot elevations at upper roof.
 - c. Revised keynote #3.
14. Sheet HA3.1:
 - a. Revised roof slope to $\frac{1}{4}$ " per foot, revised spot elevations at upper roof. See detail B/GA 3.1
15. Sheet HA3.2:
 - a. Revised top of parapet elevations, see details 1/HA3.2, 2/HA3.2.
 - b. Revised elevations per revised roof slope, see detail C/HA3.3.
 - c. Revised Guardrail slope and top of roof elevation per roof slope revision, see D/HA3.3
16. Sheet HA4.1:
 - a. Revised parapet detail to reduce parapet height per reduction of roof slope. See detail 1B/HA4.1.
17. Sheet HA4.2:
 - a. Revised roof edge condition detail per revised roof slope, see detail 3/HA4.2 and 5B/HA4.2.
18. Sheet HA4.5:
 - a. Revised steel size at roof hatch per the revised roof slope, see detail 7/HA4.5
19. Sheet HA4.7:
 - a. Revised parapet framing per revised roof slope, see detail 2/HA4.7





ENLARGED NEW WORK ROOF PLAN - BUILDING 321 (PHASE-2)

SCALE: 0 1 2 4 FEET 8
1/4" = 1'-0"

NEW WORK NOTES:

- SEE PROJECT SPECIFICATION, APPENDIX A FOR HAZARDOUS MATERIAL ABATEMENT AND HANDLING FOR NON-FRIABLE ROOFING MATERIAL.
- ALL ROOFING INSTALLATION SHALL BE INSTALLED PER CBC CHAPTER 15.
- FIRE ALARMS, PULL STATIONS, SMOKE DETECTORS, SHUT DOWN DEVICES SHALL REMAIN OPERATIONAL DURING CONSTRUCTION.
- ALL EXPOSED SHEET METAL SHALL BE PREFINISHED U.O.N. COLOR SHALL BE FROM MANUFACTURER'S STANDARD PALETTE. FINAL COLOR SELECTION BY CDCR REPRESENTATIVE


NEW WORK KEYNOTES:

- EXTEND PARAPET
- NEW CLASS 'A' 80 MIL. FULLY ADHERED PVC MEMBRANE ROOFING SYSTEM WITH XPS INSULATION (MIN. R-30) FOR UPPER ROOF, SEE CONDITION 1, 1B GA4.2. FOR LOWER ROOF, SEE CONDITION 2, 2B GA4.2.
- NEW ROOF EDGE.
- REPLACE EXISTING HATCH WITH BILCO SS-20C SECURITY ROOF HATCH, SEE 7B GA4.5.
- GALVANIZED SAFETY GUARD RAIL PAINTED INSTALL TOP RAIL TO 42 1/2" ABOVE ROOF SURFACE. SEE 5B GA4.5.
- NEW GUARDRAILS TO EXTEND 30" MIN BEYOND END OF EACH COMPONENT SEE 1B GA4.5.
- NEW ROOF CURB AT AIR HANDLING UNIT, SEE 4B GA4.5.
- NEW ROOF CURB AT EXHAUST FAN, SEE 3B GA4.5.
- NEW ROOF CURB AT DUCT PENETRATION, SEE 4B GA4.7.
- CONDUIT PENETRATION WITH OUTLET, SEE 3B GA4.4.
- EXISTING UTILITY PIPES/DUCTS TO REMAIN, MODIFY AS NEEDED DUE TO CHANGE IN ROOF SLOPE AND EQUIPMENT RELOCATION. PROVIDE TEMPORARY SUPPORT DURING CONSTRUCTION. SEE MECHANICAL AND ELECTRICAL DRAWINGS FOR ADDITIONAL INFORMATION.
- NEW PIPE AND CONDUIT SUPPORT FOR ALL UTILITIES, SEE 4B GA4.4.
- NEW DUCT SUPPORT, SEE 3B GA4.3.
- PROVIDE MANUFACTURED SPLIT MEMBRANE FLASHING BOOT AT EXISTING VENT, PIPE RISER AND CONDUIT. EXTEND VENT TO PROVIDE MINIMUM 8" FROM NEW ROOFING, SEE 6B GA4.5.
- MIN. 36" WIDE WELDABLE WALK SURFACE WITH HEAVY DUTY TREAD EMBOSSED MATERIAL. MAINTAIN 72" WIDE WALKING SURFACE AROUND SERVICE SIDE OF UNITS SEE 1B GA4.5.
- PROVIDE NEW LINER AT (E) PRECAST CONCRETE SCUPPER, SEE 1B GA4.4.
- MIN 36" OPEN GRID WALKWAY MAT. ATTACH TO ROOF MEMBRANE WITH WELDED PVC MEMBRANE LOOPS. SEE 3B GA4.6.
- TAPERED INSULATION CRICKET. USE 1" PER FT TAPERED INSULATION AT 1/2" SLOPPED LOW PERIMETER ROOF AND 1" PER FT TAPERED AT 1/4" HIGH ROOFS. USE 1/2" PER FT TAPERED AT AHU. L/W RATIO AT 1/2" SLOPPED ROOF SHALL BE 2:1. L/W RATIO AT OTHER SLOPPED ROOFS SHALL BE 1:1. L/W RATIO AT AHU SHALL BE 1:1 AT HIGH ROOF. SEE GA2.0 FOR CRICKET ELEVATIONS.

LEGEND

- SLOPE → PROVIDE FINISHED SURFACE SLOPE AS INDICATED (FINISHED SURFACE SLOPE)
- #'-#"
- ELEVATION DATUM IS MEASURED FROM TOP OF FINISHED FLOOR (GROUND FLOOR)
- GRIDDED ROOF WALKWAY MATERIAL
- ROOF WALKWAY MATERIAL

APPROVALS



CALIFORNIA DEPARTMENT OF CORRECTIONS AND REHABILITATION
ACCESS COMPLIANCE REVIEW
APPROVAL OF THIS PLAN DOES NOT AUTHORIZE OR APPROVE ANY OMISSION OR DEVIATION FROM APPLICABLE REGULATIONS




MARTHA CERVANTES
SENIOR ARCHITECT
7.23.2024
JOHN RODRIGUEZ
SUPERVISING ARCHITECT

CAL
18-045
ENLARGED NEW WORK ROOF PLAN - BUILDING 321
REPLACE ROOF, PHASE 2
CALIPATRIA STATE PRISON (CAL)
7018 BLAIR ROAD
CALIPATRIA, CA 92233
CADD FILE: PHASE 2 NEW WORK ROOF PLAN - BUILDING 321 - PHASE 2

REV.	DATE	DESCRIPTION
1	07/22/24	CB01 RFI03 ROOF SLOPE

DATE: 07/31/2024
SHEET NUMBER
GA2.1
OF # SHEETS V1



ENLARGED NEW WORK ROOF PLAN - BUILDING 321 (PHASE-2)

SCALE: 0 1 2 4 FEET 8
1/4" = 1'-0"

NEW WORK KEYNOTES:

- 1 EXTEND PARAPET.
- 2 NEW CLASS 'A' 80 MIL. FULLY ADHERED PVC MEMBRANE ROOFING SYSTEM WITH XPS INSULATION (MIN. R-30) FOR UPPER ROOF, SEE CONDITION 1. FOR LOWER ROOF, SEE CONDITION 2.
- 3 TAPERED INSULATION CRICKET. USE 1" PER FT TAPERED INSULATION AT 1/2" SLOPPED LOW PERIMETER ROOF AND 1" PER FT TAPERED AT 1/4" HIGH ROOF. USE 1 1/2" PER FT AT AHU. LOW RATIO AT 1/2" SLOPPED ROOF SHALL BE 2:1 AT LOW ROOF. LOW RATIO AT OTHER SLOPPED ROOFS SHALL BE 1:1. LOW RATIO AT AHU SHALL BE 1:3 AT HIGH ROOF. SEE GA2.0 FOR CRICKET ELEVATIONS.
- 4 NOT USED.
- 5 NOT USED.
- 6 NEW GUARDRAILS TO EXTEND 30" MIN BEYOND END OF EACH COMPONENT, SEE 5.
- 7 NEW ROOF CURB AT AIR HANDLING UNIT, SEE 4B, 2, 4A4.5, 4A4.6.
- 8 NEW ROOF CURB AT EXHAUST FAN, SEE 3B, 4A4.5.
- 9 NEW ROOF CURB AT DUCT PENETRATION, SEE 4, 4A4.7.
- 10 EXTEND CONCRETE EQUIPMENT CURBS AT WATER HEATER, SEE 4, 4A4.6.
- 11 EXISTING UTILITY PIPES/DUCTS TO REMAIN, MODIFY AS NEEDED DUE TO CHANGE IN ROOF SLOPE AND EQUIPMENT RELOCATION, PROVIDE TEMPORARY SUPPORT DURING CONSTRUCTION. SEE MECHANICAL AND ELECTRICAL DRAWINGS FOR ADDITIONAL INFORMATION.
- 12 NEW PIPE AND CONDUIT SUPPORT FOR ALL UTILITIES, SEE 4, 4A4.4.
- 13 NEW DUCT SUPPORT, SEE 3B, 4A4.3.
- 14 PROVIDE MANUFACTURED SPLIT MEMBRANE FLASHING BOOT AT EXISTING VENT, PIPE RISER AND CONDUIT. EXTEND VENT TO PROVIDE MINIMUM 8" FROM NEW ROOFING, 4, 3, 6, 4A4.3, 4A4.4, 4A4.5.
- 15 NOT USED.
- 16 NOT USED.
- 17 MIN 36" OPEN GRID WALKWAY MAT. ATTACH TO ROOF MEMBRANE WITH WELDED PVC MEMBRANE LOOPS, SEE 3, 4A4.6.
- 18 MIN. 36" WIDE WELDABLE WALK SURFACE WITH HEAVY DUTY TREAD EMBOSSED MATERIAL. MAINTAIN 72" WIDE WALKING SURFACE AROUND SERVICE SIDE OF UNITS, SEE 1, 4A4.5.

- 19 REPLACE EXISTING OPEN CONDENSATE DRAIN INLET WITH NEW DIRECT DRAIN. SEE 2B, 4A4.4.
- 20 PROVIDE NEW LINER AT (E) PRECAST CONCRETE SCUPPER, SEE 1B, 4A4.4.
- 21 NOT USED.
- 22 EXTEND CURBED UTILITY ACCESS OPENING MIN. 8" ABOVE NEW ROOFING.
- 23 CLEAN AND PROVIDE NEW INDUSTRIAL COATING TO (E) LADDER. REINSTALL ACCESS LADDER, SEE B, 4A4.3, 4A4.7.
- 24 NOT USED.
- 25 NEW OVERFLOW SCUPPER AT PARAPET. MAINTAIN 24" FROM EDGE OF OVERFLOW SCUPPER TO SCUPPER, SEE 5, 4A4.6.
- 26 NOT USED.
- 27 NEW EDGE ROOF AT UPPER ROOF.
- 28 EXISTING GUN POST ATTACHED TO METAL FRAMING WITH EXISTING ANGLE AT EACH CORNER. RE-ATTACH GUN POST USING EXISTING ANGLES. NEW BOLTS TO MATCH EXISTING BOLTS SIZE AND LENGTH.
- 29 ATTACH EXISTING STAIRS, STRINGER AND RAILING TO EXISTING LANDING, SEE 1B, 4A4.3.
- 30 NEW CLASS 'A' 80 MIL. FULLY ADHERED PVC MEMBRANE ROOFING SYSTEM WITH XPS INSULATION (MIN. R-30) ON EXISTING GUARD POST METAL ROOF, SEE 2, 4A4.2.


NEW WORK NOTES:

1. SEE PROJECT SPECIFICATION, APPENDIX A FOR HAZARDOUS MATERIAL ABATEMENT AND HANDLING FOR NON-FRIABLE ROOFING MATERIAL.
2. ALL ROOFING INSTALLATION SHALL BE INSTALLED PER CBC CHAPTER 15.
3. FIRE ALARMS, PULL STATIONS, SMOKE DETECTORS, SHUT DOWN DEVICES SHALL REMAIN OPERATIONAL DURING CONSTRUCTION.
4. ALL EXPOSED SHEET METAL SHALL BE PREFINISHED U.O.N. COLOR SHALL BE FROM MANUFACTURER'S STANDARD PALETTE. FINAL COLOR SELECTION BY CDCR REPRESENTATIVE.

LEGEND


- SLOPE → PROVIDE FINISHED SURFACE SLOPE AS INDICATED (FINISHED SURFACE SLOPE)
- #'-#'' ELEVATION DATUM IS MEASURED FROM TOP OF FINISHED FLOOR (GROUND FLOOR)
- GRIDDED ROOF WALKWAY MATERIAL
- ROOF WALKWAY MATERIAL

APPROVALS



CALIFORNIA DEPARTMENT OF
CORRECTIONS AND REHABILITATION
ACCESS COMPLIANCE REVIEW

APPROVAL OF THIS PLAN DOES NOT AUTHORIZE
OR APPROVE ANY OMISSION OR DEVIATION
FROM APPLICABLE REGULATIONS



MARTHA CERVANTES
SENIOR ARCHITECT

JOHN RODRIGUEZ
SUPERVISING ARCHITECT

CAL
18-045

ENLARGED NEW WORK ROOF PLAN - BUILDING 321
REPLACE ROOF, PHASE 2



CALIPATRIA STATE PRISON (CAL)
7018 BLAIR ROAD
CALIPATRIA, CA 92233

REVISIONS		
REV.	DATE	DESCRIPTION
1	07/22/24	CB01 RF103 ROOF SLOPE


DATE: 07/31/2024

SHEET NUMBER
GA2.2

OF # SHEETS V1



CALIFORNIA DEPARTMENT OF
CORRECTIONS AND REHABILITATION
ACCESS COMPLIANCE REVIEW
APPROVAL OF THIS PLAN DOES NOT AUTHORIZE
OR APPROVE ANY OMISSION OR DEVIATION
FROM APPLICABLE REGULATIONS





MARTHA CERVANTES
SENIOR ARCHITECT
JOHN RODRIGUEZ
SUPERVISING ARCHITECT

CAL
18-045

SECTIONS - BUILDING 321
REPLACE ROOF, PHASE 2
CALIPATRIA STATE PRISON (CAL)
7018 BLAIR ROAD
CALIPATRIA, CA 92233

REVISIONS		
REV.	DATE	DESCRIPTION
1	07/22/24	CB01 RF103 ROOF SLOPE

DATE: 07/31/2024
SHEET NUMBER
GA3.1
OF # SHEETS V1



CALIFORNIA DEPARTMENT OF
CORRECTIONS AND REHABILITATION
ACCESS COMPLIANCE REVIEW

APPROVAL OF THIS PLAN DOES NOT AUTHORIZE
OR APPROVE ANY OMISSION OR DEVIATION
FROM APPLICABLE REGULATIONS



MARTHA CERVANTES
SENIOR ARCHITECT

JOHN RODRIGUEZ
SUPERVISING ARCHITECT

CAL

18-045

SECTIONS & ELEVATIONS - BUILDING 321
REPLACE ROOF, PHASE 2

CALIPATRIA STATE PRISON (CAL)
7018 BLAIR ROAD
CALIPATRIA, CA 92233

CAD FILE:
PHASE 2 BUILDING 321 - 18-045.DWG

REVISIONS		
REV.	DATE	DESCRIPTION
1	07/22/24	CB01 RF103 ROOF SLOPE


DATE: 07/31/2024

SHEET NUMBER


GA3.2

OF # SHEETS V1

APPROVALS



CALIFORNIA DEPARTMENT OF
CORRECTIONS AND REHABILITATION
ACCESS COMPLIANCE REVIEW
APPROVAL OF THIS PLAN DOES NOT AUTHORIZE
OR APPROVE ANY OMISSION OR DEVIATION
FROM APPLICABLE REGULATIONS



MARTHA CERVANTES
SENIOR ARCHITECT
JOHN RODRIGUEZ
SUPERVISING ARCHITECT

CAL
18-045

ELEVATIONS - BUILDING 321
REPLACE ROOF, PHASE 2

CALIPATRIA STATE PRISON (CAL)
7018 BLAIR ROAD
CALIPATRIA, CA 92233

CAD FILE:
PHASE 2 - BUILDING 321 - ROOF REPLACEMENT - 18-045.dwg









REVISIONS		
REV.	DATE	DESCRIPTION
1	07/22/24	CB01 RF103 ROOF SLOPE

DATE: 07/31/2024

SHEET NUMBER
GA3.3

OF # SHEETS V1

APPROVALS



15 16 17 18 19

REVISIONS

REV.	DATE	DESCRIPTION
1	07/22/24	CB01 RF03 ROOF SLOPE

DATE: 07/31/2024

SHEET NUMBER

GA4.1

OF # SHEETS V1

DETAILS - BUILDING 321
REPLACE ROOF, PHASE 2

CALIPATRIA STATE PRISON (CAL)
7018 BLAIR ROAD
CALIPATRIA, CA 92233

CAD FILE: [FILED:\PROJECTS\BUILDING 321\PHASE 2\REPLACE ROOF\GA4.1.DWG](#)


CDCR
CALIFORNIA DEPARTMENT OF
CORRECTIONS AND REHABILITATION
ARCHITECTURE & ENGINEERING

CALIFORNIA DEPARTMENT OF
CORRECTIONS AND REHABILITATION
ACCESS COMPLIANCE REVIEW

APPROVAL OF THIS PLAN DOES NOT AUTHORIZE
OR APPROVE ANY OMISSION OR DEVIATION
FROM APPLICABLE REGULATIONS


MARATHA CERVANTES
SENIOR ARCHITECT

JOHN RODRIGUEZ
SUPERVISING ARCHITECT




NOTES:
1. ALL MEMBERS (PVC MEMBRANE COVER BOARD, INSULATION) ARE FULLY ADHERED. PVC MEMBRANE SHALL BE ADHERED WITH ADHESIVE APPROVED BY AND IN ACCORDANCE WITH THE ROOFING MANUFACTURER LAP JOINTS SHALL BE HOT-AIR WELDED. COVER BOARD AND INSULATION SHALL BE ADHERED WITH MANUFACTURER APPROVED ADHESIVE AS SPECIFIED.
2. INSULATION OF THE ROOF SHALL BE MINIMUM R-30 RATING.
3. THE ROOFING COVERING SHALL BE UL APPROVED CLASS A.
4. ROOF ASSEMBLY IS 1HR RATED IN ACCORDANCE WITH UL D902.
5. CLASS A ROOF COVERING TO BE TESTED AND CERTIFIED IN ACCORDANCE WITH ASTM E108 OR UL 790.
6. SEE SPECIFICATIONS SECTION 07 54 19 FOR ROOFING COMPONENTS


1 ADHERED SINGLE PLY ROOFING CONDITION 1
GA4.2 SCALE: 0 1 2 4 INCHES 8
3" = 1'-0"



4A DEMO DETAIL - PARAPET CONDITION 'C'
GA4.2 SCALE: 0 1 2 4 INCHES 8
3" = 1'-0"




5A DEMO DETAIL - ROOF EDGE CONDITION 3
GA4.2 SCALE: 0 1 2 4 INCHES 8
3" = 1'-0"




NOTES:
1. ALL MEMBERS (PVC MEMBRANE COVER BOARD, INSULATION) ARE FULLY ADHERED. PVC MEMBRANE SHALL BE ADHERED WITH ADHESIVE APPROVED BY AND IN ACCORDANCE WITH THE ROOFING MANUFACTURER LAP JOINTS SHALL BE HOT-AIR WELDED. COVER BOARD AND INSULATION SHALL BE ADHERED WITH MANUFACTURER APPROVED ADHESIVE AS SPECIFIED.
2. INSULATION OF THE ROOF SHALL BE BETWEEN R-16 TO R-30 RATING AT PERIMETER ROOF AREA.
3. INSULATION OF THE AD-SEC AREA SHALL BE MIN. R-30 RATING.
4. THE ROOFING COVERING SHALL BE UL APPROVED CLASS A.
5. ROOF ASSEMBLY IS 1HR RATED IN ACCORDANCE WITH UL J970.
6. CLASS A ROOF COVERING TO BE TESTED AND CERTIFIED IN ACCORDANCE WITH ASTM E108 OR UL 790.
7. SEE SPECIFICATIONS SECTION 07 54 19 FOR ROOFING COMPONENTS


2 ADHERED SINGLE PLY ROOFING CONDITION 2
GA4.2 SCALE: 0 1 2 4 INCHES 8
3" = 1'-0"





4B NEW DETAIL - PARAPET CONDITION 'C'
GA4.2 SCALE: 0 1 2 4 INCHES 8
3" = 1'-0"




5B NEW DETAIL - ROOF EDGE CONDITION 3
GA4.2 SCALE: 0 1 2 4 INCHES 8
3" = 1'-0"




3 NEW DETAIL - ROOF EDGE CONDITION 2
GA4.2 SCALE: 0 1 2 4 INCHES 8
3" = 1'-0"



6A DEMO DETAIL - ROOF AT WALL
GA4.2 SCALE: 0 1 2 4 INCHES 8
3" = 1'-0"



6B NEW DETAIL - ROOF AT WALL
GA4.2 SCALE: 0 1 2 4 INCHES 8
3" = 1'-0"




6C NEW DETAIL - ROOF AT WINDOW/LOUVER
GA4.2 SCALE: 0 1 2 4 INCHES 8
3" = 1'-0"

APPROVALS



CALIFORNIA DEPARTMENT OF CORRECTIONS AND REHABILITATION ACCESS COMPLIANCE REVIEW
APPROVAL OF THIS PLAN DOES NOT AUTHORIZE OR APPROVE ANY OMISSION OR DEVIATION FROM APPLICABLE REGULATIONS








MARTHA CERVANTES
SENIOR ARCHITECT
JOHN RODRIGUEZ
SUPERVISING ARCHITECT


CAL
18-045

DETAILS - BUILDING 321
REPLACE ROOF, PHASE 2
CALIPATRIA STATE PRISON (CAL)
7018 BLAIR ROAD
CALIPATRIA, CA 92233

REV. DATE DESCRIPTION
A 07/22/24 CB01 RF103 ROOF SLOPE

DATE: 07/31/2024
SHEET NUMBER
GA4.2
OF # SHEETS V1






- NOTES:
1. ALL MEMBERS (PVC MEMBRANE COVER BOARD, INSULATION) ARE FULLY ADHERED. PVC MEMBRANE SHALL BE ADHERED WITH ADHESIVE APPROVED BY AND IN ACCORDANCE WITH THE ROOFING MANUFACTURER. LAP JOINTS SHALL BE HOT-AIR WELDED. COVER BOARD AND INSULATION SHALL BE ADHERED WITH MANUFACTURER APPROVED ADHESIVE AS SPECIFIED.
 2. INSULATION OF THE ROOF SHALL BE MINIMUM R-30 RATING.
 3. THE ROOFING COVERING SHALL BE UL APPROVED CLASS A.
 4. ROOF ASSEMBLY IS 1HR RATED IN ACCORDANCE WITH UL P908.
 5. CLASS A ROOF COVERING TO BE TESTED AND CERTIFIED IN ACCORDANCE WITH ASTM E108 OR UL 790.
 6. SEE SPECIFICATIONS SECTION 07 54 19 FOR ROOFING COMPONENTS


1 ADHERED SINGLE PLY ROOFING CONDITION 3

GA4.7 SCALE: 0 1 2 4 INCHES 8
3" = 1'-0"




2B GUARDRAIL BASE PLATE AT PARAPET

GA4.7 SCALE: 0 1 2 4 INCHES 8
3" = 1'-0"




4 NEW DETAIL - CURB AT DUCT PENETRATION

GA4.7 SCALE: 0 1 2 4 INCHES 8
3" = 1'-0"



3 GUARDRAIL AT PARAPET



GA4.7 SCALE: 0 1 2 4 INCHES 8
3" = 1'-0"



2 GUARDRAIL AT PARAPET

GA4.7 SCALE: 0 1 2 4 INCHES 8
3" = 1'-0"

APPROVALS



MARTHA CERVANTES
SENIOR ARCHITECT

JOHN RODRIGUEZ
SUPERVISING ARCHITECT

CAL
18-045

DETAILS - BUILDING 321

CALIPATRIA STATE PRISON (CAL)
7018 BLAIR ROAD
CALIPATRIA, CA 92233

AD FILE:
a) remove comments (4) removed 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100 101 102 103 104 105 106 107 108 109 110 111 112 113 114 115 116 117 118 119 120 121 122 123 124 125 126 127 128 129 130 131 132 133 134 135 136 137 138 139 140 141 142 143 144 145 146 147 148 149 150 151 152 153 154 155 156 157 158 159 160 161 162 163 164 165 166 167 168 169 170 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196 197 198 199 200 201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 220 221 222 223 224 225 226 227 228 229 230 231 232 233 234 235 236 237 238 239 240 241 242 243 244 245 246 247 248 249 250 251 252 253 254 255 256 257 258 259 260 261 262 263 264 265 266 267 268 269 270 271 272 273 274 275 276 277 278 279 280 281 282 283 284 285 286 287 288 289 290 291 292 293 294 295 296 297 298 299 300 301 302 303 304 305 306 307 308 309 310 311 312 313 314 315 316 317 318 319 320 321 322 323 324 325 326 327 328 329 330 331 332 333 334 335 336 337 338 339 340 341 342 343 344 345 346 347 348 349 350 351 352 353 354 355 356 357 358 359 360 361 362 363 364 365 366 367 368 369 370 371 372 373 374 375 376 377 378 379 380 381 382 383 384 385 386 387 388 389 390 391 392 393 394 395 396 397 398 399 400 401 402 403 404 405 406 407 408 409 410 411 412 413 414 415 416 417 418 419 420 421 422 423 424 425 426 427 428 429 430 431 432 433 434 435 436 437 438 439 440 441 442 443 444 445 446 447 448 449 450 451 452 453 454 455 456 457 458 459 460 461 462 463 464 465 466 467 468 469 470 471 472 473 474 475 476 477 478 479 480 481 482 483 484 485 486 487 488 489 490 491 492 493 494 495 496 497 498 499 500 501 502 503 504 505 506 507 508 509 510 511 512 513 514 515 516 517 518 519 520 521 522 523 524 525 526 527 528 529 530 531 532 533 534 535 536 537 538 539 540 541 542 543 544 545 546 547 548 549 550 551 552 553 554 555 556 557 558 559 560 561 562 563 564 565 566 567 568 569 570 571 572 573 574 575 576 577 578 579 580 581 582 583 584 585 586 587 588 589 590 591 592 593 594 595 596 597 598 599 600 601 602 603 604 605 606 607 608 609 610 611 612 613 614 615 616 617 618 619 620 621 622 623 624 625 626 627 628 629 630 631 632 633 634 635 636 637 638 639 640 641 642 643 644 645 646 647 648 649 650 651 652 653 654 655 656 657 658 659 660 661 662 663 664 665 666 667 668 669 670 671 672 673 674 675 676 677 678 679 680 681 682 683 684 685 686 687 688 689 690 691 692 693 694 695 696 697 698 699 700 701 702 703 704 705 706 707 708 709 710 711 712 713 714 715 716 717 718 719 720 721 722 723 724 725 726 727 728 729 730 731 732 733 734 735 736 737 738 739 740 741 742 743 744 745 746 747 748 749 750 751 752 753 754 755 756 757 758 759 760 761 762 763 764 765 766 767 768 769 770 771 772 773 774 775 776 777 778 779 780 781 782 783 784 785 786 787 788 789 790 791 792 793 794 795 796 797 798 799 800 801 802 803 804 805 806 807 808 809 810 811 812 813 814 815 816 817 818 819 820 821 822 823 824 825 826 827 828 829 830 831 832 833 834 835 836 837 838 839 840 841 842 843 844 845 846 847 848 849 850 851 852 853 854 855 856 857 858 859 860 861 862 863 864 865 866 867 868 869 870 871 872 873 874 875 876 877 878 879 880 881 882 883 884 885 886 887 888 889 890 891 892 893 894 895 896 897 898 899 900 901 902 903 904 905 906 907 908 909 910 911 912 913 914 915 916 917 918 919 920 921 922 923 924 925 926 927 928 929 930 931 932 933 934 935 936 937 938 939 940 941 942 943 944 945 946 947 948 949 950 951 952 953 954 955 956 957 958 959 960 961 962 963 964 965 966 967 968 969 970 971 972 973 974 975 976 977 978 979 980 981 982 983 984 985 986 987 988 989 990 991 992 993 994 995 996 997 998 999 1000 1001 1002 1003 1004 1005 1006 1007 1008 1009 1010 1011 1012 1013 1014 1015 1016 1017 1018 1019 1020 1021 1022 1023 1024 1025 1026 1027 1028 1029 1030 1031 1032 1033 1034 1035 1036 1037 1038 1039 1040 1041


REVISIONS		
REV.	DATE	DESCRIPTION
1	07/22/24	CB01 RF103 ROOF SLOP

DATE: 07/31/2024

SHEET NUMBER


GA4.7

OF # SHEETS V



1 OVERALL NEW WORK ROOF PLAN - BUILDING 322 (PHASE-2)
HA2.0 SCALE: 0 4 8 FEET 16
1/8" = 1'-0"


- LEGEND:**
- (N) PARAPET EXTENSION
 - GRIDDED ROOF WALKWAY MATERIAL
 - ROOF WALKWAY MATERIAL
 - PARAPET CONDITION 1
 - PARAPET CONDITION 2



2 SCUPPER/ROOF DRAIN ENLARGED PLAN & ELEVATION
GA2.0 SCALE: 0 1 2 3 FEET 4
1/2\"/>

NOTE:
ALL SPOT ELEVATIONS ARE TAKEN FROM TOP OF FINISHED FLOOR (GROUND FLOOR).

APPROVALS



CALIFORNIA DEPARTMENT OF CORRECTIONS AND REHABILITATION
ACCESS COMPLIANCE REVIEW
APPROVAL OF THIS PLAN DOES NOT AUTHORIZE OR APPROVE ANY OMISSION OR DEVIATION FROM APPLICABLE REGULATIONS



MARTHA CERVANTES
SENIOR ARCHITECT
JOHN RODRIGUEZ
SUPERVISING ARCHITECT

CAL
18-045

OVERALL NEW WORK ROOF PLAN - BUILDING 322
REPLACE ROOF, PHASE 2
CALIPATRIA STATE PRISON (CAL)
7018 BLAIR ROAD
CALIPATRIA, CA 92233


CAD FILE: PHASE 2 BUILDING 322 - 18-045.DWG

REVISIONS		
REV.	DATE	DESCRIPTION
1	07/22/24	CB01 RF03 ROOF SLOPE

DATE: 07/31/2024


SHEET NUMBER
HA2.0

OF # SHEETS V1



ENLARGED NEW WORK ROOF PLAN - BUILDING 322 (PHASE-2)

SCALE: 0 1 2 4 FEET 8
1/4" = 1'-0"



NEW WORK NOTES:

- SEE PROJECT SPECIFICATION, APPENDIX A FOR HAZARDOUS MATERIAL ABATEMENT AND HANDLING FOR NON-FRIABLE ROOFING MATERIAL.
- ALL ROOFING INSTALLATION SHALL BE INSTALLED PER CBC CHAPTER 15.
- FIRE ALARMS, PULL STATIONS, SMOKE DETECTORS, SHUT DOWN DEVICES SHALL REMAIN OPERATIONAL DURING CONSTRUCTION.
- ALL EXPOSED SHEET METAL SHALL BE PREFINISHED U.O.N. COLOR SHALL BE FROM MANUFACTURER'S STANDARD PALETTE. FINAL COLOR SELECTION BY CDCR REPRESENTATIVE


NEW WORK KEYNOTES:

- EXTEND PARAPET
- NEW CLASS 'A' 80 MIL. FULLY ADHERED PVC MEMBRANE ROOFING SYSTEM WITH XPS INSULATION (MIN. R=30) FOR UPPER ROOF, SEE CONDITION 1, (1 HA4.2) FOR LOWER ROOF, SEE CONDITION 2, (2 HA4.2)
- NEW ROOF EDGE.
- REPLACE EXISTING HATCH WITH BILCO SS-20C SECURITY ROOF HATCH, SEE (7 HA4.5)
- GALVANIZED SAFETY GUARD RAIL PAINTED INSTALL TOP RAIL TO 42 1/2" ABOVE ROOF SURFACE. SEE (5 HA4.5)
- NEW GUARDRAILS TO EXTEND 30" MIN BEYOND END OF EACH COMPONENT SEE (5 HA4.5)
- NEW ROOF CURB AT AIR HANDLING UNIT, SEE (4B HA4.5)
- NEW ROOF CURB AT EXHAUST FAN, SEE (3B HA4.5)
- NEW ROOF CURB AT DUCT PENETRATION, SEE (4 HA4.7)
- CONDUIT PENETRATION WITH OUTLET, SEE (3 HA4.4)
- EXISTING UTILITY PIPES/DUCTS TO REMAIN, MODIFY AS NEEDED DUE TO CHANGE IN ROOF SLOPE AND EQUIPMENT RELOCATION. PROVIDE TEMPORARY SUPPORT DURING CONSTRUCTION. SEE MECHANICAL AND ELECTRICAL DRAWINGS FOR ADDITIONAL INFORMATION.
- NEW PIPE AND CONDUIT SUPPORT FOR ALL UTILITIES, SEE (4 HA4.4)
- NEW DUCT SUPPORT, SEE (3B HA4.3)
- PROVIDE MANUFACTURED SPLIT MEMBRANE FLASHING BOOT AT EXISTING VENT, PIPE RISER AND CONDUIT. EXTEND VENT TO PROVIDE MINIMUM 8" FROM NEW ROOFING, SEE (6 HA4.5)
- MIN. 36" WIDE WELDABLE WALK SURFACE WITH HEAVY DUTY TREAD EMBOSSED MATERIAL. MAINTAIN 72" WIDE WALKING SURFACE AROUND SERVICE SIDE OF UNITS SEE (1 HA4.5)
- PROVIDE NEW LINER AT (E) PRECAST CONCRETE SCUPPER, SEE (1B HA4.4)
- NOT USED.
- TAPERED INSULATION CRICKET. USE 1/2" TAPERED INSULATION AT BOTH 1/2" AND 1/4" SLOPPED ROOFS. USE 1 1/2" TAPERED AT AHU. S.W. RATIO AT 1/2" SLOPPED ROOF SHALL BE 3:1 S.W. RATIO AT 1/4" SLOPPED ROOF SHALL BE 3:1 S.W. RATIO AT AHU SHALL BE 1:3 AT HIGH ROOF, SEE HAZ.0 FOR CRICKET ELEVATIONS.


LEGEND

- SLOPE → PROVIDE FINISHED SURFACE SLOPE AS INDICATED (FINISHED SURFACE SLOPE)
- #'-#" • ELEVATION DATUM IS MEASURED FROM TOP OF FINISHED FLOOR (GROUND FLOOR)
- ROOF WALKWAY MATERIAL

APPROVALS



CALIFORNIA DEPARTMENT OF CORRECTIONS AND REHABILITATION
ACCESS COMPLIANCE REVIEW
APPROVAL OF THIS PLAN DOES NOT AUTHORIZE OR APPROVE ANY OMISSION OR DEVIATION FROM APPLICABLE REGULATIONS



MARTHA CERVANTES
SENIOR ARCHITECT

JOHN RODRIGUEZ
SUPERVISING ARCHITECT

ENLARGED NEW WORK ROOF PLAN - BUILDING 322

REPLACE ROOF, PHASE 2

CALIPATRIA STATE PRISON (CAL)
7018 BLAIR ROAD
CALIPATRIA, CA 92233

CAD FILE: PHASE 2 NEW WORK ROOF PLAN - BUILDING 322 (PHASE 2) - 11-11-2024


REVISIONS		
REV.	DATE	DESCRIPTION
1	07/22/24	CB01 RF103 ROOF SLOPE

DATE: 07/31/2024

SHEET NUMBER


HA2.1

OF # SHEETS V1



CALIFORNIA DEPARTMENT OF
CORRECTIONS AND REHABILITATION
ACCESS COMPLIANCE REVIEW

APPROVAL OF THIS PLAN DOES NOT AUTHORIZE
OR APPROVE ANY OMISSION OR DEVIATION
FROM APPLICABLE REGULATIONS



MARTHA CERVANTES
SENIOR ARCHITECT

JOHN RODRIGUEZ
SUPERVISING ARCHITECT

CAL
18-045

ENLARGED NEW WORK ROOF PLAN - BUILDING 322
REPLACE ROOF, PHASE 2

CALIPATRIA STATE PRISON (CAL)
7018 BLAIR ROAD
CALIPATRIA, CA 92233


CAD FILE:
R:\PROJECTS\BUILDING 322\PHASE 2\NEW ROOF\ENLARGED NEW WORK ROOF PLAN - BUILDING 322.dwg

REVISIONS		
REV.	DATE	DESCRIPTION
1	07/22/24	CB01 RF103 ROOF SLOPE

DATE: 07/31/2024
SHEET NUMBER
HA2.2
OF # SHEETS V1

ENLARGED NEW WORK ROOF PLAN - BUILDING 322 (PHASE-2)

SCALE: 0 2 4 FEET
1/4" = 1'-0"



NEW WORK KEYNOTES:

- 1 EXTEND PARAPET.
- 2 NEW CLASS 'A' 80 MIL. FULLY ADHERED PVC MEMBRANE ROOFING SYSTEM WITH XPS INSULATION (MIN. R-30) FOR UPPER ROOF, SEE CONDITION 1. FOR LOWER ROOF, SEE CONDITION 2.
- 3 TAPERED INSULATION CRICKET. USE 1/2"/FT TAPERED INSULATION AT BOTH 1/2" AND 1/4" SLOPED ROOFS. USE 1 1/2" FT TAPERED AT AHU. LOW RATIO AT 1/2" SLOPED ROOF SHALL BE 2:1. LOW RATIO AT 1/4" SLOPED ROOF SHALL BE 3:1. LOW RATIO AT AHU SHALL BE 1:3. AT HIGH ROOF, SEE HA2.0 FOR CRICKET ELEVATIONS.
- 4 NOT USED.
- 5 NOT USED.
- 6 NEW GUARDRAILS TO EXTEND 30" MIN BEYOND END OF EACH COMPONENT, SEE HA4.5.
- 7 NEW ROOF CURB AT AIR HANDLING UNIT, SEE HA4.5.
- 8 NEW ROOF CURB AT EXHAUST FAN, SEE HA4.5.
- 9 NEW ROOF CURB AT DUCT PENETRATION, SEE HA4.7.

- 10 EXTEND CONCRETE EQUIPMENT CURBS AT WATER HEATER, SEE HA4.6.
- 11 EXISTING UTILITY PIPES/DUCTS TO REMAIN, MODIFY AS NEEDED DUE TO CHANGE IN ROOF SLOPE AND EQUIPMENT RELOCATION. PROVIDE TEMPORARY SUPPORT DURING CONSTRUCTION. SEE MECHANICAL AND ELECTRICAL DRAWINGS FOR ADDITIONAL INFORMATION.
- 12 NEW PIPE AND CONDUIT SUPPORT FOR ALL UTILITIES, SEE HA4.4.
- 13 NEW DUCT SUPPORT, SEE HA4.3.
- 14 PROVIDE MANUFACTURED SPLIT MEMBRANE FLASHING BOOT AT EXISTING VENT, PIPE RISER AND CONDUIT. EXTEND VENT TO PROVIDE MINIMUM 8" FROM NEW ROOFING, SEE HA4.3, HA4.4, HA4.5.
- 15 NOT USED.
- 16 NOT USED.
- 17 NOT USED.
- 18 MIN. 36" WIDE WELDABLE WALK SURFACE WITH HEAVY DUTY TREAD EMBOSSED MATERIAL. MAINTAIN 72" WIDE WALKING SURFACE AROUND SERVICE SIDE OF UNITS, SEE HA4.5.

- 19 REPLACE EXISTING OPEN CONDENSATE DRAIN INLET WITH NEW DIRECT DRAIN. SEE HA4.4.
- 20 PROVIDE NEW LINER AT (E) PRECAST CONCRETE SCUPPER, SEE HA4.4.
- 21 NOT USED.
- 22 EXTEND CURBED UTILITY ACCESS OPENING MIN. 8" ABOVE NEW ROOFING.
- 23 NOT USED.
- 24 NOT USED.
- 25 NEW OVERFLOW SCUPPER AT PARAPET, MAINTAIN 24" FROM EDGE OF OVERFLOW SCUPPER TO SCUPPER, SEE HA4.6.
- 26 NOT USED.
- 27 NEW EDGE ROOF AT UPPER ROOF.



NEW WORK NOTES:

1. SEE PROJECT SPECIFICATION, APPENDIX A FOR HAZARDOUS MATERIAL ABATEMENT AND HANDLING FOR NON-FRIABLE ROOFING MATERIAL.
2. ALL ROOFING INSTALLATION SHALL BE INSTALLED PER CBC CHAPTER 15.
3. FIRE ALARMS, PULL STATIONS, SMOKE DETECTORS, SHUT DOWN DEVICES SHALL REMAIN OPERATIONAL DURING CONSTRUCTION.
4. ALL EXPOSED SHEET METAL SHALL BE PREFINISHED U.O.N. COLOR SHALL BE FROM MANUFACTURER'S STANDARD PALETTE. FINAL COLOR SELECTION BY CDCR REPRESENTATIVE.


LEGEND

- SLOPE → PROVIDE FINISHED SURFACE SLOPE AS INDICATED (FINISHED SURFACE SLOPE)
- #'-#"
ELEVATION DATUM IS MEASURED FROM TOP OF FINISHED FLOOR (GROUND FLOOR)
- ROOF WALKWAY MATERIAL

APPROVALS



CALIFORNIA DEPARTMENT OF
CORRECTIONS AND REHABILITATION
ACCESS COMPLIANCE REVIEW
APPROVAL OF THIS PLAN DOES NOT AUTHORIZE
OR APPROVE ANY OMISSION OR DEVIATION
FROM APPLICABLE REGULATIONS



MARTHA CERVANTES
SENIOR ARCHITECT
JOHN RODRIGUEZ
SUPERVISING ARCHITECT

CAL

18-045

SECTIONS - BUILDING 322
REPLACE ROOF, PHASE 2

CALIPATRIA STATE PRISON (CAL)
7018 BLAIR ROAD
CALIPATRIA, CA 92233

CAD FILE:
PHASE 2 - BUILDING 322 - 18-045.dwg

REVISIONS		
REV.	DATE	DESCRIPTION
1	07/22/24	CB01 RF03 ROOF SLOPE


DATE: 07/31/2024

SHEET NUMBER

HA3.1


OF # SHEETS V1

APPROVALS



CALIFORNIA DEPARTMENT OF
CORRECTIONS AND REHABILITATION
ACCESS COMPLIANCE REVIEW

APPROVAL OF THIS PLAN DOES NOT AUTHORIZE
OR APPROVE ANY OMISSION OR DEVIATION
FROM APPLICABLE REGULATIONS



MARTHA CERVANTES
SENIOR ARCHITECT

JOHN RODRIGUEZ
SUPERVISING ARCHITECT

CAL
18-045

SECTIONS & ELEVATIONS - BUILDING 322
REPLACE ROOF, PHASE 2

CALIPATRIA STATE PRISON (CAL)
7018 BLAIR ROAD
CALIPATRIA, CA 92233

CAD FILE:
PHASE 2 - BUILDING 322 - REPLACE ROOF - PHASE 2 - 18-045.dwg

REVISIONS		
REV.	DATE	DESCRIPTION
1	07/22/24	CB01 RF03 ROOF SLOPE

DATE: 07/31/2024

SHEET NUMBER
HA3.2

OF # SHEETS V1











APPROVALS

DATE: 07/31/2024

SHEET NUMBER


HA4.1

OF # SHEETS V1



CALIFORNIA DEPARTMENT OF CORRECTIONS AND REHABILITATION
ACCESS COMPLIANCE REVIEW

APPROVAL OF THIS PLAN DOES NOT AUTHORIZE OR APPROVE ANY OMISSION OR DEVIATION FROM APPLICABLE REGULATIONS



MARTHA CERVANTES
SENIOR ARCHITECT

JOHN RODRIGUEZ
SUPERVISING ARCHITECT

CAL
18-045

DETAILS - BUILDING 321
REPLACE ROOF, PHASE 2

CALIPATRIA STATE PRISON (CAL)
7018 BLAIR ROAD
CALIPATRIA, CA 92233


CAD FILE: [PHASE 2 BUILDING 321 - 18-045.DWG](#)

REVISIONS		
REV.	DATE	DESCRIPTION
1	07/22/24	CB01 RF103 ROOF SLOPE

DATE: 07/31/2024


SHEET NUMBER
HA4.5

OF # SHEETS V1



CALIFORNIA DEPARTMENT OF
CORRECTIONS AND REHABILITATION
ACCESS COMPLIANCE REVIEW

APPROVAL OF THIS PLAN DOES NOT AUTHORIZE
OR APPROVE ANY OMISSION OR DEVIATION
FROM APPLICABLE REGULATIONS



MARTHA CERVANTES
SENIOR ARCHITECT

JOHN RODRIGUEZ
SUPERVISING ARCHITECT

CAL

18-045

DETAILS - BUILDING 322

REPLACE ROOF, PHASE 2

CALIPATRIA STATE PRISON (CAL)
7018 BLAIR ROAD
CALIPATRIA, CA 92233

CAD FILE:
PHASE 2/REPLACE ROOF/PHASE 2/DETAILS - BUILDING 322/REPLACE ROOF, PHASE 2/HA4.7.DWG

REVISIONS		
REV.	DATE	DESCRIPTION
A	07/22/24	CB01 RF103 ROOF SLOPE

DATE: 07/31/2024

SHEET NUMBER

HA4.7

OF # SHEETS V1