

Request For Information

Submitted By: Aaron Chamberlain

Title: CSII

Region: III

Institution: CIM

Project Name: Replace Roofs (Program Phase 1 - 4)

Title: Roof Replacement - Phase 1 Facility B

RFI#: 007

Date: 9/9/2025

Needed By: 9/23/2025

CCM Proj. # I-001123

A/E Proj. # 22-090



RFI Description – Correctional Construction Mentorship Program (CCM)

CCM is requesting verification of Fire Rating and Membrane Fasten location for expansion Joint, new construction Pg. A2.5 Detail 1 and A3.1 to use same detail for missing Detail 7-A3.1 Pg.A2.5. Special Condition 4 shows Detail 1-A3.1 for existing expansion joint with missing detail. See attached Plan Sheets.
Please Advise.

Location: Plan Set 22-090, FAC B UNIT 2

Attachments

Plan(s) Sht/Detail: 22-090 Pg.A2.5, A3.1 Detail 1 and 7-A3.9 SC 4

Specification: N/A

Submittals: N/A

Shop Drawings: N/A

Product Data: N/A

Memo / Letter: N/A

Images: N/A

Other: N/A

Response To RFI – Architecture and Engineering Section

I concur with your comments. The fire rating requirements at the various expansion joints is unclear. The fasteners shown being installed inside the expansion joint gap could not be installed per the detail and this must be corrected. Detail(s) for expansion joints at vertical/wall locations need to be provided. The missing detail 7/A3.1 is in the process of being provided as part of RFI 004. I have contacted the consultant and asked them to make clarifications and corrections to their drawings. This will be issued in a forthcoming CB.

Attachments

Plan(s) Sht/Detail: N/A

Specification: N/A

Submittals: N/A

Shop Drawings: N/A

Product Data: N/A

Memo / Letter: N/A

Images: N/A

Other: N/A


Response By: Eileen Tumlin, Senior Architect


Date: 10/3/2025

Access Compliance Review for Attachment: Not Required

SFM Approval for Attachment: Required

Timestamp of Response: [Final A/E]





REMOVE (E) EXPANSION JOINT, CURB, FLASHING, ETC.

REMOVE VERTICAL EXPANSION JOINT COVER. REPAIR CONCRETE WALLS AND PREPARE SURFACE TO RECEIVE (N) EXPANSION JOINT ASSEMBLY

REMOVE WINDOWS AND FLASHING AND PREPARE FOR NEW WINDOWS

REMOVE (E) EXPANSION JOINT, CURB, FLASHING, ETC.




NO	PR	AN	CA	TH	WI
----	----	----	----	----	----

LBE FLAME

" EMBED, 2-3/8" DIA.


GED WOOD
EMBER



ON JOINT DETAIL 1

4 INCHES 8
1" = 1'-0"

CANNOT BE RE-USED OR 1/2
 THREAD ROD @ 48" O.C. SET
 WITH EPOXY, 3-1/2" EMBED



IM Request
 ing membrane
 roll over 2" x4"
 ssure treated
 ber, cut before
 crete, avoiding
 crete anchor.

Location of Anchor
 will be very difficult
 application.

OF
 TS AT
 X TO
 SIDE
 SIDE
 ACTION