CONTRACT DATA REQUIREMENTS LIST
(CDRL)
GENERAL INSTRUCTIONS

CONTRACT NUMBER:
FD2060-25-30324

PREPARED BY:

COMBAT READINESS DIRECTORATE

HUMAN SYSTEMS DIVISION

AFLCMC/ROU, Operations and Support

236 Milledgeville Street, Suite F30

Robins AFB GA 31098

CDRL MODIFICATION MATRIX.

This matrix identifies the CDRL changes as implemented by contract modification.

PROPOSAL NO.	CDRL REV NO.	DATE	CDRL/PAGES REVISED
Initial	Basic	28 May 2026	All
Administrative Updates	A	17 Jun 2026	All

TABLE OF CONTENTS

1.0 APPLICABLE DOCUMENTS 4
2.0 REFERENCE DOCUMENTS 4
3.0 DATA DELIVERIES 4
3.1 DELIVERY DATES 4
3.2 TAILORED DATA ITEMS 5
3.3 APPROVAL OF DATA 5
3.4 RE-SUBMITTAL OF DATA 5
3.5 FINAL SUBMITTAL OF DATA 5
3.6 DD FORM 250 REQUIREMENTS 5
3.7 CLASSIFIED DATA 6
4.0 ELECTRONIC DATA TRANSMISSION 6
4.1 SUBMISSION 6
4.2 DELIVERY NON-COMPLIANCE 6
4.3 FINANCIAL INFORMATION FORMAT 6
5.0 LETTERS OF TRANSMITTAL (LT) 7
6.0 MODIFICATION OF DATA REQUIREMENTS 7
7.0 COMMON ABBREVIATIONS 7
8.0 MARKING TECHNICAL DOCUMENTATION 8
8.1 DISTRIBUTION MARKING SYSTEM 8
8.2 MARKING TECHNICAL DATA 9
8.3 DISTRIBUTION STATEMENTS 9
8.4 CONTROLLING OFFICE 10
8.5 EXPORT-CONTROLLED WARNING STATEMENT 10
8.6 CONTROLLED UNCLASSIFIED INFORMATION (CUI) 11
8.7 MARKING NON-TECHNICAL DOCUMENTATION 11
8.8 MARKING EXAMPLES 11
8.9 INTELLECTUAL PROPERTY/MARKING 13
9.0 MAILING LISTS 13
10.0 CDRL TABLE OF CONTENTS 13

1.0 APPLICABLE DOCUMENTS

Data Item Descriptions (DIDs)/DD Form 1664s, are identified in Block 4 of the individual Contract Data Requirements List (CDRL)/DD Form 1423-1. All DIDs are available to the contractor at the following website: http://quicksearch.dla.mil/.

2.0 REFERENCE DOCUMENTS

DAFI 61-201	Management of Scientific and Technical Information (STINFO)
DFARS 227.71	Rights in Technical Data
DFARS 227.72	Rights in Computer Software & Computer Software Documentation
DoD 5010.12-M	Procedures for the Acquisition and Management of Technical Data
DoDD 5230.09	Clearance of DoD Information for Public Release
DoDD 5230.25	Withholding of Unclassified Technical Data from Public Disclosure
DoDD 5400.07	DoD Freedom of Information Act (FOIA) Program
DoDI 2040.02	International Transfer of Technology, Articles, and Services
DoDI 5200.48	Controlled Unclassified Information (CUI)
DoDI 5230.24	Distribution Statements on DoD Technical Information
DoDM 5200.01v1	DoD Information Security Program: Overview, Classification, and Declassification
DoDM 5200.01v2	DoD Information Security Program: Marking of Information
DoDM 5200.01v3	DoD Information Security Program: Protection of Classified Information
EIA 649-1	Configuration Management Requirements for Defense Contracts

3.0 DATA DELIVERIES

The CDRL establishes the data to be delivered by the contractor. The CDRL also identifies the submittal, inspection, approval, acceptance, and distribution requirements of all the CDRL data items contained herein.

3.1 Delivery Dates/Time

Delivery Dates and Time

If a CDRL delivery date falls on a Saturday, Sunday, or Federal holiday, the delivery shall be made on the preceding business day to be considered an on-time delivery. Specifically:

- For deliveries due on a Saturday or Sunday, the required delivery date shall be the preceding Friday.

- For deliveries due on a Federal holiday, the required delivery date shall be the business day preceding the holiday. If the day prior to the holiday falls on a Sunday, the required delivery date shall be the Friday immediately preceding the Sunday.

All CDRL deliveries must be received no later than 1700 hours (5:00 PM) local Robins Air Force Base, Georgia time on the designated delivery date. Unless otherwise specified in Block 16 of the applicable CDRL, all references to "days" shall mean calendar days.

Early CDRL delivery is permitted. The Contractor shall immediately notify the Government in writing of any anticipated or actual late CDRL deliveries, including the reason for the delay and a proposed recovery schedule.

3.2 Tailored Data Items

Tailoring instructions are as described in Block 16 of each affected CDRL. If the data preparation instructions contained in Block 16 of the CDRL are different than the instructions contained in the DID, the CDRL shall govern.

3.3 Approval of Data

An "A" designator in Block 8 of the CDRL indicates the Government will formally reply to each data submittal with an approval, approval with comments, or disapproval. The Government will respond by issuing a Procuring Contracting Officer (PCO) letter or e-mail to the contractor within 45 calendar days, unless otherwise specified on the CDRL, Block 16. This does not apply to Engineering Change Proposals (ECPs) and Contract Change Proposals (CCPs).

For those CDRLs with an "N/A" in Block 8, Government approval of the content is not required; however, compliance with data item format and content requirements as specified in the DID, and as tailored in Block 16 of the CDRL, is mandatory. However, the Government may not provide a formal response back to the contractor. The Government has the right to reject/disapprove any data submittal(s) not in compliance with contract requirements.

3.4 Re-submittal of Data

If re-submittal of a CDRL is required, it shall be resubmitted within 30 calendar days after PCO notification, unless otherwise specified. Should the contractor disagree with the re-submittal requirements, they shall submit their comments to the PCO within 30 calendar days of notification. Each page of a re-submittal shall have changes indicated by a vertical line down the outer right margin designating those areas that have been revised. The document revision shall be indicated on the title page of the data item, each page**,** and a summary of document changes section contained within the document.

3.5 Final Submittal of Data

For the final delivery of each data item in the contract/delivery order, the contractor shall clearly state in the Letter of Transmittal (LT), as defined in paragraph 5.0, when it is the last submittal being made, and that all contractual requirements concerning that data item have been fulfilled.

3.6 DD Form 250 Requirements

Block 7 of the CDRL directs the inspection and acceptance of the submittal. Individual DD Form 250s are required only if indicated in Block 7. All other submittals shall be accompanied by a Letter of Transmittal (LT).

3.7 Classified Data

Classified data shall be submitted in accordance with the requirements established by the DD Form 254, Contract Security Classification Specification. The contractor shall contact the PCO for the mailing address(es) if not specified in Block 14 or 16 of the DD Form 1423-1.

4.0 ELECTRONIC DATA TRANSMISSION

4.1 Submission

The contractor shall submit all data deliverables in accordance with the specific submittal instructions indicated in Block 16 of each CDRL. The versions of the software used shall remain compatible with current program office software. Any submittals by other means shall require program office approval prior to delivery of data. Data to be submitted by electronic data transmission (EDT) shall be identified in "Block 14.b Repro" of the CDRL.

The Contractor shall electronically deliver all contractual data using the Government-controlled method of delivery, Multi-user ECP Automated Review System (MEARS), https://mears1.redstone.army.mil/mears/Default.aspx. The Contractor shall work with the Government to ensure that an adequate number of Contractor personnel obtain and possess Public Key Infrastructure (PKI) certification from an accepted Government source. The Contractor shall be receptive to the training offered by the Government on the MEARS system.

Submissions of large data files may be made via a DoD approved site such as Secure Access File Exchange (SAFE) (https://safe.apps.mil/) or CD/DVD mailed to the Government Program Office.

An alternate method of delivery when MEARS is down for maintenance will be the DISA application, known as DOD SAFE, https://safe.apps.mil/. It will be available to all DOD Common Access Card (CAC) holders or Contractor personnel who possess Public Key Infrastructure (PKI) certification from an accepted Government source.

4.2 Delivery Non-Compliance

The contractor shall inform the program office if any of their data deliverables cannot comply with the required electronic formats. In such cases the contractor shall recommend, for program office approval, an alternative delivery format(s).

4.3 Financial Information Format

Financial information provided in excel spreadsheets should be able to be manipulated.

5.0 LETTERS OF TRANSMITTAL (LT)

All data deliveries shall include a LT. The LT may be in the form of a letter or e-mail from the designated contractor representative. As a minimum, the LT shall contain:

Contractor's POC
Contractor's address
Date
Contract number and program name
Letter control number
Document control number
Document revision level
Document date
CDRL sequence number
DID Number
Data Title/Subtitle
Reason/Frequency of submittal (monthly, draft, final, update, etc.)
List of Distribution addressees as identified in Block 14 of the CDRL

If a paper copy of the LT is prepared, a complete list of addressees shall be placed at the end of the LT, annotating the recipients (as identified on the DD Form 1423-1, Block 14) including the transmittal-letter-only recipients.

If submittal is made via e-mail, the list of addressees in the "TO" line shall include the complete list of addressees and shall be considered sufficient.

6.0 MODIFICATION OF DATA REQUIREMENTS

During the performance of this contract, the PCO may unilaterally increase or decrease the number of addressees and/or number of copies the technical office requires; or may make other administrative or clarification changes to the CDRL.

The PCO may unilaterally make other administrative and/or clarification changes to the CDRLs. The contract price will constitute full satisfaction of any entitlement of equitable adjustment under the "Changes" clause provided the Contractor agrees to accept such change at no change in contract price. Unilateral action shall be by the issuance of a PCO's letter, which will reference this paragraph as its authority. The Contractor shall notify the PCO of the estimated cost if the changes impact the contract price.

7.0 COMMON ABBREVIATIONS

Block 7:	SS	Inspection at Source / Acceptance at Source
	DD	Inspection at Destination / Acceptance at Destination
	SD	Inspection at Source / Acceptance at Destination
	LT	Letter of Transmittal

Block 8:	A	Approval
	N/A	Approval Not Required
	16	See Block 16 for further instructions

Blocks 10, 12 & 13:	ANNLY	Annually
	ASGEN	As Generated
	ASREQ	As Required
	BI-MO	Bi-Monthly
	BI-WE	Bi-Weekly
	BLK 16	See Block 16
	DAILY	Daily
	DFDEL	Deferred Delivery
	EOC	End of Contract
	EOM	End of Month
	EOQ	End of Quarter
	MTHLY	Monthly
	ONE/P	One-time Preliminary draft
	ONE/R	One-time with Revisions
	OTIME	One Time
	QRTLY	Quarterly
	R/ASR	Revisions as Required
	SEMIA	Every 6 Months
	WEKLY	Weekly
	XDACM	X Days after Contract Modification
	XDADO	X Days after Delivery Order
	XDARC	X Days after Receipt of Comments
	XDARP	X Days after Reporting Period
	XDATC	X Days after Test Completion
	XDPTT	X Days prior to Test
	XTIMES	X Times

8.0 MARKING TECHNICAL DOCUMENTATION

8.1 Distribution Marking System

In accordance with Section 1.30 of Title 10, “United States Code” a DoD distribution marking system for technical data has been established by DoD Instruction 5230.24, “Distribution Statements on Technical Documents” and DAFI 61-201, Management of Scientific and Technical Information. The intent of the system is to stem the flow of military-related technical data to our adversaries, without inhibiting technological growth

or blocking the exchange of technical data that is vital to progress and innovation. The contractor shall mark all distribution statements and export-control statements, supplemental to any security markings, on all technical data to denote the extent of its availability for secondary distribution, release, and disclosure without need for additional approvals and authorizations from the controlling DoD office.

Distribution statements are annotated in Block 9 of each CDRL and defined in paragraph 8.3. If the contractor feels that a different statement is required, they must notify the contracting officer with the recommended statement, prior to CDRL submittal. The Government will review the request and determine which statement is the most appropriate and provide the contractor with an acceptance of the change or reason for not accepting the contractor's request for change.

8.2 Marking Technical Data

The contractor shall mark all requested technical information, regardless of its medium, with a distribution statement. This includes technical reports, blueprints, drawings, technical orders, technical manuals, plans, instructions, computer software, viewgraphs, film, technical papers, photographs, etc. If the document contains export-controlled technical data, it also must be marked with an export control warning statement. Distribution statements can be applied to technical data that contain or reveal proprietary information used.

Technical data categorized as cryptographic/communications security, communications/electronic intelligence, and similar categories as may be designated by the Director, National Security Agency, whose distribution is limited through alternate methods, are exempt from these marking provisions.

Certain types of technical data preclude placing the entire notice on the document. To accommodate this problem, each distribution statement contains an authorized abbreviation form. Abbreviated distribution statements are to be used only when space precludes placing the entire notice on the document. The use and wording of these statements are described in the following paragraphs.

The contractor shall mark Controlled Unclassified Information (CUI) in accordance with DoDI 5200.48, paragraph 3.4.

8.3 Distribution Statements

A DoD distribution marking system for technical data is prescribed in DoD Instruction (DoDI) 5230.24, "Distribution Statements on DoD Technical Information." The intent of the system is to identify the audience approved for secondary distribution of the data in order to stem the flow of military-related technical data to our adversaries, without inhibiting technological growth or appropriate exchange of technical data that is vital to progress and innovation. These markings are in addition to any security classification or other control markings.

The contractor shall mark all technical information, regardless of its medium, with the appropriate distribution statement as prescribed by the controlling DoD office. Distribution statements are also applied to technical data that contain proprietary information. Per DAFI 61-201, paragraph 3.4.4.1, "Distribution statements are displayed conspicuously on all technical documents regardless of medium or format. For standard written or printed material, the Distribution Statement is shown on all pages

to the maximum extent practical and at a minimum on the front cover, title page, and SF 298, where applicable. If the technical information is digitally prepared or in any other medium that does not have a cover or title page, the applicable Distribution Statement is affixed to all physical and digital items by other means in a conspicuous position for ready recognition." Drawings must display the distribution statement on the first sheet at a minimum.

Technical data categorized as cryptographic/communications security, communications/electronic intelligence, and similar categories as may be designated by the Director, National Security Agency, whose distribution is limited through alternate methods, are exempt from these marking provisions.

Certain types of technical data preclude placing the entire notice on the document. Abbreviated distribution statements must be approved by the program office and are to be used only when space precludes placing the entire statement on the document.

The distribution statement is identified in Block 9 of each CDRL. If the contractor feels that a different statement or defense category is required, the contractor must notify the PCO with the recommended statement. The Government will review the request, determine which statement is the most appropriate, and provide the contractor with either an acceptance or rejection of the requested change.

Wording for the distribution statements is shown below. The acceptable defense categories for the distribution statements must be chosen from those listed in DoDI 5230.24. The following address will be used on all documentation for the "controlling DoD office" for this program:

DISTRIBUTION STATEMENT D: Distribution authorized to the Department of Defense and U.S. DoD contractors only [category] [date of determination]. Other requests for this document must be referred to [controlling DoD office].

8.4 Controlling Office

The following address will be used on all documentation for the "controlling office" for this program:

AFLCMC/ROU
Human Systems Division (Program Name)
236 Milledgeville Street, Suite F30
Robins AFB GA 31098

8.5 Export-Controlled Warning Statement

Authority to withhold and control the export of certain technical data with military or space application is determined in accordance with Title 10, United States Code section 130, "Authority to withhold from public disclosure certain technical data," and implemented by DoDD 5230.25, if such data may not be exported lawfully outside the United States without an approval, authorization, or license under the Export Control Reform Act of 2018 or the Arms Export Control Act (AECA) (both cited in the Export Control Warning). Such withholding and export control applies to Defense items listed in the United States Munitions List (USML), which is part of the International Traffic in Arms

Regulations (ITAR) (22 CFR 120-130); and Export Administration Regulations (EAR) (15 CFR 730-774).

If a technical document, whether printed or electronic/digital, contains export-controlled technical data, it shall be marked with the export control warning statement prescribed in DoDI 5230.24 and shown below. When it is not feasible to use the entire statement, the abbreviated warning may be used, and a copy of the full warning added to the "Notice to Accompany the Dissemination of Export-Controlled Technical Data," which is Enclosure 5 of DoDD 5230.25. For assistance in determining what is export controlled, consult the controlling DoD office. The Export Control Warning may be used in conjunction with distribution statements B, C, D, E, and F. Distribution statement A, which denotes public release, cannot be used in conjunction with the export-control warning notice.

WARNING - This document contains technical data whose export is restricted by the Arms Export Control Act (Section 2751 of Title 22, United States Code) or the Export Control Reform Act of 2018 (Chapter 58 Sections 4801-4852 of Title 50, United States Code). Violations of these export laws are subject to severe criminal penalties. Disseminate in accordance with provisions of DoD Directive 5230.25 and DoD Instruction 2040.02.

8.6 Controlled Unclassified Information (CUI)

Unclassified documentation that is associated with a law, regulation, or government-wide policy, and identified as needing safeguarding, is considered CUI and must be marked according to DoDI 5200.48, Controlled Unclassified Information (CUI).

8.7 Marking Non-Technical Documentation

Non-technical documentation that is associated with a law, regulation, or government-wide policy, and identified as needing safeguarding, is considered CUI and must be marked according to DoDI 5200.48, Controlled Unclassified Information (CUI).

8.8 Marking Examples

The marking examples below are for reference. Specific information within the distribution statements and the CUI Designation Indicator will depend upon each individual case.

Marking example for non-technical CUI:



CUI ← Mark Bottom of Page

Marking example for technical CUI:

CUI ← Mark Top of Page

DISTRIBUTION STATEMENT E. Secondary Distribution authorized to DoD components only; Controlled Technical Information; 27 August 2021. Other requests for this document must be referred to AFLCMC/XXXX, Gov address. ← Complete DoDI 5230.24 Distribution Statement

Controlled by: USAF/AFMC
Controlled by AFLCMC/XXXX
CUI Category: Controlled Technical Information
Distribution/Dissemination Control: E
POC: Gov POC name and email ← CUI Designation Indicator IAW DoDI 5200.48

CUI ← Mark Bottom of Page

Marking example for export-controlled technical CUI:

CUI ← Mark Top of Page

DISTRIBUTION STATEMENT E. Secondary Distribution authorized to DoD components only; Critical Technology, Export Controlled; 27 August 2021. Other requests for this document must be referred to AFLCMC/XXXX, Gov address. ← Complete DoDI 5230.24 Distribution Statement

WARNING - This document contains technical data whose export is restricted by the Arms Export Control Act (Section 2751 of Title 22, United States Code) or the Export Control Reform Act of 2018 (Chapter 58 Sections 4801-4852 of Title 50, United States Code). Violations of these export laws are subject to severe criminal penalties. Disseminate in accordance with provisions of DoD Directive 5230.25 and DoD Instruction 2040.02. ← DoDI 5230.24 Export Control Warning

Controlled by: USAF/AFMC
Controlled by AFLCMC/XXXX
CUI Category: Controlled Technical Information
Distribution/Dissemination Control: E
POC: Gov POC name and email

CUI Designation Indicator IAW DoDI 5200.48

CUI

Mark Bottom of Page

8.9 Intellectual Property/Marking

Any markings that are added to documents for review purposes must be removed prior to formal submittal. If a document still requires a marking not addressed in the contract, the contractor must provide a justification for the marking.

9.0 MAILING LISTS

The Government will provide the following information for each recipient identified in Block 14: office symbol, mailing address, point of contact e-mail and phone number.

Office/Symbol	Addresses	Email/Phone
AFLCMC/ROU For data deliveries	MEARS	https://mears1.redstone.army.mil/mears/default.aspx

10.0 CDRL TABLE OF CONTENTS

6/17/2026 7:07:54 PM EDT

CDRL Table of Contents

CONTRACT #: **FD2060-25-30324 F4FDAL5192A001**

CONTRACTOR: **W.S. DARLEY & CO**

SET NAME: **JSMLT (Option 1)** **SYSTEM ITEM:** **Joint Service Mask Leakage Tester Repair**

PROGRAM: **Human Systems**

DATA ITEM	REQUIRING OFFICE	AUTHORITY/TITLE/SUBTITLE	SOW PARAGRAPH
B001	AFLCMC/ROU	DI-MGMT-80441D	3.2, 3.6
		Government Property (GP) Inventory Report	
B002	AFLCMC/ROU	DI-QCIC-80278C	4.3.1
		Calibration and Measurements Requirements Summary (CRMS)	
B003	AFLCMC/ROU	DI-MGMT-81803A	4.7.1.1
		Item Unique Identification (IUID) Marking Plan	
B004	AFLCMC/ROU	DI-MGMT-81804A	4.7.1
		Item Unique Identification (IUID) Marking Activity, Validation and Verification Report	
B005	AFLCMC/ROU	DI-NDTI-80809B	4.7.3.2
		Test/Inspection Report	
		Individual Test Report	
B006	AFLCMC/ROU	DI-QCIC-80553A	4.7.3.2
		Acceptance Test Plan	
B007	AFLCMC/ROU	DI-NDTI-80603A	4.7.3.3
		Test Procedure	
B008	AFLCMC/ROU	DI-NDTI-80809B	4.7.3.3
		Test/Inspection Report	
		Test Procedure Qualification	
B009	AFLCMC/ROU	DI-MGMT-81634C	4.7.5.2
		Commercial Asset Visibility Air Force (CAVAF) Government Furnished Material Report	
B00A	AFLCMC/ROU	DI-MGMT-81838	4.7.5.3
		Commercial Asset Visibility (CAV) Reporting	
B00B	AFLCMC/ROU	DI-PSSS-81995A	4.7.5.2
		Contract Depot Maintenance (CDM) Monthly Production Report	
		CDM Production Monthly Status Report	
B00C	AFLCMC/ROU	DI-MGMT-82128A	3.2
		Contract Government Furnished Material (GFM) Monthly Requisition and Inventory Report	
B00D	AFLCMC/ROU	DI-MISC-81832	4.7.6.1

CDRL Table of Contents

		Counterfeit Prevention Plan	
B00E	AFLCMC/ROU	DI-MISC-80711A	4.10
		Scientific and Technical Reports	
B00F	AFLCMC/ROU	DI-SESS-80639E	4.10.1.2, 4.10.1.2.1, 4.10.1.2.2
		Engineering Change Proposal (ECP)	
B00G	AFLCMC/ROU	DI-SESS-80642E	4.10.1.2
		Notice of Revision (NOR)	
B00H	AFLCMC/ROU	DI-MISC-81618	4.10.2.2
		Service Bulletins	
B00J	AFLCMC/ROU	DI-PSSS-81656B	4.10.3
		Bill of Materials (BOM) for Logistics and Supply Chain Risk	
B00K	AFLCMC/ROU	DI-MGMT-8004A	5.2.1
		Management Plan	
		Mission-Essential Services Plan	
B00L	AFLCMC/ROU	DI-IPSC-81442A	4.8.2
		Software Version Description	
		SVD	
B00M	AFLCMC/ROU	DI-MISC-81454D	4.8.2
		Computer Program Identification Number (CPIN) Catalog Information	
B00N	AFLCMC/ROU	DI-IPSC-80590B	4.8.2
		Computer Program End Item Documentation	

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
1003	B	TDP _ TM _ OTHER MGMT

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE	17. PRICE GROUP
B001	Government Property (GP) Inventory Report		

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE	18. ESTIMATED TOTAL PRICE
DI-MGMT-80441D	3.2, 3.6	AFLCMC/ROU	

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
LT	D	ASREQ	BLK 16

8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION
A	N/A	BLK 16

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 12:
First submission due 60 days after contract award, if applicable.

BLK 13:
Subsequent submissions due upon government request or 10 days after a modification to the report.

14. DISTRIBUTION

a. ADDRESSEE	b. COPIES		
	Draft	Final	
		Reg	Repro
MEARS	0	0	1
15. TOTAL →	0	0	1

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
1003	B	TDP _ TM _ OTHER QCIC

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
B002	Calibration and Measurements Requirements Summary (CRMS)	

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-QCIC-80278C	4.3.1	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
LT	D	BLK16	BLK16

8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION
A	N/A	BLK16

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 12:
First submission due 120 days after contract award.

BLK 10 & BLK 13:
Subsequent submissions due every 90 days.

14. DISTRIBUTION

a. ADDRESSEE	b. COPIES		
	Draft	Final	
		Reg	Repro
MEARS	0	0	1
15. TOTAL →	0	0	1

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
1003	B	TDP _ TM _ OTHER MGMT

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE	17. PRICE GROUP
B003	Item Unique Identification (IUID) Marking Plan		

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE	18. ESTIMATED TOTAL PRICE
DI-MGMT-81803A	4.7.1.1	AFLCMC/ROU	

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
LT	D	ONE/R	BLK 16

8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION
A	N/A	ASREQ

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 12:
First submission due 120 days after contract award.

14. DISTRIBUTION

a. ADDRESSEE	b. COPIES		
	Draft	Final	
		Reg	Repro
MEARS	0	0	1
15. TOTAL →	0	0	1

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
1003	B	TDP _ TM _ OTHER MGMT

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
B004	Item Unique Identification (IUID) Marking Activity, Validation and Verification Report	

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-MGMT-81804A	4.7.1	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
LT	D	ONE/R	BLK 16

8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION
A	N/A	ASREQ

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 16:
First submission due 120 days after contract award.

14. DISTRIBUTION

a. ADDRESSEE	b. COPIES		
	Draft	Final	
		Reg	Repro
MEARS	0	0	1
15. TOTAL →	0	0	1

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
1003	B	TDP _ TM _ OTHER NDTI

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
B005	Test/Inspection Report	Individual Test Report

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-NDTI-80809B	4.7.3.2	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
DD	D	QRTLY	ASREQ

8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION
A	BLK16	BLK16

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 11 & BLK 13:
The Contractor shall submit a Developmental Test Report for Performance Validation documenting the results of all tests and demonstrations required by the Government approved Developmental Test Plan for Performance Validation NLT thirty (30) calendar days after the last planned test or demonstration event is satisfactorily complete. This report shall reflect how the prototype met, or failed to meet, thresholds and objectives laid out int the Statement of Objectives.

14. DISTRIBUTION

a. ADDRESSEE	b. COPIES		
	Draft	Final	
		Reg	Repro
WAWF	0	0	1
15. TOTAL →	0	0	1

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
1003	B	TDP _ TM _ OTHER QCIC

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
B006	Acceptance Test Plan	

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-QCIC-80553A	4.7.3.2	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
DD	D	QRTLY	BLK16

8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION
A	N/A	ASREQ

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 12:
The Contractor shall submit Acceptance Test Plan 30 days prior to acceptance test procedures.

14. DISTRIBUTION

a. ADDRESSEE	b. COPIES		
	Draft	Final	
		Reg	Repro
WAWF	0	0	1
15. TOTAL →	0	0	1

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
1003	B	TDP _ TM _ OTHER NDTI

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
B007	Test Procedure	

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-NDTI-80603A	4.7.3.3	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
LT	D	BLK16	BLK16

8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION
A	N/A	BLK16

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 10, BLK 12, & BLK 13:

Contractor shall use approved Acceptance Test Procedures (ATPs) already in Contractor's possession in the normal course for repair and manufacture. If ordered, the Contractor shall be required to generate or modify the ATP qualification, if applicable, shall consist of specific requirements which will be stipulated in the applicable Delivery Order.

Government will be allowed up to 30 days, after receipt from contractor, to provide Comment Resolution Matrix (CRM), which allows up to 21 days for formal review, and 9 days for consolidation. The contractor has up to 4 days after CRM receipt from government to provide government with CRM decision (i.e. provide accept/modify/reject response) and updated Test Procedures with accepted CRM comments implemented. The contractor has up to 4 days to conduct a meeting with the government for CRM modify/reject resolution. The contractor has up to 4 days to submit adjudicated Test Procedures (i.e. Test procedures modified to include CRM accepted comments and adjudicated modify/reject decision comments) to government for signature/approval. The government has up to 15 days, after receipt from contractor, to approve Test Procedures.

14. DISTRIBUTION

a. ADDRESSEE	b. COPIES		
	Draft	Final	
		Reg	Repro
MEARS	0	0	1
15. TOTAL →	0	0	1

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
1003	B	TDP _ TM _ OTHER NDTI

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
B008	Test/Inspection Report	Test Procedure Qualification

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-NDTI-80809B	4.7.3.3	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
DD	D	QRTLY	ASREQ

8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION
A	BLK16	BLK16

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 11 & BLK 13:
The Contractor shall submit a Developmental Test Report for Performance Validation documenting the results of all tests and demonstrations required by the Government approved Developmental Test Plan for Performance Validation NLT thirty (30) calendar days after the last planned test or demonstration event is satisfactorily complete. This report shall reflect how the prototype met, or failed to meet, thresholds and objectives laid out int the Statement of Objectives.

14. DISTRIBUTION

a. ADDRESSEE	b. COPIES		
	Draft	Final	
		Reg	Repro
WAWF	0	0	1
15. TOTAL →	0	0	1

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
1003	B	TDP _ TM _ OTHER MGMT

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
B009	Commercial Asset Visibility Air Force (CAVAF) Government Furnished Material Report	

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-MGMT-81634C	4.7.5.2	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
DD	D	ASREQ	BLK 16

8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION
A	N/A	BLK 16

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 12 & 13:
The contractor shall conduct production reporting as transactions occur and report problems. No more than two late or incorrect entries shall be allowed per delivery order. Any delayed entries shall not exceed three calendar days.

BLK 14:
The contractor shall report End Item transactional data through electronic submission in CAV AF using CAV AF web site (https://www.cavaf.com) or CICA XML IAW the referenced DID IAW and/or CAV AF CFM PWS.

14. DISTRIBUTION

a. ADDRESSEE	b. COPIES Draft	Final Reg	Final Repro
BLK 16	0	0	1
WAWF	0	0	1
15. TOTAL →	0	0	2

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
1003	B	TDP _ TM _ OTHER MGMT

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
B00A	Commercial Asset Visibility (CAV) Reporting	

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-MGMT-81838	4.7.5.3	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
16	D	BLK16	BLK16

8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION
BLK16	BLK16	BLK16

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 7, BLK 8, and BLK 14:
a. The contractor shall report End Item transactional data through electronic submission in CAV AF using the CAV AF website or CICA XML.
b. The contractor shall submit a DD Form 250 (Material Inspection and Receiving Report) electronically via the Internet to iRAPT (WAWF) website address: https://wawf.eb.mil, using DODAAC FB2065. MARK FOR: Address in block 14a.
c. A Letter of Transmittal shall be submitted in the month the delivery order is completed, covering all reports transmitted for that order.

BLK 10, BLK 11, BLK 12, & BLK 13:
A. Date of first submission shall be within 24 hours following a supply or maintenance transaction, after the contract award date.
B. Contractor reporting requirements to CAV AF shall be submitted daily and/or within 24 hours of a supply or maintenance action occurrence IAW the CAV AF Reporting Requirements Document.
C. Data shall be current within 24 hours of the last End Item maintenance occurrence.

14. DISTRIBUTION

a. ADDRESSEE	b. COPIES		
	Draft	Final	
		Reg	Repro
BLK 16	0	0	1
WAWF	0	0	1
15. TOTAL →	0	0	2

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
1003	B	TDP _ TM _ OTHER PSSS

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
B00B	Contract Depot Maintenance (CDM) Monthly Production Report	CDM Production Monthly Status Report

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-PSSS-81995A	4.7.5.2	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
LT	D	MTHLY	BLK16

8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION
N/A	N/A	BLK16

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 12 & BLK 13:
Submittal due on the 15th of each month after the first full month after contract award.

14. DISTRIBUTION

a. ADDRESSEE	b. COPIES		
	Draft	Final	
		Reg	Repro
MEARS	0	0	1
15. TOTAL →	0	0	1

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
1003	B	TDP _ TM _ OTHER MGMT

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
B00C	Contract Government Furnished Material (GFM) Monthly Requisition and Inventory Report	

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-MGMT-82128A	3.2	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
LT	D	MTHLY	BLK16

8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION
N/A	N/A	BLK16

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 12 & BLK 13:
Submittal due on the 15th of each month after the first full month after contract award.

14. DISTRIBUTION

a. ADDRESSEE	b. COPIES		
	Draft	Final	
		Reg	Repro
WAWF	0	0	1
15. TOTAL →	0	0	1

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
1003	B	TDP _ TM _ OTHER MISC

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
B00D	Counterfeit Prevention Plan	

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-MISC-81832	4.7.6.1	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
LT	D	ONE/R	BLK16

8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION
A	N/A	BLK16

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 12:
First submittal due 120 days after contract award.

BLK 13:
Contractor shall provide an updated CPP within 30 days of any change to documented counterfeit prevention or detection processes.

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

14. DISTRIBUTION

a. ADDRESSEE	b. COPIES		
	Draft	Final	
		Reg	Repro
MEARS	0	0	1
15. TOTAL →	0	0	1

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
1003	B	TDP _ TM _ OTHER MISC

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
B00E	Scientific and Technical Reports	

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-MISC-80711A	4.10	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
DD	D	ASREQ	BLK 16

8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION
A	BLK 16	ASREQ

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 11 & BLK 12:

The Contractor shall initially respond to a request for assistance within two business days. Follow-up assistance, if required, shall be provided by the suspense date acceptable to the Government.
In support of this tasking, the Contractor shall respond with a cost estimate within the Government requested timeline (normally 45 calendar days or less).

14. DISTRIBUTION

a. ADDRESSEE	b. COPIES		
	Draft	Final	
		Reg	Repro
WAWF	0	0	1
15. TOTAL →	0	0	1

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
1003	B	TDP _ TM _ OTHER SESS

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
B00F	Engineering Change Proposal (ECP)	

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-SESS-80639E	4.10.1.2, 4.10.1.2.1, 4.10.1.2.2	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
LT	BLK16	ASREQ	BLK16
8. APP CODE		**11. AS OF DATE**	**13. DATE OF SUBSEQUENT SUBMISSION**
A		BLK16	BLK16

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 9:
The Technical Volume shall use Distribution Statement D. The Cost Volume shall use Distribution B, with the following statement: "DISTRIBUTION B. Distribution authorized to U.S. Government Agencies and JSMLT Support Contractors; Proprietary Information; Date. Other request for this document shall be referred to Human Systems Division (AFLCMC/ROU), Wright-Patterson AFB, OH 45433- 7249.

BLK 11, BLK 12, & BLK 13:
Report shall be submitted to the Government for review and approval as required for any Form, Fit, Function or Interface change to the configuration NLT 120 days prior scheduled Configuration Control Board (CCB) meeting. Resubmit if required, within 10 days after receipt of government comments/corrections.

14. DISTRIBUTION

a. ADDRESSEE	b. COPIES		
	Draft	Final	
		Reg	Repro
WAWF	0	0	1
MEARS	0	0	1
15. TOTAL →	0	0	2

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
1003	B	TDP _ TM _ OTHER SESS

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE	17. PRICE GROUP
B00G	Notice of Revision (NOR)		

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE	18. ESTIMATED TOTAL PRICE
DI-SESS-80642E	4.10.1.2	AFLCMC/ROU	

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
LT	D	ASREQ	BLK 16

8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION
A	BLK 16	BLK 16

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 11, BLK 12, & BLK 13:
Report shall be submitted to the Government for review and approval as required for any form fit or function change to the configuration NLT 120 days prior scheduled Configuration Control Board (CCB) meeting. The NOR shall be submitted in conjunction with the (ECP).

14. DISTRIBUTION

a. ADDRESSEE	b. COPIES		
	Draft	Final	
		Reg	Repro
MEARS	0	0	1
15. TOTAL →	0	0	1

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
1003	B	TDP _ TM _ OTHER MISC

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
B00H	Service Bulletins	

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-MISC-81618	4.10.2.2	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
DD	D	ASREQ	BLK 16

8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION
A	N/A	BLK 16

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 12 & BLK 13:
All SBs requiring engineering changes or deviations shall be sent to AFLCMC/ROU to receive prior approval by the Configuration Control Board (CCB) 30 days prior to the change being implement by the Procuring Contracting Officer (PCO). All modifications to fielded equipment shall be made only by Government approved Service Bulletins (SBs) in accordance with PWS paragraph 4.11.2. This includes modifications made to commercial off the shelf (COTS) components/subcomponents as well.

14. DISTRIBUTION

a. ADDRESSEE	b. COPIES		
	Draft	Final	
		Reg	Repro
WAWF	0	0	1
15. TOTAL →	0	0	1

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
1003	B	TDP _ TM _ OTHER PSSS

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
B00J	Bill of Materials (BOM) for Logistics and Supply Chain Risk	

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-PSSS-81656B	4.10.3	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
DD	D	ASREQ	BLK 16

8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION
A	N/A	BLK 16

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 12 & BLK 13:
The Contractor shall notify the Government of obsolete part conditions within five business days of identification and make recommendations including last-time buy opportunities and any redesign that may ensue. The Contractor shall identify any obsolescence and DMSMS issues that arise during the course of this contract.

14. DISTRIBUTION

a. ADDRESSEE	b. COPIES		
	Draft	Final	
		Reg	Repro
WAWF	0	0	1
15. TOTAL →	0	0	1

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
1003	B	TDP _ TM _ OTHER MGMT

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
B00K	Management Plan	Mission-Essential Services Plan

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-MGMT-8004A	5.2.1	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
LT	D	ONE/R	BLK 16

8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION
A	N/A	ASREQ

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 12:
First submittal due 120 days after contract award.

14. DISTRIBUTION

a. ADDRESSEE	b. COPIES		
	Draft	Final	
		Reg	Repro
MEARS	0	0	1
15. TOTAL →	0	0	1

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
1003	B	TDP _ TM _ OTHER ISPC

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
B00L	Software Version Description	SVD

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-IPSC-81442A	4.8.2	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
LT	D	ANNLY	BLK 16
8. APP CODE		**11. AS OF DATE**	**13. DATE OF SUBSEQUENT SUBMISSION**
A		N/A	BLK 16

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 12:
90 calendar days after contract award.

BLK 13:
Updated annually

14. DISTRIBUTION

a. ADDRESSEE	b. COPIES		
	Draft	Final	
		Reg	Repro
WAWF			1
15. TOTAL →	0	0	1

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
1003	B	TDP _ TM _ OTHER IPSC

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
B00M	Computer Program Identification Number (CPIN) Catalog Information	

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-MISC-81454D	4.8.2	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
LT	D	ANNLY	BLK 16

8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION
A	N/A	BLK 16

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 12:
90 calendar days after contract award.

BLK 13:
Updated annually

14. DISTRIBUTION

a. ADDRESSEE	b. COPIES		
	Draft	Final	
		Reg	Repro
WAWF			1
15. TOTAL →	0	0	1

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
1003	B	TDP _ TM _ OTHER ISPC

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
B00N	Computer Program End Item Documentation	

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-IPSC-80590B	4.8.2	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
LT	D	ANNLY	BLK 16

8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION
A	N/A	BLK 16

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 12:
90 calendar days after contract award.

BLK 13:
Updated annually.

14. DISTRIBUTION

a. ADDRESSEE	b. COPIES		
	Draft	Final	
		Reg	Repro
WAWF			1
15. TOTAL →	0	0	1

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(CDRL)
GENERAL INSTRUCTIONS

CONTRACT NUMBER:
FD2060-25-30324

PREPARED BY:

COMBAT READINESS DIRECTORATE

HUMAN SYSTEMS DIVISION

AFLCMC/ROU, Operations and Support

236 Milledgeville Street, Suite F30

Robins AFB GA 31098

CDRL MODIFICATION MATRIX.

This matrix identifies the CDRL changes as implemented by contract modification.

PROPOSAL NO.	CDRL REV NO.	DATE	CDRL/PAGES REVISED
Initial	Basic	28 May 2026	All
Administrative Updates	A	17 Jun 2026	All

TABLE OF CONTENTS

1.0 APPLICABLE DOCUMENTS 4
2.0 REFERENCE DOCUMENTS 4
3.0 DATA DELIVERIES 4
3.1 DELIVERY DATES 4
3.2 TAILORED DATA ITEMS 5
3.3 APPROVAL OF DATA 5
3.4 RE-SUBMITTAL OF DATA 5
3.5 FINAL SUBMITTAL OF DATA 5
3.6 DD FORM 250 REQUIREMENTS 5
3.7 CLASSIFIED DATA 6
4.0 ELECTRONIC DATA TRANSMISSION 6
4.1 SUBMISSION 6
4.2 DELIVERY NON-COMPLIANCE 6
4.3 FINANCIAL INFORMATION FORMAT 6
5.0 LETTERS OF TRANSMITTAL (LT) 7
6.0 MODIFICATION OF DATA REQUIREMENTS 7
7.0 COMMON ABBREVIATIONS 7
8.0 MARKING TECHNICAL DOCUMENTATION 8
8.1 DISTRIBUTION MARKING SYSTEM 8
8.2 MARKING TECHNICAL DATA 9
8.3 DISTRIBUTION STATEMENTS 9
8.4 CONTROLLING OFFICE 10
8.5 EXPORT-CONTROLLED WARNING STATEMENT 10
8.6 CONTROLLED UNCLASSIFIED INFORMATION (CUI) 11
8.7 MARKING NON-TECHNICAL DOCUMENTATION 11
8.8 MARKING EXAMPLES 11
8.9 INTELLECTUAL PROPERTY/MARKING 13
9.0 MAILING LISTS 13
10.0 CDRL TABLE OF CONTENTS 13

1.0 APPLICABLE DOCUMENTS

Data Item Descriptions (DIDs)/DD Form 1664s, are identified in Block 4 of the individual Contract Data Requirements List (CDRL)/DD Form 1423-1. All DIDs are available to the contractor at the following website: http://quicksearch.dla.mil/.

2.0 REFERENCE DOCUMENTS

DAFI 61-201	Management of Scientific and Technical Information (STINFO)
DFARS 227.71	Rights in Technical Data
DFARS 227.72	Rights in Computer Software & Computer Software Documentation
DoD 5010.12-M	Procedures for the Acquisition and Management of Technical Data
DoDD 5230.09	Clearance of DoD Information for Public Release
DoDD 5230.25	Withholding of Unclassified Technical Data from Public Disclosure
DoDD 5400.07	DoD Freedom of Information Act (FOIA) Program
DoDI 2040.02	International Transfer of Technology, Articles, and Services
DoDI 5200.48	Controlled Unclassified Information (CUI)
DoDI 5230.24	Distribution Statements on DoD Technical Information
DoDM 5200.01v1	DoD Information Security Program: Overview, Classification, and Declassification
DoDM 5200.01v2	DoD Information Security Program: Marking of Information
DoDM 5200.01v3	DoD Information Security Program: Protection of Classified Information
EIA 649-1	Configuration Management Requirements for Defense Contracts

3.0 DATA DELIVERIES

The CDRL establishes the data to be delivered by the contractor. The CDRL also identifies the submittal, inspection, approval, acceptance, and distribution requirements of all the CDRL data items contained herein.

3.1 Delivery Dates/Time

Delivery Dates and Time

If a CDRL delivery date falls on a Saturday, Sunday, or Federal holiday, the delivery shall be made on the preceding business day to be considered an on-time delivery. Specifically:

- For deliveries due on a Saturday or Sunday, the required delivery date shall be the preceding Friday.

- For deliveries due on a Federal holiday, the required delivery date shall be the business day preceding the holiday. If the day prior to the holiday falls on a Sunday, the required delivery date shall be the Friday immediately preceding the Sunday.

All CDRL deliveries must be received no later than 1700 hours (5:00 PM) local Robins Air Force Base, Georgia time on the designated delivery date. Unless otherwise specified in Block 16 of the applicable CDRL, all references to "days" shall mean calendar days.

Early CDRL delivery is permitted. The Contractor shall immediately notify the Government in writing of any anticipated or actual late CDRL deliveries, including the reason for the delay and a proposed recovery schedule.

3.2 Tailored Data Items

Tailoring instructions are as described in Block 16 of each affected CDRL. If the data preparation instructions contained in Block 16 of the CDRL are different than the instructions contained in the DID, the CDRL shall govern.

3.3 Approval of Data

An "A" designator in Block 8 of the CDRL indicates the Government will formally reply to each data submittal with an approval, approval with comments, or disapproval. The Government will respond by issuing a Procuring Contracting Officer (PCO) letter or e-mail to the contractor within 45 calendar days, unless otherwise specified on the CDRL, Block 16. This does not apply to Engineering Change Proposals (ECPs) and Contract Change Proposals (CCPs).

For those CDRLs with an "N/A" in Block 8, Government approval of the content is not required; however, compliance with data item format and content requirements as specified in the DID, and as tailored in Block 16 of the CDRL, is mandatory. However, the Government may not provide a formal response back to the contractor. The Government has the right to reject/disapprove any data submittal(s) not in compliance with contract requirements.

3.4 Re-submittal of Data

If re-submittal of a CDRL is required, it shall be resubmitted within 30 calendar days after PCO notification, unless otherwise specified. Should the contractor disagree with the re-submittal requirements, they shall submit their comments to the PCO within 30 calendar days of notification. Each page of a re-submittal shall have changes indicated by a vertical line down the outer right margin designating those areas that have been revised. The document revision shall be indicated on the title page of the data item, each page**,** and a summary of document changes section contained within the document.

3.5 Final Submittal of Data

For the final delivery of each data item in the contract/delivery order, the contractor shall clearly state in the Letter of Transmittal (LT), as defined in paragraph 5.0, when it is the last submittal being made, and that all contractual requirements concerning that data item have been fulfilled.

3.6 DD Form 250 Requirements

Block 7 of the CDRL directs the inspection and acceptance of the submittal. Individual DD Form 250s are required only if indicated in Block 7. All other submittals shall be accompanied by a Letter of Transmittal (LT).

3.7 Classified Data

Classified data shall be submitted in accordance with the requirements established by the DD Form 254, Contract Security Classification Specification. The contractor shall contact the PCO for the mailing address(es) if not specified in Block 14 or 16 of the DD Form 1423-1.

4.0 ELECTRONIC DATA TRANSMISSION

4.1 Submission

The contractor shall submit all data deliverables in accordance with the specific submittal instructions indicated in Block 16 of each CDRL. The versions of the software used shall remain compatible with current program office software. Any submittals by other means shall require program office approval prior to delivery of data. Data to be submitted by electronic data transmission (EDT) shall be identified in "Block 14.b Repro" of the CDRL.

The Contractor shall electronically deliver all contractual data using the Government-controlled method of delivery, Multi-user ECP Automated Review System (MEARS), https://mears1.redstone.army.mil/mears/Default.aspx. The Contractor shall work with the Government to ensure that an adequate number of Contractor personnel obtain and possess Public Key Infrastructure (PKI) certification from an accepted Government source. The Contractor shall be receptive to the training offered by the Government on the MEARS system.

Submissions of large data files may be made via a DoD approved site such as Secure Access File Exchange (SAFE) (https://safe.apps.mil/) or CD/DVD mailed to the Government Program Office.

An alternate method of delivery when MEARS is down for maintenance will be the DISA application, known as DOD SAFE, https://safe.apps.mil/. It will be available to all DOD Common Access Card (CAC) holders or Contractor personnel who possess Public Key Infrastructure (PKI) certification from an accepted Government source.

4.2 Delivery Non-Compliance

The contractor shall inform the program office if any of their data deliverables cannot comply with the required electronic formats. In such cases the contractor shall recommend, for program office approval, an alternative delivery format(s).

4.3 Financial Information Format

Financial information provided in excel spreadsheets should be able to be manipulated.

5.0 LETTERS OF TRANSMITTAL (LT)

All data deliveries shall include a LT. The LT may be in the form of a letter or e-mail from the designated contractor representative. As a minimum, the LT shall contain:

Contractor's POC
Contractor's address
Date
Contract number and program name
Letter control number
Document control number
Document revision level
Document date
CDRL sequence number
DID Number
Data Title/Subtitle
Reason/Frequency of submittal (monthly, draft, final, update, etc.)
List of Distribution addressees as identified in Block 14 of the CDRL

If a paper copy of the LT is prepared, a complete list of addressees shall be placed at the end of the LT, annotating the recipients (as identified on the DD Form 1423-1, Block 14) including the transmittal-letter-only recipients.

If submittal is made via e-mail, the list of addressees in the "TO" line shall include the complete list of addressees and shall be considered sufficient.

6.0 MODIFICATION OF DATA REQUIREMENTS

During the performance of this contract, the PCO may unilaterally increase or decrease the number of addressees and/or number of copies the technical office requires; or may make other administrative or clarification changes to the CDRL.

The PCO may unilaterally make other administrative and/or clarification changes to the CDRLs. The contract price will constitute full satisfaction of any entitlement of equitable adjustment under the "Changes" clause provided the Contractor agrees to accept such change at no change in contract price. Unilateral action shall be by the issuance of a PCO's letter, which will reference this paragraph as its authority. The Contractor shall notify the PCO of the estimated cost if the changes impact the contract price.

7.0 COMMON ABBREVIATIONS

Block 7:	SS	Inspection at Source / Acceptance at Source
	DD	Inspection at Destination / Acceptance at Destination
	SD	Inspection at Source / Acceptance at Destination
	LT	Letter of Transmittal

Block 8:	A	Approval
	N/A	Approval Not Required
	16	See Block 16 for further instructions

Blocks 10, 12 & 13:	ANNLY	Annually
	ASGEN	As Generated
	ASREQ	As Required
	BI-MO	Bi-Monthly
	BI-WE	Bi-Weekly
	BLK 16	See Block 16
	DAILY	Daily
	DFDEL	Deferred Delivery
	EOC	End of Contract
	EOM	End of Month
	EOQ	End of Quarter
	MTHLY	Monthly
	ONE/P	One-time Preliminary draft
	ONE/R	One-time with Revisions
	OTIME	One Time
	QRTLY	Quarterly
	R/ASR	Revisions as Required
	SEMIA	Every 6 Months
	WEKLY	Weekly
	XDACM	X Days after Contract Modification
	XDADO	X Days after Delivery Order
	XDARC	X Days after Receipt of Comments
	XDARP	X Days after Reporting Period
	XDATC	X Days after Test Completion
	XDPTT	X Days prior to Test
	XTIMES	X Times

8.0 MARKING TECHNICAL DOCUMENTATION

8.1 Distribution Marking System

In accordance with Section 1.30 of Title 10, “United States Code” a DoD distribution marking system for technical data has been established by DoD Instruction 5230.24, “Distribution Statements on Technical Documents” and DAFI 61-201, Management of Scientific and Technical Information. The intent of the system is to stem the flow of military-related technical data to our adversaries, without inhibiting technological growth

or blocking the exchange of technical data that is vital to progress and innovation. The contractor shall mark all distribution statements and export-control statements, supplemental to any security markings, on all technical data to denote the extent of its availability for secondary distribution, release, and disclosure without need for additional approvals and authorizations from the controlling DoD office.

Distribution statements are annotated in Block 9 of each CDRL and defined in paragraph 8.3. If the contractor feels that a different statement is required, they must notify the contracting officer with the recommended statement, prior to CDRL submittal. The Government will review the request and determine which statement is the most appropriate and provide the contractor with an acceptance of the change or reason for not accepting the contractor's request for change.

8.2 Marking Technical Data

The contractor shall mark all requested technical information, regardless of its medium, with a distribution statement. This includes technical reports, blueprints, drawings, technical orders, technical manuals, plans, instructions, computer software, viewgraphs, film, technical papers, photographs, etc. If the document contains export-controlled technical data, it also must be marked with an export control warning statement. Distribution statements can be applied to technical data that contain or reveal proprietary information used.

Technical data categorized as cryptographic/communications security, communications/electronic intelligence, and similar categories as may be designated by the Director, National Security Agency, whose distribution is limited through alternate methods, are exempt from these marking provisions.

Certain types of technical data preclude placing the entire notice on the document. To accommodate this problem, each distribution statement contains an authorized abbreviation form. Abbreviated distribution statements are to be used only when space precludes placing the entire notice on the document. The use and wording of these statements are described in the following paragraphs.

The contractor shall mark Controlled Unclassified Information (CUI) in accordance with DoDI 5200.48, paragraph 3.4.

8.3 Distribution Statements

A DoD distribution marking system for technical data is prescribed in DoD Instruction (DoDI) 5230.24, "Distribution Statements on DoD Technical Information." The intent of the system is to identify the audience approved for secondary distribution of the data in order to stem the flow of military-related technical data to our adversaries, without inhibiting technological growth or appropriate exchange of technical data that is vital to progress and innovation. These markings are in addition to any security classification or other control markings.

The contractor shall mark all technical information, regardless of its medium, with the appropriate distribution statement as prescribed by the controlling DoD office. Distribution statements are also applied to technical data that contain proprietary information. Per DAFI 61-201, paragraph 3.4.4.1, "Distribution statements are displayed conspicuously on all technical documents regardless of medium or format. For standard written or printed material, the Distribution Statement is shown on all pages

to the maximum extent practical and at a minimum on the front cover, title page, and SF 298, where applicable. If the technical information is digitally prepared or in any other medium that does not have a cover or title page, the applicable Distribution Statement is affixed to all physical and digital items by other means in a conspicuous position for ready recognition." Drawings must display the distribution statement on the first sheet at a minimum.

Technical data categorized as cryptographic/communications security, communications/electronic intelligence, and similar categories as may be designated by the Director, National Security Agency, whose distribution is limited through alternate methods, are exempt from these marking provisions.

Certain types of technical data preclude placing the entire notice on the document. Abbreviated distribution statements must be approved by the program office and are to be used only when space precludes placing the entire statement on the document.

The distribution statement is identified in Block 9 of each CDRL. If the contractor feels that a different statement or defense category is required, the contractor must notify the PCO with the recommended statement. The Government will review the request, determine which statement is the most appropriate, and provide the contractor with either an acceptance or rejection of the requested change.

Wording for the distribution statements is shown below. The acceptable defense categories for the distribution statements must be chosen from those listed in DoDI 5230.24. The following address will be used on all documentation for the "controlling DoD office" for this program:

DISTRIBUTION STATEMENT D: Distribution authorized to the Department of Defense and U.S. DoD contractors only [category] [date of determination]. Other requests for this document must be referred to [controlling DoD office].

8.4 Controlling Office

The following address will be used on all documentation for the "controlling office" for this program:

AFLCMC/ROU
Human Systems Division (Program Name)
236 Milledgeville Street, Suite F30
Robins AFB GA 31098

8.5 Export-Controlled Warning Statement

Authority to withhold and control the export of certain technical data with military or space application is determined in accordance with Title 10, United States Code section 130, "Authority to withhold from public disclosure certain technical data," and implemented by DoDD 5230.25, if such data may not be exported lawfully outside the United States without an approval, authorization, or license under the Export Control Reform Act of 2018 or the Arms Export Control Act (AECA) (both cited in the Export Control Warning). Such withholding and export control applies to Defense items listed in the United States Munitions List (USML), which is part of the International Traffic in Arms

Regulations (ITAR) (22 CFR 120-130); and Export Administration Regulations (EAR) (15 CFR 730-774).

If a technical document, whether printed or electronic/digital, contains export-controlled technical data, it shall be marked with the export control warning statement prescribed in DoDI 5230.24 and shown below. When it is not feasible to use the entire statement, the abbreviated warning may be used, and a copy of the full warning added to the "Notice to Accompany the Dissemination of Export-Controlled Technical Data," which is Enclosure 5 of DoDD 5230.25. For assistance in determining what is export controlled, consult the controlling DoD office. The Export Control Warning may be used in conjunction with distribution statements B, C, D, E, and F. Distribution statement A, which denotes public release, cannot be used in conjunction with the export-control warning notice.

WARNING - This document contains technical data whose export is restricted by the Arms Export Control Act (Section 2751 of Title 22, United States Code) or the Export Control Reform Act of 2018 (Chapter 58 Sections 4801-4852 of Title 50, United States Code). Violations of these export laws are subject to severe criminal penalties. Disseminate in accordance with provisions of DoD Directive 5230.25 and DoD Instruction 2040.02.

8.6 Controlled Unclassified Information (CUI)

Unclassified documentation that is associated with a law, regulation, or government-wide policy, and identified as needing safeguarding, is considered CUI and must be marked according to DoDI 5200.48, Controlled Unclassified Information (CUI).

8.7 Marking Non-Technical Documentation

Non-technical documentation that is associated with a law, regulation, or government-wide policy, and identified as needing safeguarding, is considered CUI and must be marked according to DoDI 5200.48, Controlled Unclassified Information (CUI).

8.8 Marking Examples

The marking examples below are for reference. Specific information within the distribution statements and the CUI Designation Indicator will depend upon each individual case.

Marking example for non-technical CUI:



CUI ← Mark Bottom of Page

Marking example for technical CUI:

CUI ← Mark Top of Page

DISTRIBUTION STATEMENT E. Secondary Distribution authorized to DoD components only; Controlled Technical Information; 27 August 2021. Other requests for this document must be referred to AFLCMC/XXXX, Gov address. ← Complete DoDI 5230.24 Distribution Statement

Controlled by: USAF/AFMC
Controlled by AFLCMC/XXXX
CUI Category: Controlled Technical Information
Distribution/Dissemination Control: E
POC: Gov POC name and email ← CUI Designation Indicator IAW DoDI 5200.48

CUI ← Mark Bottom of Page

Marking example for export-controlled technical CUI:

CUI ← Mark Top of Page

DISTRIBUTION STATEMENT E. Secondary Distribution authorized to DoD components only; Critical Technology, Export Controlled; 27 August 2021. Other requests for this document must be referred to AFLCMC/XXXX, Gov address. ← Complete DoDI 5230.24 Distribution Statement

WARNING - This document contains technical data whose export is restricted by the Arms Export Control Act (Section 2751 of Title 22, United States Code) or the Export Control Reform Act of 2018 (Chapter 58 Sections 4801-4852 of Title 50, United States Code). Violations of these export laws are subject to severe criminal penalties. Disseminate in accordance with provisions of DoD Directive 5230.25 and DoD Instruction 2040.02. ← DoDI 5230.24 Export Control Warning

Controlled by: USAF/AFMC
Controlled by AFLCMC/XXXX
CUI Category: Controlled Technical Information
Distribution/Dissemination Control: E
POC: Gov POC name and email

CUI Designation Indicator IAW DoDI 5200.48

CUI

Mark Bottom of Page

8.9 Intellectual Property/Marking

Any markings that are added to documents for review purposes must be removed prior to formal submittal. If a document still requires a marking not addressed in the contract, the contractor must provide a justification for the marking.

9.0 MAILING LISTS

The Government will provide the following information for each recipient identified in Block 14: office symbol, mailing address, point of contact e-mail and phone number.

Office/Symbol	Addresses	Email/Phone
AFLCMC/ROU For data deliveries	MEARS	https://mears1.redstone.army.mil/mears/default.aspx

10.0 CDRL TABLE OF CONTENTS

6/17/2026 7:10:50 PM EDT

CDRL Table of Contents

CONTRACT #: FD2060-25-30324
F4FDAL5192A001

CONTRACTOR: W.S. DARLEY & CO

SET NAME: JSMLT (Option 2)

SYSTEM ITEM: Joint Service Mask Leakage Tester Repair

PROGRAM: Human Systems

DATA ITEM	REQUIRING OFFICE	AUTHORITY/TITLE/SUBTITLE	SOW PARAGRAPH
C001	AFLCMC/ROU	DI-MGMT-80441D	3.2, 3.6
		Government Property (GP) Inventory Report	
C002	AFLCMC/ROU	DI-QCIC-80278C	4.3.1
		Calibration and Measurements Requirements Summary (CRMS)	
C003	AFLCMC/ROU	DI-MGMT-81803A	4.7.1.1
		Item Unique Identification (IUID) Marking Plan	
C004	AFLCMC/ROU	DI-MGMT-81804A	4.7.1
		Item Unique Identification (IUID) Marking Activity, Validation and Verification Report	
C005	AFLCMC/ROU	DI-NDTI-80809B	4.7.3.2
		Test/Inspection Report	
		Individual Test Report	
C006	AFLCMC/ROU	DI-QCIC-80553A	4.7.3.2
		Acceptance Test Plan	
C007	AFLCMC/ROU	DI-NDTI-80603A	4.7.3.3
		Test Procedure	
C008	AFLCMC/ROU	DI-NDTI-80809B	4.7.3.3
		Test/Inspection Report	
		Test Procedure Qualification	
C009	AFLCMC/ROU	DI-MGMT-81634C	4.7.5.2
		Commercial Asset Visibility Air Force (CAVAF) Government Furnished Material Report	
C00A	AFLCMC/ROU	DI-MGMT-81838	4.7.5.3
		Commercial Asset Visibility (CAV) Reporting	
C00B	AFLCMC/ROU	DI-PSSS-81995A	4.7.5.2
		Contract Depot Maintenance (CDM) Monthly Production Report	
		CDM Production Monthly Status Report	
C00C	AFLCMC/ROU	DI-MGMT-82128A	3.2
		Contract Government Furnished Material (GFM) Monthly Requisition and Inventory Report	
C00D	AFLCMC/ROU	DI-MISC-81832	4.7.6.1

CDRL Table of Contents

		Counterfeit Prevention Plan	
C00E	AFLCMC/ROU	DI-MISC-80711A	4.10
		Scientific and Technical Reports	
C00F	AFLCMC/ROU	DI-SESS-80639E	4.10.1.2, 4.10.1.2.1, 4.10.1.2.2
		Engineering Change Proposal (ECP)	
C00G	AFLCMC/ROU	DI-SESS-80642E	4.10.1.2
		Notice of Revision (NOR)	
C00H	AFLCMC/ROU	DI-MISC-81618	4.10.2.2
		Service Bulletins	
C00J	AFLCMC/ROU	DI-PSSS-81656B	4.10.3
		Bill of Materials (BOM) for Logistics and Supply Chain Risk	
C00K	AFLCMC/ROU	DI-MGMT-8004A	5.2.1
		Management Plan	
		Mission-Essential Services Plan	
C00L	AFLCMC/ROU	DI-IPSC-81442A	4.8.2
		Software Version Description	
		SVD	
C00M	AFLCMC/ROU	DI-MISC-81454D	4.8.2
		Computer Program Identification Number (CPIN) Catalog Information	
C00N	AFLCMC/ROU	DI-IPSC-80590B	4.8.2
		Computer Program End Item Documentation	

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
2003	C	TDP _ TM _ OTHER MGMT

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
C001	Government Property (GP) Inventory Report	

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-MGMT-80441D	3.2, 3.6	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
LT	D	ASREQ	BLK 16

8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION
A	N/A	BLK 16

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 12:
First submission due 60 days after contract award, if applicable.

BLK 13:
Subsequent submissions due upon government request or 10 days after a modification to the report.

14. DISTRIBUTION

a. ADDRESSEE	b. COPIES		
	Draft	Final	
		Reg	Repro
MEARS	0	0	1
15. TOTAL →	0	0	1

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
2003	C	TDP _ TM _ OTHER QCIC

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
C002	Calibration and Measurements Requirements Summary (CRMS)	

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-QCIC-80278C	4.3.1	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
LT	D	BLK16	BLK16

8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION
A	N/A	BLK16

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 12:
First submission due 120 days after contract award.

BLK 10 & BLK 13:
Subsequent submissions due every 90 days.

14. DISTRIBUTION

a. ADDRESSEE	b. COPIES		
	Draft	Final	
		Reg	Repro
MEARS	0	0	1
15. TOTAL →	0	0	1

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
2003	C	TDP _ TM _ OTHER MGMT

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
C003	Item Unique Identification (IUID) Marking Plan	

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-MGMT-81803A	4.7.1.1	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
LT	D	ONE/R	BLK 16

8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION
A	N/A	ASREQ

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 12:
First submission due 120 days after contract award.

14. DISTRIBUTION

a. ADDRESSEE	b. COPIES		
	Draft	Final	
		Reg	Repro
MEARS	0	0	1
15. TOTAL →	0	0	1

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
2003	C	TDP _ TM _ OTHER MGMT

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
C004	Item Unique Identification (IUID) Marking Activity, Validation and Verification Report	

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-MGMT-81804A	4.7.1	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
LT	D	ONE/R	BLK 16

8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION
A	N/A	ASREQ

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 16:
First submission due 120 days after contract award.

14. DISTRIBUTION	b. COPIES		
a. ADDRESSEE	Draft	Final	
		Reg	Repro
MEARS	0	0	1
15. TOTAL →	0	0	1

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
2003	C	TDP _ TM _ OTHER NDTI

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
C005	Test/Inspection Report	Individual Test Report

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-NDTI-80809B	4.7.3.2	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
DD	D	QRTLY	ASREQ

8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION
A	BLK16	BLK16

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 11 & BLK 13:
The Contractor shall submit a Developmental Test Report for Performance Validation documenting the results of all tests and demonstrations required by the Government approved Developmental Test Plan for Performance Validation NLT thirty (30) calendar days after the last planned test or demonstration event is satisfactorily complete. This report shall reflect how the prototype met, or failed to meet, thresholds and objectives laid out int the Statement of Objectives.

14. DISTRIBUTION

a. ADDRESSEE	b. COPIES		
	Draft	Final	
		Reg	Repro
WAWF	0	0	1
15. TOTAL →	0	0	1

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
2003	C	TDP _ TM _ OTHER QCIC

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
C006	Acceptance Test Plan	

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-QCIC-80553A	4.7.3.2	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
DD	D	QRTLY	BLK16

8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION
A	N/A	ASREQ

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 12:
The Contractor shall submit Acceptance Test Plan 30 days prior to acceptance test procedures.

14. DISTRIBUTION

a. ADDRESSEE	b. COPIES		
	Draft	Final	
		Reg	Repro
WAWF	0	0	1
15. TOTAL →	0	0	1

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
2003	C	TDP _ TM _ OTHER NDTI

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
C007	Test Procedure	

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-NDTI-80603A	4.7.3.3	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
LT	D	BLK16	BLK16

8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION
A	N/A	BLK16

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 10, BLK 12, & BLK 13:

Contractor shall use approved Acceptance Test Procedures (ATPs) already in Contractor's possession in the normal course for repair and manufacture. If ordered, the Contractor shall be required to generate or modify the ATP qualification, if applicable, shall consist of specific requirements which will be stipulated in the applicable Delivery Order.

Government will be allowed up to 30 days, after receipt from contractor, to provide Comment Resolution Matrix (CRM), which allows up to 21 days for formal review, and 9 days for consolidation. The contractor has up to 4 days after CRM receipt from government to provide government with CRM decision (i.e. provide accept/modify/reject response) and updated Test Procedures with accepted CRM comments implemented. The contractor has up to 4 days to conduct a meeting with the government for CRM modify/reject resolution. The contractor has up to 4 days to submit adjudicated Test Procedures (i.e. Test procedures modified to include CRM accepted comments and adjudicated modify/reject decision comments) to government for signature/approval. The government has up to 15 days, after receipt from contractor, to approve Test Procedures.

14. DISTRIBUTION

a. ADDRESSEE	b. COPIES		
	Draft	Final	
		Reg	Repro
MEARS	0	0	1
15. TOTAL →	0	0	1

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
2003	C	TDP _ TM _ OTHER NDTI

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
C008	Test/Inspection Report	Test Procedure Qualification

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-NDTI-80809B	4.7.3.3	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
DD	D	QRTLY	ASREQ

8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION
A	BLK16	BLK16

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 11 & BLK 13:
The Contractor shall submit a Developmental Test Report for Performance Validation documenting the results of all tests and demonstrations required by the Government approved Developmental Test Plan for Performance Validation NLT thirty (30) calendar days after the last planned test or demonstration event is satisfactorily complete. This report shall reflect how the prototype met, or failed to meet, thresholds and objectives laid out int the Statement of Objectives.

14. DISTRIBUTION

a. ADDRESSEE	b. COPIES		
	Draft	Final	
		Reg	Repro
WAWF	0	0	1
15. TOTAL →	0	0	1

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
2003	C	TDP _ TM _ OTHER MGMT

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
C009	Commercial Asset Visibility Air Force (CAVAF) Government Furnished Material Report	

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-MGMT-81634C	4.7.5.2	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
DD	D	ASREQ	BLK 16

8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION
A	N/A	BLK 16

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 12 & 13:
The contractor shall conduct production reporting as transactions occur and report problems. No more than two late or incorrect entries shall be allowed per delivery order. Any delayed entries shall not exceed three calendar days.

BLK 14:
The contractor shall report End Item transactional data through electronic submission in CAV AF using CAV AF web site (https://www.cavaf.com) or CICA XML IAW the referenced DID IAW and/or CAV AF CFM PWS.

14. DISTRIBUTION

a. ADDRESSEE	b. COPIES Draft	Final Reg	Final Repro
BLK 16	0	0	1
WAWF	0	0	1
15. TOTAL →	0	0	2

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
2003	C	TDP _ TM _ OTHER MGMT

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
C00A	Commercial Asset Visibility (CAV) Reporting	

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-MGMT-81838	4.7.5.3	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
16	D	BLK16	BLK16

8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION
BLK16	BLK16	BLK16

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 7, BLK 8, and BLK 14:
a. The contractor shall report End Item transactional data through electronic submission in CAV AF using the CAV AF website or CICA XML.
b. The contractor shall submit a DD Form 250 (Material Inspection and Receiving Report) electronically via the Internet to iRAPT (WAWF) website address: https://wawf.eb.mil, using DODAAC FB2065. MARK FOR: Address in block 14a.
c. A Letter of Transmittal shall be submitted in the month the delivery order is completed, covering all reports transmitted for that order.

BLK 10, BLK 11, BLK 12, & BLK 13:
A. Date of first submission shall be within 24 hours following a supply or maintenance transaction, after the contract award date.
B. Contractor reporting requirements to CAV AF shall be submitted daily and/or within 24 hours of a supply or maintenance action occurrence IAW the CAV AF Reporting Requirements Document.
C. Data shall be current within 24 hours of the last End Item maintenance occurrence.

14. DISTRIBUTION

a. ADDRESSEE	b. COPIES		
	Draft	Final	
		Reg	Repro
BLK 16	0	0	1
WAWF	0	0	1
15. TOTAL →	0	0	2

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
2003	C	TDP _ TM _ OTHER PSSS

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
C00B	Contract Depot Maintenance (CDM) Monthly Production Report	CDM Production Monthly Status Report

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-PSSS-81995A	4.7.5.2	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
LT	D	MTHLY	BLK16

8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION
N/A	N/A	BLK16

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 12 & BLK 13:
Submittal due on the 15th of each month after the first full month after contract award.

14. DISTRIBUTION	b. COPIES		
a. ADDRESSEE	Draft	Final	
		Reg	Repro
MEARS	0	0	1
15. TOTAL →	0	0	1

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
2003	C	TDP _ TM _ OTHER MGMT

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
C00C	Contract Government Furnished Material (GFM) Monthly Requisition and Inventory Report	

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-MGMT-82128A	3.2	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
LT	D	MTHLY	BLK16

8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION
N/A	N/A	BLK16

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 12 & BLK 13:
Submittal due on the 15th of each month after the first full month after contract award.

14. DISTRIBUTION	b. COPIES		
a. ADDRESSEE	Draft	Final Reg	Final Repro
WAWF	0	0	1
15. TOTAL →	0	0	1

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
2003	C	TDP _ TM _ OTHER MISC

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
C00D	Counterfeit Prevention Plan	

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-MISC-81832	4.7.6.1	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
LT	D	ONE/R	BLK16

8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION
A	N/A	BLK16

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 12:
First submittal due 120 days after contract award.

BLK 13:
Contractor shall provide an updated CPP within 30 days of any change to documented counterfeit prevention or detection processes.

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

14. DISTRIBUTION

a. ADDRESSEE	b. COPIES		
	Draft	Final	
		Reg	Repro
MEARS	0	0	1
15. TOTAL →	0	0	1

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
2003	C	TDP _ TM _ OTHER MISC

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
C00E	Scientific and Technical Reports	

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-MISC-80711A	4.10	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
DD	D	ASREQ	BLK 16

8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION
A	BLK 16	ASREQ

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 11 & BLK 12:

The Contractor shall initially respond to a request for assistance within two business days. Follow-up assistance, if required, shall be provided by the suspense date acceptable to the Government.
In support of this tasking, the Contractor shall respond with a cost estimate within the Government requested timeline (normally 45 calendar days or less).

14. DISTRIBUTION

a. ADDRESSEE	b. COPIES		
	Draft	Final	
		Reg	Repro
WAWF	0	0	1
15. TOTAL →	0	0	1

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
2003	C	TDP _ TM _ OTHER SESS

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
C00F	Engineering Change Proposal (ECP)	

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-SESS-80639E	4.10.1.2, 4.10.1.2.1, 4.10.1.2.2	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
LT	BLK16	ASREQ	BLK16
8. APP CODE		**11. AS OF DATE**	**13. DATE OF SUBSEQUENT SUBMISSION**
A		BLK16	BLK16

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 9:
The Technical Volume shall use Distribution Statement D. The Cost Volume shall use Distribution B, with the following statement: "DISTRIBUTION B. Distribution authorized to U.S. Government Agencies and JSMLT Support Contractors; Proprietary Information; Date. Other request for this document shall be referred to Human Systems Division (AFLCMC/ROU), Wright-Patterson AFB, OH 45433- 7249.

BLK 11, BLK 12, & BLK 13:
Report shall be submitted to the Government for review and approval as required for any Form, Fit, Function or Interface change to the configuration NLT 120 days prior scheduled Configuration Control Board (CCB) meeting. Resubmit if required, within 10 days after receipt of government comments/corrections.

14. DISTRIBUTION

a. ADDRESSEE	b. COPIES		
	Draft	Final	
		Reg	Repro
WAWF	0	0	1
MEARS	0	0	1
15. TOTAL →	0	0	2

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
2003	C	TDP _ TM _ OTHER SESS

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
C00G	Notice of Revision (NOR)	

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-SESS-80642E	4.10.1.2	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
LT	D	ASREQ	BLK 16

8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION
A	BLK 16	BLK 16

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 11, BLK 12, & BLK 13:
Report shall be submitted to the Government for review and approval as required for any form fit or function change to the configuration NLT 120 days prior scheduled Configuration Control Board (CCB) meeting. The NOR shall be submitted in conjunction with the (ECP).

14. DISTRIBUTION

a. ADDRESSEE	b. COPIES		
	Draft	Final	
		Reg	Repro
MEARS	0	0	1
15. TOTAL →	0	0	1

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
2003	C	TDP _ TM _ OTHER MISC

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
C00H	Service Bulletins	

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-MISC-81618	4.10.2.2	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
DD	D	ASREQ	BLK 16

8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION
A	N/A	BLK 16

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 12 & BLK 13:
All SBs requiring engineering changes or deviations shall be sent to AFLCMC/ROU to receive prior approval by the Configuration Control Board (CCB) 30 days prior to the change being implement by the Procuring Contracting Officer (PCO). All modifications to fielded equipment shall be made only by Government approved Service Bulletins (SBs) in accordance with PWS paragraph 4.11.2. This includes modifications made to commercial off the shelf (COTS) components/subcomponents as well.

14. DISTRIBUTION

a. ADDRESSEE	b. COPIES		
	Draft	Final	
		Reg	Repro
WAWF	0	0	1
15. TOTAL →	0	0	1

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
2003	C	TDP _ TM _ OTHER PSSS

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
C00J	Bill of Materials (BOM) for Logistics and Supply Chain Risk	

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-PSSS-81656B	4.10.3	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
DD	D	ASREQ	BLK 16

8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION
A	N/A	BLK 16

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 12 & BLK 13:
The Contractor shall notify the Government of obsolete part conditions within five business days of identification and make recommendations including last-time buy opportunities and any redesign that may ensue. The Contractor shall identify any obsolescence and DMSMS issues that arise during the course of this contract.

14. DISTRIBUTION

a. ADDRESSEE	b. COPIES		
	Draft	Final	
		Reg	Repro
WAWF	0	0	1
15. TOTAL →	0	0	1

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
2003	C	TDP _ TM _ OTHER MGMT

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
C00K	Management Plan	Mission-Essential Services Plan

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-MGMT-8004A	5.2.1	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
LT	D	ONE/R	BLK 16

8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION
A	N/A	ASREQ

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 12:
First submittal due 120 days after contract award.

14. DISTRIBUTION

a. ADDRESSEE	b. COPIES		
	Draft	Final	
		Reg	Repro
MEARS	0	0	1
15. TOTAL →	0	0	1

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.: 2003
B. EXHIBIT: C
C. CATEGORY: TDP _ TM _ OTHER ISPC

D. SYSTEM/ITEM: Joint Service Mask Leakage Tester Repair
E. CONTRACT/PR NO.: FD2060-25-30324 F4FDAL5192A001
F. CONTRACTOR: W.S. DARLEY & CO

1. DATA ITEM NO.: C00L
2. TITLE OF DATA ITEM: Software Version Description
3. SUBTITLE: SVD

4. AUTHORITY (Data Acquisition Document No.): DI-IPSC-81442A
5. CONTRACT REFERENCE: 4.8.2
6. REQUIRING OFFICE: AFLCMC/ROU

7. DD 250 REQ: LT
8. APP CODE: A
9. DIST STATEMENT REQUIRED: D
10. FREQUENCY: ANNLY
11. AS OF DATE: N/A
12. DATE OF FIRST SUBMISSION: BLK 16
13. DATE OF SUBSEQUENT SUBMISSION: BLK 16

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

14. DISTRIBUTION

a. ADDRESSEE	b. COPIES Draft	Final Reg	Final Repro
WAWF			1
15. TOTAL →	0	0	1

16. REMARKS
Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 12:
90 calendar days after contract award.

BLK 13:
Updated annually

G. PREPARED BY: Michelle L. Mullins //SIGNED//Configuration Management
H. DATE: 2026/06/17
I. APPROVED BY: Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.
J. DATE: 2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
2003	C	TDP _ TM _ OTHER IPSC

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
C00M	Computer Program Identification Number (CPIN) Catalog Information	

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-MISC-81454D	4.8.2	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
LT	D	ANNLY	BLK 16

8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION
A	N/A	BLK 16

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 12:
90 calendar days after contract award.

BLK 13:
Updated annually

14. DISTRIBUTION

a. ADDRESSEE	b. COPIES		
	Draft	Final	
		Reg	Repro
WAWF			1
15. TOTAL →	0	0	1

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
2003	C	TDP _ TM _ OTHER ISPC

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
C00N	Computer Program End Item Documentation	

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-IPSC-80590B	4.8.2	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
LT	D	ANNLY	BLK 16

8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION
A	N/A	BLK 16

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 12:
90 calendar days after contract award.

BLK 13:
Updated annually.

14. DISTRIBUTION

a. ADDRESSEE	b. COPIES		
	Draft	Final	
		Reg	Repro
WAWF			1
15. TOTAL →	0	0	1

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(CDRL)
GENERAL INSTRUCTIONS

CONTRACT NUMBER:
FD2060-25-30324

PREPARED BY:

COMBAT READINESS DIRECTORATE

HUMAN SYSTEMS DIVISION

AFLCMC/ROU, Operations and Support

236 Milledgeville Street, Suite F30

Robins AFB GA 31098

CDRL MODIFICATION MATRIX.

This matrix identifies the CDRL changes as implemented by contract modification.

PROPOSAL NO.	CDRL REV NO.	DATE	CDRL/PAGES REVISED
Initial	Basic	28 May 2026	All
Administrative Updates	A	17 Jun 2026	All

TABLE OF CONTENTS

1.0 APPLICABLE DOCUMENTS 4
2.0 REFERENCE DOCUMENTS 4
3.0 DATA DELIVERIES 4
3.1 DELIVERY DATES 4
3.2 TAILORED DATA ITEMS 5
3.3 APPROVAL OF DATA 5
3.4 RE-SUBMITTAL OF DATA 5
3.5 FINAL SUBMITTAL OF DATA 5
3.6 DD FORM 250 REQUIREMENTS 5
3.7 CLASSIFIED DATA 6
4.0 ELECTRONIC DATA TRANSMISSION 6
4.1 SUBMISSION 6
4.2 DELIVERY NON-COMPLIANCE 6
4.3 FINANCIAL INFORMATION FORMAT 6
5.0 LETTERS OF TRANSMITTAL (LT) 7
6.0 MODIFICATION OF DATA REQUIREMENTS 7
7.0 COMMON ABBREVIATIONS 7
8.0 MARKING TECHNICAL DOCUMENTATION 8
8.1 DISTRIBUTION MARKING SYSTEM 8
8.2 MARKING TECHNICAL DATA 9
8.3 DISTRIBUTION STATEMENTS 9
8.4 CONTROLLING OFFICE 10
8.5 EXPORT-CONTROLLED WARNING STATEMENT 10
8.6 CONTROLLED UNCLASSIFIED INFORMATION (CUI) 11
8.7 MARKING NON-TECHNICAL DOCUMENTATION 11
8.8 MARKING EXAMPLES 11
8.9 INTELLECTUAL PROPERTY/MARKING 13
9.0 MAILING LISTS 13
10.0 CDRL TABLE OF CONTENTS 13

1.0 APPLICABLE DOCUMENTS

Data Item Descriptions (DIDs)/DD Form 1664s, are identified in Block 4 of the individual Contract Data Requirements List (CDRL)/DD Form 1423-1. All DIDs are available to the contractor at the following website: http://quicksearch.dla.mil/.

2.0 REFERENCE DOCUMENTS

DAFI 61-201	Management of Scientific and Technical Information (STINFO)
DFARS 227.71	Rights in Technical Data
DFARS 227.72	Rights in Computer Software & Computer Software Documentation
DoD 5010.12-M	Procedures for the Acquisition and Management of Technical Data
DoDD 5230.09	Clearance of DoD Information for Public Release
DoDD 5230.25	Withholding of Unclassified Technical Data from Public Disclosure
DoDD 5400.07	DoD Freedom of Information Act (FOIA) Program
DoDI 2040.02	International Transfer of Technology, Articles, and Services
DoDI 5200.48	Controlled Unclassified Information (CUI)
DoDI 5230.24	Distribution Statements on DoD Technical Information
DoDM 5200.01v1	DoD Information Security Program: Overview, Classification, and Declassification
DoDM 5200.01v2	DoD Information Security Program: Marking of Information
DoDM 5200.01v3	DoD Information Security Program: Protection of Classified Information
EIA 649-1	Configuration Management Requirements for Defense Contracts

3.0 DATA DELIVERIES

The CDRL establishes the data to be delivered by the contractor. The CDRL also identifies the submittal, inspection, approval, acceptance, and distribution requirements of all the CDRL data items contained herein.

3.1 Delivery Dates/Time

Delivery Dates and Time

If a CDRL delivery date falls on a Saturday, Sunday, or Federal holiday, the delivery shall be made on the preceding business day to be considered an on-time delivery. Specifically:

- For deliveries due on a Saturday or Sunday, the required delivery date shall be the preceding Friday.

- For deliveries due on a Federal holiday, the required delivery date shall be the business day preceding the holiday. If the day prior to the holiday falls on a Sunday, the required delivery date shall be the Friday immediately preceding the Sunday.

All CDRL deliveries must be received no later than 1700 hours (5:00 PM) local Robins Air Force Base, Georgia time on the designated delivery date. Unless otherwise specified in Block 16 of the applicable CDRL, all references to "days" shall mean calendar days.

Early CDRL delivery is permitted. The Contractor shall immediately notify the Government in writing of any anticipated or actual late CDRL deliveries, including the reason for the delay and a proposed recovery schedule.

3.2 Tailored Data Items

Tailoring instructions are as described in Block 16 of each affected CDRL. If the data preparation instructions contained in Block 16 of the CDRL are different than the instructions contained in the DID, the CDRL shall govern.

3.3 Approval of Data

An "A" designator in Block 8 of the CDRL indicates the Government will formally reply to each data submittal with an approval, approval with comments, or disapproval. The Government will respond by issuing a Procuring Contracting Officer (PCO) letter or e-mail to the contractor within 45 calendar days, unless otherwise specified on the CDRL, Block 16. This does not apply to Engineering Change Proposals (ECPs) and Contract Change Proposals (CCPs).

For those CDRLs with an "N/A" in Block 8, Government approval of the content is not required; however, compliance with data item format and content requirements as specified in the DID, and as tailored in Block 16 of the CDRL, is mandatory. However, the Government may not provide a formal response back to the contractor. The Government has the right to reject/disapprove any data submittal(s) not in compliance with contract requirements.

3.4 Re-submittal of Data

If re-submittal of a CDRL is required, it shall be resubmitted within 30 calendar days after PCO notification, unless otherwise specified. Should the contractor disagree with the re-submittal requirements, they shall submit their comments to the PCO within 30 calendar days of notification. Each page of a re-submittal shall have changes indicated by a vertical line down the outer right margin designating those areas that have been revised. The document revision shall be indicated on the title page of the data item, each page**,** and a summary of document changes section contained within the document.

3.5 Final Submittal of Data

For the final delivery of each data item in the contract/delivery order, the contractor shall clearly state in the Letter of Transmittal (LT), as defined in paragraph 5.0, when it is the last submittal being made, and that all contractual requirements concerning that data item have been fulfilled.

3.6 DD Form 250 Requirements

Block 7 of the CDRL directs the inspection and acceptance of the submittal. Individual DD Form 250s are required only if indicated in Block 7. All other submittals shall be accompanied by a Letter of Transmittal (LT).

3.7 Classified Data

Classified data shall be submitted in accordance with the requirements established by the DD Form 254, Contract Security Classification Specification. The contractor shall contact the PCO for the mailing address(es) if not specified in Block 14 or 16 of the DD Form 1423-1.

4.0 ELECTRONIC DATA TRANSMISSION

4.1 Submission

The contractor shall submit all data deliverables in accordance with the specific submittal instructions indicated in Block 16 of each CDRL. The versions of the software used shall remain compatible with current program office software. Any submittals by other means shall require program office approval prior to delivery of data. Data to be submitted by electronic data transmission (EDT) shall be identified in "Block 14.b Repro" of the CDRL.

The Contractor shall electronically deliver all contractual data using the Government-controlled method of delivery, Multi-user ECP Automated Review System (MEARS), https://mears1.redstone.army.mil/mears/Default.aspx. The Contractor shall work with the Government to ensure that an adequate number of Contractor personnel obtain and possess Public Key Infrastructure (PKI) certification from an accepted Government source. The Contractor shall be receptive to the training offered by the Government on the MEARS system.

Submissions of large data files may be made via a DoD approved site such as Secure Access File Exchange (SAFE) (https://safe.apps.mil/) or CD/DVD mailed to the Government Program Office.

An alternate method of delivery when MEARS is down for maintenance will be the DISA application, known as DOD SAFE, https://safe.apps.mil/. It will be available to all DOD Common Access Card (CAC) holders or Contractor personnel who possess Public Key Infrastructure (PKI) certification from an accepted Government source.

4.2 Delivery Non-Compliance

The contractor shall inform the program office if any of their data deliverables cannot comply with the required electronic formats. In such cases the contractor shall recommend, for program office approval, an alternative delivery format(s).

4.3 Financial Information Format

Financial information provided in excel spreadsheets should be able to be manipulated.

5.0 LETTERS OF TRANSMITTAL (LT)

All data deliveries shall include a LT. The LT may be in the form of a letter or e-mail from the designated contractor representative. As a minimum, the LT shall contain:

Contractor's POC
Contractor's address
Date
Contract number and program name
Letter control number
Document control number
Document revision level
Document date
CDRL sequence number
DID Number
Data Title/Subtitle
Reason/Frequency of submittal (monthly, draft, final, update, etc.)
List of Distribution addressees as identified in Block 14 of the CDRL

If a paper copy of the LT is prepared, a complete list of addressees shall be placed at the end of the LT, annotating the recipients (as identified on the DD Form 1423-1, Block 14) including the transmittal-letter-only recipients.

If submittal is made via e-mail, the list of addressees in the "TO" line shall include the complete list of addressees and shall be considered sufficient.

6.0 MODIFICATION OF DATA REQUIREMENTS

During the performance of this contract, the PCO may unilaterally increase or decrease the number of addressees and/or number of copies the technical office requires; or may make other administrative or clarification changes to the CDRL.

The PCO may unilaterally make other administrative and/or clarification changes to the CDRLs. The contract price will constitute full satisfaction of any entitlement of equitable adjustment under the "Changes" clause provided the Contractor agrees to accept such change at no change in contract price. Unilateral action shall be by the issuance of a PCO's letter, which will reference this paragraph as its authority. The Contractor shall notify the PCO of the estimated cost if the changes impact the contract price.

7.0 COMMON ABBREVIATIONS

Block 7:	SS	Inspection at Source / Acceptance at Source
	DD	Inspection at Destination / Acceptance at Destination
	SD	Inspection at Source / Acceptance at Destination
	LT	Letter of Transmittal

Block 8:	A	Approval
	N/A	Approval Not Required
	16	See Block 16 for further instructions

Blocks 10, 12 & 13:	ANNLY	Annually
	ASGEN	As Generated
	ASREQ	As Required
	BI-MO	Bi-Monthly
	BI-WE	Bi-Weekly
	BLK 16	See Block 16
	DAILY	Daily
	DFDEL	Deferred Delivery
	EOC	End of Contract
	EOM	End of Month
	EOQ	End of Quarter
	MTHLY	Monthly
	ONE/P	One-time Preliminary draft
	ONE/R	One-time with Revisions
	OTIME	One Time
	QRTLY	Quarterly
	R/ASR	Revisions as Required
	SEMIA	Every 6 Months
	WEKLY	Weekly
	XDACM	X Days after Contract Modification
	XDADO	X Days after Delivery Order
	XDARC	X Days after Receipt of Comments
	XDARP	X Days after Reporting Period
	XDATC	X Days after Test Completion
	XDPTT	X Days prior to Test
	XTIMES	X Times

8.0 MARKING TECHNICAL DOCUMENTATION

8.1 Distribution Marking System

In accordance with Section 1.30 of Title 10, “United States Code” a DoD distribution marking system for technical data has been established by DoD Instruction 5230.24, “Distribution Statements on Technical Documents” and DAFI 61-201, Management of Scientific and Technical Information. The intent of the system is to stem the flow of military-related technical data to our adversaries, without inhibiting technological growth

or blocking the exchange of technical data that is vital to progress and innovation. The contractor shall mark all distribution statements and export-control statements, supplemental to any security markings, on all technical data to denote the extent of its availability for secondary distribution, release, and disclosure without need for additional approvals and authorizations from the controlling DoD office.

Distribution statements are annotated in Block 9 of each CDRL and defined in paragraph 8.3. If the contractor feels that a different statement is required, they must notify the contracting officer with the recommended statement, prior to CDRL submittal. The Government will review the request and determine which statement is the most appropriate and provide the contractor with an acceptance of the change or reason for not accepting the contractor's request for change.

8.2 Marking Technical Data

The contractor shall mark all requested technical information, regardless of its medium, with a distribution statement. This includes technical reports, blueprints, drawings, technical orders, technical manuals, plans, instructions, computer software, viewgraphs, film, technical papers, photographs, etc. If the document contains export-controlled technical data, it also must be marked with an export control warning statement. Distribution statements can be applied to technical data that contain or reveal proprietary information used.

Technical data categorized as cryptographic/communications security, communications/electronic intelligence, and similar categories as may be designated by the Director, National Security Agency, whose distribution is limited through alternate methods, are exempt from these marking provisions.

Certain types of technical data preclude placing the entire notice on the document. To accommodate this problem, each distribution statement contains an authorized abbreviation form. Abbreviated distribution statements are to be used only when space precludes placing the entire notice on the document. The use and wording of these statements are described in the following paragraphs.

The contractor shall mark Controlled Unclassified Information (CUI) in accordance with DoDI 5200.48, paragraph 3.4.

8.3 Distribution Statements

A DoD distribution marking system for technical data is prescribed in DoD Instruction (DoDI) 5230.24, "Distribution Statements on DoD Technical Information." The intent of the system is to identify the audience approved for secondary distribution of the data in order to stem the flow of military-related technical data to our adversaries, without inhibiting technological growth or appropriate exchange of technical data that is vital to progress and innovation. These markings are in addition to any security classification or other control markings.

The contractor shall mark all technical information, regardless of its medium, with the appropriate distribution statement as prescribed by the controlling DoD office. Distribution statements are also applied to technical data that contain proprietary information. Per DAFI 61-201, paragraph 3.4.4.1, "Distribution statements are displayed conspicuously on all technical documents regardless of medium or format. For standard written or printed material, the Distribution Statement is shown on all pages

to the maximum extent practical and at a minimum on the front cover, title page, and SF 298, where applicable. If the technical information is digitally prepared or in any other medium that does not have a cover or title page, the applicable Distribution Statement is affixed to all physical and digital items by other means in a conspicuous position for ready recognition." Drawings must display the distribution statement on the first sheet at a minimum.

Technical data categorized as cryptographic/communications security, communications/electronic intelligence, and similar categories as may be designated by the Director, National Security Agency, whose distribution is limited through alternate methods, are exempt from these marking provisions.

Certain types of technical data preclude placing the entire notice on the document. Abbreviated distribution statements must be approved by the program office and are to be used only when space precludes placing the entire statement on the document.

The distribution statement is identified in Block 9 of each CDRL. If the contractor feels that a different statement or defense category is required, the contractor must notify the PCO with the recommended statement. The Government will review the request, determine which statement is the most appropriate, and provide the contractor with either an acceptance or rejection of the requested change.

Wording for the distribution statements is shown below. The acceptable defense categories for the distribution statements must be chosen from those listed in DoDI 5230.24. The following address will be used on all documentation for the "controlling DoD office" for this program:

DISTRIBUTION STATEMENT D: Distribution authorized to the Department of Defense and U.S. DoD contractors only [category] [date of determination]. Other requests for this document must be referred to [controlling DoD office].

8.4 Controlling Office

The following address will be used on all documentation for the "controlling office" for this program:

AFLCMC/ROU
Human Systems Division (Program Name)
236 Milledgeville Street, Suite F30
Robins AFB GA 31098

8.5 Export-Controlled Warning Statement

Authority to withhold and control the export of certain technical data with military or space application is determined in accordance with Title 10, United States Code section 130, "Authority to withhold from public disclosure certain technical data," and implemented by DoDD 5230.25, if such data may not be exported lawfully outside the United States without an approval, authorization, or license under the Export Control Reform Act of 2018 or the Arms Export Control Act (AECA) (both cited in the Export Control Warning). Such withholding and export control applies to Defense items listed in the United States Munitions List (USML), which is part of the International Traffic in Arms

Regulations (ITAR) (22 CFR 120-130); and Export Administration Regulations (EAR) (15 CFR 730-774).

If a technical document, whether printed or electronic/digital, contains export-controlled technical data, it shall be marked with the export control warning statement prescribed in DoDI 5230.24 and shown below. When it is not feasible to use the entire statement, the abbreviated warning may be used, and a copy of the full warning added to the "Notice to Accompany the Dissemination of Export-Controlled Technical Data," which is Enclosure 5 of DoDD 5230.25. For assistance in determining what is export controlled, consult the controlling DoD office. The Export Control Warning may be used in conjunction with distribution statements B, C, D, E, and F. Distribution statement A, which denotes public release, cannot be used in conjunction with the export-control warning notice.

WARNING - This document contains technical data whose export is restricted by the Arms Export Control Act (Section 2751 of Title 22, United States Code) or the Export Control Reform Act of 2018 (Chapter 58 Sections 4801-4852 of Title 50, United States Code). Violations of these export laws are subject to severe criminal penalties. Disseminate in accordance with provisions of DoD Directive 5230.25 and DoD Instruction 2040.02.

8.6 Controlled Unclassified Information (CUI)

Unclassified documentation that is associated with a law, regulation, or government-wide policy, and identified as needing safeguarding, is considered CUI and must be marked according to DoDI 5200.48, Controlled Unclassified Information (CUI).

8.7 Marking Non-Technical Documentation

Non-technical documentation that is associated with a law, regulation, or government-wide policy, and identified as needing safeguarding, is considered CUI and must be marked according to DoDI 5200.48, Controlled Unclassified Information (CUI).

8.8 Marking Examples

The marking examples below are for reference. Specific information within the distribution statements and the CUI Designation Indicator will depend upon each individual case.

Marking example for non-technical CUI:



CUI ← Mark Bottom of Page

Marking example for technical CUI:

CUI ← Mark Top of Page

DISTRIBUTION STATEMENT E. Secondary Distribution authorized to DoD components only; Controlled Technical Information; 27 August 2021. Other requests for this document must be referred to AFLCMC/XXXX, Gov address. ← Complete DoDI 5230.24 Distribution Statement

Controlled by: USAF/AFMC
Controlled by AFLCMC/XXXX
CUI Category: Controlled Technical Information
Distribution/Dissemination Control: E
POC: Gov POC name and email ← CUI Designation Indicator IAW DoDI 5200.48

CUI ← Mark Bottom of Page

Marking example for export-controlled technical CUI:

CUI ← Mark Top of Page

DISTRIBUTION STATEMENT E. Secondary Distribution authorized to DoD components only; Critical Technology, Export Controlled; 27 August 2021. Other requests for this document must be referred to AFLCMC/XXXX, Gov address. ← Complete DoDI 5230.24 Distribution Statement

WARNING - This document contains technical data whose export is restricted by the Arms Export Control Act (Section 2751 of Title 22, United States Code) or the Export Control Reform Act of 2018 (Chapter 58 Sections 4801-4852 of Title 50, United States Code). Violations of these export laws are subject to severe criminal penalties. Disseminate in accordance with provisions of DoD Directive 5230.25 and DoD Instruction 2040.02. ← DoDI 5230.24 Export Control Warning

Controlled by: USAF/AFMC
Controlled by AFLCMC/XXXX
CUI Category: Controlled Technical Information
Distribution/Dissemination Control: E
POC: Gov POC name and email

CUI Designation Indicator IAW DoDI 5200.48

CUI

Mark Bottom of Page

8.9 Intellectual Property/Marking

Any markings that are added to documents for review purposes must be removed prior to formal submittal. If a document still requires a marking not addressed in the contract, the contractor must provide a justification for the marking.

9.0 MAILING LISTS

The Government will provide the following information for each recipient identified in Block 14: office symbol, mailing address, point of contact e-mail and phone number.

Office/Symbol	Addresses	Email/Phone
AFLCMC/ROU For data deliveries	MEARS	https://mears1.redstone.army.mil/mears/default.aspx

10.0 CDRL TABLE OF CONTENTS

6/17/2026 7:14:23 PM EDT

CDRL Table of Contents

CONTRACT #: FD2060-25-30324
F4FDAL5192A001

CONTRACTOR: W.S. DARLEY & CO

SET NAME: JSMLT (Option 3)

SYSTEM ITEM: Joint Service Mask Leakage Tester Repair

PROGRAM: Human Systems

DATA ITEM	REQUIRING OFFICE	AUTHORITY/TITLE/SUBTITLE	SOW PARAGRAPH
D001	AFLCMC/ROU	DI-MGMT-80441D	3.2, 3.6
		Government Property (GP) Inventory Report	
D002	AFLCMC/ROU	DI-QCIC-80278C	4.3.1
		Calibration and Measurements Requirements Summary (CRMS)	
D003	AFLCMC/ROU	DI-MGMT-81803A	4.7.1.1
		Item Unique Identification (IUID) Marking Plan	
D004	AFLCMC/ROU	DI-MGMT-81804A	4.7.1
		Item Unique Identification (IUID) Marking Activity, Validation and Verification Report	
D005	AFLCMC/ROU	DI-NDTI-80809B	4.7.3.2
		Test/Inspection Report	
		Individual Test Report	
D006	AFLCMC/ROU	DI-QCIC-80553A	4.7.3.2
		Acceptance Test Plan	
D007	AFLCMC/ROU	DI-NDTI-80603A	4.7.3.3
		Test Procedure	
D008	AFLCMC/ROU	DI-NDTI-80809B	4.7.3.3
		Test/Inspection Report	
		Test Procedure Qualification	
D009	AFLCMC/ROU	DI-MGMT-81634C	4.7.5.2
		Commercial Asset Visibility Air Force (CAVAF) Government Furnished Material Report	
D00A	AFLCMC/ROU	DI-MGMT-81838	4.7.5.3
		Commercial Asset Visibility (CAV) Reporting	
D00B	AFLCMC/ROU	DI-PSSS-81995A	4.7.5.2
		Contract Depot Maintenance (CDM) Monthly Production Report	
		CDM Production Monthly Status Report	
D00C	AFLCMC/ROU	DI-MGMT-82128A	3.2
		Contract Government Furnished Material (GFM) Monthly Requisition and Inventory Report	
D00D	AFLCMC/ROU	DI-MISC-81832	4.7.6.1

CDRL Table of Contents

		Counterfeit Prevention Plan	
D00E	AFLCMC/ROU	DI-MISC-80711A	4.10
		Scientific and Technical Reports	
D00F	AFLCMC/ROU	DI-SESS-80639E	4.10.1.2, 4.10.1.2.1, 4.10.1.2.2
		Engineering Change Proposal (ECP)	
D00G	AFLCMC/ROU	DI-SESS-80642E	4.10.1.2
		Notice of Revision (NOR)	
D00H	AFLCMC/ROU	DI-MISC-81618	4.10.2.2
		Service Bulletins	
D00J	AFLCMC/ROU	DI-PSSS-81656B	4.10.3
		Bill of Materials (BOM) for Logistics and Supply Chain Risk	
D00K	AFLCMC/ROU	DI-MGMT-8004A	5.2.1
		Management Plan	
		Mission-Essential Services Plan	
D00L	AFLCMC/ROU	DI-IPSC-81442A	4.8.2
		Software Version Description	
		SVD	
D00M	AFLCMC/ROU	DI-MISC-81454D	4.8.2
		Computer Program Identification Number (CPIN) Catalog Information	
D00N	AFLCMC/ROU	DI-IPSC-80590B	4.8.2
		Computer Program End Item Documentation	

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
3003	D	TDP _ TM _ OTHER MGMT

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
D001	Government Property (GP) Inventory Report	

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-MGMT-80441D	3.2, 3.6	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
LT	D	ASREQ	BLK 16

8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION
A	N/A	BLK 16

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 12:
First submission due 60 days after contract award, if applicable.

BLK 13:
Subsequent submissions due upon government request or 10 days after a modification to the report.

14. DISTRIBUTION

a. ADDRESSEE	b. COPIES		
	Draft	Final	
		Reg	Repro
MEARS	0	0	1
15. TOTAL →	0	0	1

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
3003	D	TDP _ TM _ OTHER QCIC

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
D002	Calibration and Measurements Requirements Summary (CRMS)	

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-QCIC-80278C	4.3.1	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
LT	D	BLK16	BLK16

8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION
A	N/A	BLK16

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 12:
First submission due 120 days after contract award.

BLK 10 & BLK 13:
Subsequent submissions due every 90 days.

14. DISTRIBUTION

a. ADDRESSEE	b. COPIES		
	Draft	Final	
		Reg	Repro
MEARS	0	0	1
15. TOTAL →	0	0	1

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
3003	D	TDP _ TM _ OTHER MGMT

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
D003	Item Unique Identification (IUID) Marking Plan	

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-MGMT-81803A	4.7.1.1	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
LT	D	ONE/R	BLK 16

8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION
A	N/A	ASREQ

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 12:
First submission due 120 days after contract award.

14. DISTRIBUTION

a. ADDRESSEE	b. COPIES		
	Draft	Final	
		Reg	Repro
MEARS	0	0	1
15. TOTAL →	0	0	1

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
3003	D	TDP _ TM _ OTHER MGMT

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
D004	Item Unique Identification (IUID) Marking Activity, Validation and Verification Report	

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-MGMT-81804A	4.7.1	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
LT	D	ONE/R	BLK 16

8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION
A	N/A	ASREQ

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 16:
First submission due 120 days after contract award.

14. DISTRIBUTION	b. COPIES		
a. ADDRESSEE	Draft	Final	
		Reg	Repro
MEARS	0	0	1
15. TOTAL →	0	0	1

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
3003	D	TDP _ TM _ OTHER NDTI

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
D005	Test/Inspection Report	Individual Test Report

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-NDTI-80809B	4.7.3.2	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
DD	D	QRTLY	ASREQ

8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION
A	BLK16	BLK16

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 11 & BLK 13:
The Contractor shall submit a Developmental Test Report for Performance Validation documenting the results of all tests and demonstrations required by the Government approved Developmental Test Plan for Performance Validation NLT thirty (30) calendar days after the last planned test or demonstration event is satisfactorily complete. This report shall reflect how the prototype met, or failed to meet, thresholds and objectives laid out int the Statement of Objectives.

14. DISTRIBUTION

a. ADDRESSEE	b. COPIES		
	Draft	Final	
		Reg	Repro
WAWF	0	0	1
15. TOTAL →	0	0	1

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
3003	D	TDP _ TM _ OTHER QCIC

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
D006	Acceptance Test Plan	

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-QCIC-80553A	4.7.3.2	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
DD	D	QRTLY	BLK16

8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION
A	N/A	ASREQ

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 12:
The Contractor shall submit Acceptance Test Plan 30 days prior to acceptance test procedures.

14. DISTRIBUTION

a. ADDRESSEE	b. COPIES		
	Draft	Final	
		Reg	Repro
WAWF	0	0	1
15. TOTAL →	0	0	1

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
3003	D	TDP _ TM _ OTHER NDTI

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
D007	Test Procedure	

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-NDTI-80603A	4.7.3.3	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
LT	D	BLK16	BLK16

8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION
A	N/A	BLK16

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 10, BLK 12, & BLK 13:

Contractor shall use approved Acceptance Test Procedures (ATPs) already in Contractor's possession in the normal course for repair and manufacture. If ordered, the Contractor shall be required to generate or modify the ATP qualification, if applicable, shall consist of specific requirements which will be stipulated in the applicable Delivery Order.

Government will be allowed up to 30 days, after receipt from contractor, to provide Comment Resolution Matrix (CRM), which allows up to 21 days for formal review, and 9 days for consolidation. The contractor has up to 4 days after CRM receipt from government to provide government with CRM decision (i.e. provide accept/modify/reject response) and updated Test Procedures with accepted CRM comments implemented. The contractor has up to 4 days to conduct a meeting with the government for CRM modify/reject resolution. The contractor has up to 4 days to submit adjudicated Test Procedures (i.e. Test procedures modified to include CRM accepted comments and adjudicated modify/reject decision comments) to government for signature/approval. The government has up to 15 days, after receipt from contractor, to approve Test Procedures.

14. DISTRIBUTION

a. ADDRESSEE	b. COPIES		
	Draft	Final	
		Reg	Repro
MEARS	0	0	1
15. TOTAL →	0	0	1

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
3003	D	TDP _ TM _ OTHER NDTI

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
D008	Test/Inspection Report	Test Procedure Qualification

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-NDTI-80809B	4.7.3.3	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
DD	D	QRTLY	ASREQ

8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION
A	BLK16	BLK16

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 11 & BLK 13:
The Contractor shall submit a Developmental Test Report for Performance Validation documenting the results of all tests and demonstrations required by the Government approved Developmental Test Plan for Performance Validation NLT thirty (30) calendar days after the last planned test or demonstration event is satisfactorily complete. This report shall reflect how the prototype met, or failed to meet, thresholds and objectives laid out int the Statement of Objectives.

14. DISTRIBUTION

a. ADDRESSEE	b. COPIES		
	Draft	Final	
		Reg	Repro
WAWF	0	0	1
15. TOTAL →	0	0	1

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
3003	D	TDP _ TM _ OTHER MGMT

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
D009	Commercial Asset Visibility Air Force (CAVAF) Government Furnished Material Report	

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-MGMT-81634C	4.7.5.2	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
DD	D	ASREQ	BLK 16

8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION
A	N/A	BLK 16

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 12 & 13:
The contractor shall conduct production reporting as transactions occur and report problems. No more than two late or incorrect entries shall be allowed per delivery order. Any delayed entries shall not exceed three calendar days.

BLK 14:
The contractor shall report End Item transactional data through electronic submission in CAV AF using CAV AF web site (https://www.cavaf.com) or CICA XML IAW the referenced DID IAW and/or CAV AF CFM PWS.

14. DISTRIBUTION

a. ADDRESSEE	b. COPIES Draft	Final Reg	Final Repro
BLK 16	0	0	1
WAWF	0	0	1
15. TOTAL →	0	0	2

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
3003	D	TDP _ TM _ OTHER MGMT

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
D00A	Commercial Asset Visibility (CAV) Reporting	

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-MGMT-81838	4.7.5.3	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
16	D	BLK16	BLK16

8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION
BLK16	BLK16	BLK16

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 7, BLK 8, and BLK 14:
a. The contractor shall report End Item transactional data through electronic submission in CAV AF using the CAV AF website or CICA XML.
b. The contractor shall submit a DD Form 250 (Material Inspection and Receiving Report) electronically via the Internet to iRAPT (WAWF) website address: https://wawf.eb.mil, using DODAAC FB2065. MARK FOR: Address in block 14a.
c. A Letter of Transmittal shall be submitted in the month the delivery order is completed, covering all reports transmitted for that order.

BLK 10, BLK 11, BLK 12, & BLK 13:
A. Date of first submission shall be within 24 hours following a supply or maintenance transaction, after the contract award date.
B. Contractor reporting requirements to CAV AF shall be submitted daily and/or within 24 hours of a supply or maintenance action occurrence IAW the CAV AF Reporting Requirements Document.
C. Data shall be current within 24 hours of the last End Item maintenance occurrence.

14. DISTRIBUTION

a. ADDRESSEE	b. COPIES		
	Draft	Final	
		Reg	Repro
BLK 16	0	0	1
WAWF	0	0	1
15. TOTAL →	0	0	2

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
3003	D	TDP _ TM _ OTHER PSSS

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
D00B	Contract Depot Maintenance (CDM) Monthly Production Report	CDM Production Monthly Status Report

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-PSSS-81995A	4.7.5.2	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
LT	D	MTHLY	BLK16

8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION
N/A	N/A	BLK16

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 12 & BLK 13:
Submittal due on the 15th of each month after the first full month after contract award.

14. DISTRIBUTION	b. COPIES		
a. ADDRESSEE	Draft	Final	
		Reg	Repro
MEARS	0	0	1
15. TOTAL →	0	0	1

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
3003	D	TDP _ TM _ OTHER MGMT

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
D00C	Contract Government Furnished Material (GFM) Monthly Requisition and Inventory Report	

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-MGMT-82128A	3.2	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
LT	D	MTHLY	BLK16

8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION
N/A	N/A	BLK16

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 12 & BLK 13:
Submittal due on the 15th of each month after the first full month after contract award.

14. DISTRIBUTION

a. ADDRESSEE	b. COPIES		
	Draft	Final	
		Reg	Repro
WAWF	0	0	1
15. TOTAL →	0	0	1

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
3003	D	TDP _ TM _ OTHER MISC

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
D00D	Counterfeit Prevention Plan	

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-MISC-81832	4.7.6.1	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
LT	D	ONE/R	BLK16

8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION
A	N/A	BLK16

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 12:
First submittal due 120 days after contract award.

BLK 13:
Contractor shall provide an updated CPP within 30 days of any change to documented counterfeit prevention or detection processes.

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

14. DISTRIBUTION

a. ADDRESSEE	b. COPIES		
	Draft	Final	
		Reg	Repro
MEARS	0	0	1
15. TOTAL →	0	0	1

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
3003	D	TDP _ TM _ OTHER MISC

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
D00E	Scientific and Technical Reports	

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-MISC-80711A	4.10	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
DD	D	ASREQ	BLK 16

8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION
A	BLK 16	ASREQ

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 11 & BLK 12:

The Contractor shall initially respond to a request for assistance within two business days. Follow-up assistance, if required, shall be provided by the suspense date acceptable to the Government.
In support of this tasking, the Contractor shall respond with a cost estimate within the Government requested timeline (normally 45 calendar days or less).

14. DISTRIBUTION

a. ADDRESSEE	b. COPIES		
	Draft	Final	
		Reg	Repro
WAWF	0	0	1
15. TOTAL →	0	0	1

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
3003	D	TDP _ TM _ OTHER SESS

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
D00F	Engineering Change Proposal (ECP)	

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-SESS-80639E	4.10.1.2, 4.10.1.2.1, 4.10.1.2.2	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
LT	BLK16	ASREQ	BLK16
8. APP CODE		**11. AS OF DATE**	**13. DATE OF SUBSEQUENT SUBMISSION**
A		BLK16	BLK16

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 9:
The Technical Volume shall use Distribution Statement D. The Cost Volume shall use Distribution B, with the following statement: "DISTRIBUTION B. Distribution authorized to U.S. Government Agencies and JSMLT Support Contractors; Proprietary Information; Date. Other request for this document shall be referred to Human Systems Division (AFLCMC/ROU), Wright-Patterson AFB, OH 45433- 7249.

BLK 11, BLK 12, & BLK 13:
Report shall be submitted to the Government for review and approval as required for any Form, Fit, Function or Interface change to the configuration NLT 120 days prior scheduled Configuration Control Board (CCB) meeting. Resubmit if required, within 10 days after receipt of government comments/corrections.

14. DISTRIBUTION

a. ADDRESSEE	b. COPIES		
	Draft	Final	
		Reg	Repro
WAWF	0	0	1
MEARS	0	0	1
15. TOTAL →	0	0	2

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
3003	D	TDP _ TM _ OTHER SESS

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
D00G	Notice of Revision (NOR)	

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-SESS-80642E	4.10.1.2	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
LT	D	ASREQ	BLK 16

8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION
A	BLK 16	BLK 16

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 11, BLK 12, & BLK 13:
Report shall be submitted to the Government for review and approval as required for any form fit or function change to the configuration NLT 120 days prior scheduled Configuration Control Board (CCB) meeting. The NOR shall be submitted in conjunction with the (ECP).

14. DISTRIBUTION

a. ADDRESSEE	b. COPIES		
	Draft	Final	
		Reg	Repro
MEARS	0	0	1
15. TOTAL →	0	0	1

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
3003	D	TDP _ TM _ OTHER MISC

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
D00H	Service Bulletins	

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-MISC-81618	4.10.2.2	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
DD	D	ASREQ	BLK 16

8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION
A	N/A	BLK 16

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 12 & BLK 13:
All SBs requiring engineering changes or deviations shall be sent to AFLCMC/ROU to receive prior approval by the Configuration Control Board (CCB) 30 days prior to the change being implement by the Procuring Contracting Officer (PCO). All modifications to fielded equipment shall be made only by Government approved Service Bulletins (SBs) in accordance with PWS paragraph 4.11.2. This includes modifications made to commercial off the shelf (COTS) components/subcomponents as well.

14. DISTRIBUTION

a. ADDRESSEE	b. COPIES		
	Draft	Final	
		Reg	Repro
WAWF	0	0	1
15. TOTAL →	0	0	1

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
3003	D	TDP _ TM _ OTHER PSSS

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
D00J	Bill of Materials (BOM) for Logistics and Supply Chain Risk	

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-PSSS-81656B	4.10.3	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
DD	D	ASREQ	BLK 16

8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION
A	N/A	BLK 16

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 12 & BLK 13:
The Contractor shall notify the Government of obsolete part conditions within five business days of identification and make recommendations including last-time buy opportunities and any redesign that may ensue. The Contractor shall identify any obsolescence and DMSMS issues that arise during the course of this contract.

14. DISTRIBUTION

a. ADDRESSEE	b. COPIES		
	Draft	Final	
		Reg	Repro
WAWF	0	0	1
15. TOTAL →	0	0	1

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
3003	D	TDP _ TM _ OTHER MGMT

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
D00K	Management Plan	Mission-Essential Services Plan

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-MGMT-8004A	5.2.1	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
LT	D	ONE/R	BLK 16

8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION
A	N/A	ASREQ

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 12:
First submittal due 120 days after contract award.

14. DISTRIBUTION

a. ADDRESSEE	b. COPIES		
	Draft	Final	
		Reg	Repro
MEARS	0	0	1
15. TOTAL →	0	0	1

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
3003	D	TDP _ TM _ OTHER ISPC

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
D00L	Software Version Description	SVD

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-IPSC-81442A	4.8.2	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
LT	D	ANNLY	BLK 16
8. APP CODE		**11. AS OF DATE**	**13. DATE OF SUBSEQUENT SUBMISSION**
A		N/A	BLK 16

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

14. DISTRIBUTION

a. ADDRESSEE	b. COPIES: Draft	Final: Reg	Final: Repro
WAWF			1
15. TOTAL →	0	0	1

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 12:
90 calendar days after contract award.

BLK 13:
Updated annually

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
3003	D	TDP _ TM _ OTHER IPSC

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
D00M	Computer Program Identification Number (CPIN) Catalog Information	

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-MISC-81454D	4.8.2	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
LT	D	ANNLY	BLK 16

8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION
A	N/A	BLK 16

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 12:
90 calendar days after contract award.

BLK 13:
Updated annually

14. DISTRIBUTION

a. ADDRESSEE	b. COPIES		
	Draft	Final	
		Reg	Repro
WAWF			1
15. TOTAL →	0	0	1

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
3003	D	TDP _ TM _ OTHER ISPC

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
D00N	Computer Program End Item Documentation	

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-IPSC-80590B	4.8.2	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
LT	D	ANNLY	BLK 16

8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION
A	N/A	BLK 16

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 12:
90 calendar days after contract award.

BLK 13:
Updated annually.

14. DISTRIBUTION

a. ADDRESSEE	b. COPIES		
	Draft	Final	
		Reg	Repro
WAWF			1
15. TOTAL →	0	0	1

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(CDRL)
GENERAL INSTRUCTIONS

CONTRACT NUMBER:
FD2060-25-30324

PREPARED BY:

COMBAT READINESS DIRECTORATE

HUMAN SYSTEMS DIVISION

AFLCMC/ROU, Operations and Support

236 Milledgeville Street, Suite F30

Robins AFB GA 31098

CDRL MODIFICATION MATRIX.

This matrix identifies the CDRL changes as implemented by contract modification.

PROPOSAL NO.	CDRL REV NO.	DATE	CDRL/PAGES REVISED
Initial	Basic	28 May 2026	All
Administrative Updates	A	17 Jun 2026	All

TABLE OF CONTENTS

1.0 APPLICABLE DOCUMENTS 4
2.0 REFERENCE DOCUMENTS 4
3.0 DATA DELIVERIES 4
3.1 DELIVERY DATES 4
3.2 TAILORED DATA ITEMS 5
3.3 APPROVAL OF DATA 5
3.4 RE-SUBMITTAL OF DATA 5
3.5 FINAL SUBMITTAL OF DATA 5
3.6 DD FORM 250 REQUIREMENTS 5
3.7 CLASSIFIED DATA 6
4.0 ELECTRONIC DATA TRANSMISSION 6
4.1 SUBMISSION 6
4.2 DELIVERY NON-COMPLIANCE 6
4.3 FINANCIAL INFORMATION FORMAT 6
5.0 LETTERS OF TRANSMITTAL (LT) 7
6.0 MODIFICATION OF DATA REQUIREMENTS 7
7.0 COMMON ABBREVIATIONS 7
8.0 MARKING TECHNICAL DOCUMENTATION 8
8.1 DISTRIBUTION MARKING SYSTEM 8
8.2 MARKING TECHNICAL DATA 9
8.3 DISTRIBUTION STATEMENTS 9
8.4 CONTROLLING OFFICE 10
8.5 EXPORT-CONTROLLED WARNING STATEMENT 10
8.6 CONTROLLED UNCLASSIFIED INFORMATION (CUI) 11
8.7 MARKING NON-TECHNICAL DOCUMENTATION 11
8.8 MARKING EXAMPLES 11
8.9 INTELLECTUAL PROPERTY/MARKING 13
9.0 MAILING LISTS 13
10.0 CDRL TABLE OF CONTENTS 13

1.0 APPLICABLE DOCUMENTS

Data Item Descriptions (DIDs)/DD Form 1664s, are identified in Block 4 of the individual Contract Data Requirements List (CDRL)/DD Form 1423-1. All DIDs are available to the contractor at the following website: http://quicksearch.dla.mil/.

2.0 REFERENCE DOCUMENTS

DAFI 61-201	Management of Scientific and Technical Information (STINFO)
DFARS 227.71	Rights in Technical Data
DFARS 227.72	Rights in Computer Software & Computer Software Documentation
DoD 5010.12-M	Procedures for the Acquisition and Management of Technical Data
DoDD 5230.09	Clearance of DoD Information for Public Release
DoDD 5230.25	Withholding of Unclassified Technical Data from Public Disclosure
DoDD 5400.07	DoD Freedom of Information Act (FOIA) Program
DoDI 2040.02	International Transfer of Technology, Articles, and Services
DoDI 5200.48	Controlled Unclassified Information (CUI)
DoDI 5230.24	Distribution Statements on DoD Technical Information
DoDM 5200.01v1	DoD Information Security Program: Overview, Classification, and Declassification
DoDM 5200.01v2	DoD Information Security Program: Marking of Information
DoDM 5200.01v3	DoD Information Security Program: Protection of Classified Information
EIA 649-1	Configuration Management Requirements for Defense Contracts

3.0 DATA DELIVERIES

The CDRL establishes the data to be delivered by the contractor. The CDRL also identifies the submittal, inspection, approval, acceptance, and distribution requirements of all the CDRL data items contained herein.

3.1 Delivery Dates/Time

Delivery Dates and Time

If a CDRL delivery date falls on a Saturday, Sunday, or Federal holiday, the delivery shall be made on the preceding business day to be considered an on-time delivery. Specifically:

- For deliveries due on a Saturday or Sunday, the required delivery date shall be the preceding Friday.

- For deliveries due on a Federal holiday, the required delivery date shall be the business day preceding the holiday. If the day prior to the holiday falls on a Sunday, the required delivery date shall be the Friday immediately preceding the Sunday.

All CDRL deliveries must be received no later than 1700 hours (5:00 PM) local Robins Air Force Base, Georgia time on the designated delivery date. Unless otherwise specified in Block 16 of the applicable CDRL, all references to "days" shall mean calendar days.

Early CDRL delivery is permitted. The Contractor shall immediately notify the Government in writing of any anticipated or actual late CDRL deliveries, including the reason for the delay and a proposed recovery schedule.

3.2 Tailored Data Items

Tailoring instructions are as described in Block 16 of each affected CDRL. If the data preparation instructions contained in Block 16 of the CDRL are different than the instructions contained in the DID, the CDRL shall govern.

3.3 Approval of Data

An "A" designator in Block 8 of the CDRL indicates the Government will formally reply to each data submittal with an approval, approval with comments, or disapproval. The Government will respond by issuing a Procuring Contracting Officer (PCO) letter or e-mail to the contractor within 45 calendar days, unless otherwise specified on the CDRL, Block 16. This does not apply to Engineering Change Proposals (ECPs) and Contract Change Proposals (CCPs).

For those CDRLs with an "N/A" in Block 8, Government approval of the content is not required; however, compliance with data item format and content requirements as specified in the DID, and as tailored in Block 16 of the CDRL, is mandatory. However, the Government may not provide a formal response back to the contractor. The Government has the right to reject/disapprove any data submittal(s) not in compliance with contract requirements.

3.4 Re-submittal of Data

If re-submittal of a CDRL is required, it shall be resubmitted within 30 calendar days after PCO notification, unless otherwise specified. Should the contractor disagree with the re-submittal requirements, they shall submit their comments to the PCO within 30 calendar days of notification. Each page of a re-submittal shall have changes indicated by a vertical line down the outer right margin designating those areas that have been revised. The document revision shall be indicated on the title page of the data item, each page**,** and a summary of document changes section contained within the document.

3.5 Final Submittal of Data

For the final delivery of each data item in the contract/delivery order, the contractor shall clearly state in the Letter of Transmittal (LT), as defined in paragraph 5.0, when it is the last submittal being made, and that all contractual requirements concerning that data item have been fulfilled.

3.6 DD Form 250 Requirements

Block 7 of the CDRL directs the inspection and acceptance of the submittal. Individual DD Form 250s are required only if indicated in Block 7. All other submittals shall be accompanied by a Letter of Transmittal (LT).

3.7 Classified Data

Classified data shall be submitted in accordance with the requirements established by the DD Form 254, Contract Security Classification Specification. The contractor shall contact the PCO for the mailing address(es) if not specified in Block 14 or 16 of the DD Form 1423-1.

4.0 ELECTRONIC DATA TRANSMISSION

4.1 Submission

The contractor shall submit all data deliverables in accordance with the specific submittal instructions indicated in Block 16 of each CDRL. The versions of the software used shall remain compatible with current program office software. Any submittals by other means shall require program office approval prior to delivery of data. Data to be submitted by electronic data transmission (EDT) shall be identified in "Block 14.b Repro" of the CDRL.

The Contractor shall electronically deliver all contractual data using the Government-controlled method of delivery, Multi-user ECP Automated Review System (MEARS), https://mears1.redstone.army.mil/mears/Default.aspx. The Contractor shall work with the Government to ensure that an adequate number of Contractor personnel obtain and possess Public Key Infrastructure (PKI) certification from an accepted Government source. The Contractor shall be receptive to the training offered by the Government on the MEARS system.

Submissions of large data files may be made via a DoD approved site such as Secure Access File Exchange (SAFE) (https://safe.apps.mil/) or CD/DVD mailed to the Government Program Office.

An alternate method of delivery when MEARS is down for maintenance will be the DISA application, known as DOD SAFE, https://safe.apps.mil/. It will be available to all DOD Common Access Card (CAC) holders or Contractor personnel who possess Public Key Infrastructure (PKI) certification from an accepted Government source.

4.2 Delivery Non-Compliance

The contractor shall inform the program office if any of their data deliverables cannot comply with the required electronic formats. In such cases the contractor shall recommend, for program office approval, an alternative delivery format(s).

4.3 Financial Information Format

Financial information provided in excel spreadsheets should be able to be manipulated.

5.0 LETTERS OF TRANSMITTAL (LT)

All data deliveries shall include a LT. The LT may be in the form of a letter or e-mail from the designated contractor representative. As a minimum, the LT shall contain:

Contractor's POC
Contractor's address
Date
Contract number and program name
Letter control number
Document control number
Document revision level
Document date
CDRL sequence number
DID Number
Data Title/Subtitle
Reason/Frequency of submittal (monthly, draft, final, update, etc.)
List of Distribution addressees as identified in Block 14 of the CDRL

If a paper copy of the LT is prepared, a complete list of addressees shall be placed at the end of the LT, annotating the recipients (as identified on the DD Form 1423-1, Block 14) including the transmittal-letter-only recipients.

If submittal is made via e-mail, the list of addressees in the "TO" line shall include the complete list of addressees and shall be considered sufficient.

6.0 MODIFICATION OF DATA REQUIREMENTS

During the performance of this contract, the PCO may unilaterally increase or decrease the number of addressees and/or number of copies the technical office requires; or may make other administrative or clarification changes to the CDRL.

The PCO may unilaterally make other administrative and/or clarification changes to the CDRLs. The contract price will constitute full satisfaction of any entitlement of equitable adjustment under the "Changes" clause provided the Contractor agrees to accept such change at no change in contract price. Unilateral action shall be by the issuance of a PCO's letter, which will reference this paragraph as its authority. The Contractor shall notify the PCO of the estimated cost if the changes impact the contract price.

7.0 COMMON ABBREVIATIONS

Block 7:	SS	Inspection at Source / Acceptance at Source
	DD	Inspection at Destination / Acceptance at Destination
	SD	Inspection at Source / Acceptance at Destination
	LT	Letter of Transmittal

Block 8:	A	Approval
	N/A	Approval Not Required
	16	See Block 16 for further instructions

Blocks 10, 12 & 13:	ANNLY	Annually
	ASGEN	As Generated
	ASREQ	As Required
	BI-MO	Bi-Monthly
	BI-WE	Bi-Weekly
	BLK 16	See Block 16
	DAILY	Daily
	DFDEL	Deferred Delivery
	EOC	End of Contract
	EOM	End of Month
	EOQ	End of Quarter
	MTHLY	Monthly
	ONE/P	One-time Preliminary draft
	ONE/R	One-time with Revisions
	OTIME	One Time
	QRTLY	Quarterly
	R/ASR	Revisions as Required
	SEMIA	Every 6 Months
	WEKLY	Weekly
	XDACM	X Days after Contract Modification
	XDADO	X Days after Delivery Order
	XDARC	X Days after Receipt of Comments
	XDARP	X Days after Reporting Period
	XDATC	X Days after Test Completion
	XDPTT	X Days prior to Test
	XTIMES	X Times

8.0 MARKING TECHNICAL DOCUMENTATION

8.1 Distribution Marking System

In accordance with Section 1.30 of Title 10, “United States Code” a DoD distribution marking system for technical data has been established by DoD Instruction 5230.24, “Distribution Statements on Technical Documents” and DAFI 61-201, Management of Scientific and Technical Information. The intent of the system is to stem the flow of military-related technical data to our adversaries, without inhibiting technological growth

or blocking the exchange of technical data that is vital to progress and innovation. The contractor shall mark all distribution statements and export-control statements, supplemental to any security markings, on all technical data to denote the extent of its availability for secondary distribution, release, and disclosure without need for additional approvals and authorizations from the controlling DoD office.

Distribution statements are annotated in Block 9 of each CDRL and defined in paragraph 8.3. If the contractor feels that a different statement is required, they must notify the contracting officer with the recommended statement, prior to CDRL submittal. The Government will review the request and determine which statement is the most appropriate and provide the contractor with an acceptance of the change or reason for not accepting the contractor's request for change.

8.2 Marking Technical Data

The contractor shall mark all requested technical information, regardless of its medium, with a distribution statement. This includes technical reports, blueprints, drawings, technical orders, technical manuals, plans, instructions, computer software, viewgraphs, film, technical papers, photographs, etc. If the document contains export-controlled technical data, it also must be marked with an export control warning statement. Distribution statements can be applied to technical data that contain or reveal proprietary information used.

Technical data categorized as cryptographic/communications security, communications/electronic intelligence, and similar categories as may be designated by the Director, National Security Agency, whose distribution is limited through alternate methods, are exempt from these marking provisions.

Certain types of technical data preclude placing the entire notice on the document. To accommodate this problem, each distribution statement contains an authorized abbreviation form. Abbreviated distribution statements are to be used only when space precludes placing the entire notice on the document. The use and wording of these statements are described in the following paragraphs.

The contractor shall mark Controlled Unclassified Information (CUI) in accordance with DoDI 5200.48, paragraph 3.4.

8.3 Distribution Statements

A DoD distribution marking system for technical data is prescribed in DoD Instruction (DoDI) 5230.24, "Distribution Statements on DoD Technical Information." The intent of the system is to identify the audience approved for secondary distribution of the data in order to stem the flow of military-related technical data to our adversaries, without inhibiting technological growth or appropriate exchange of technical data that is vital to progress and innovation. These markings are in addition to any security classification or other control markings.

The contractor shall mark all technical information, regardless of its medium, with the appropriate distribution statement as prescribed by the controlling DoD office. Distribution statements are also applied to technical data that contain proprietary information. Per DAFI 61-201, paragraph 3.4.4.1, "Distribution statements are displayed conspicuously on all technical documents regardless of medium or format. For standard written or printed material, the Distribution Statement is shown on all pages

to the maximum extent practical and at a minimum on the front cover, title page, and SF 298, where applicable. If the technical information is digitally prepared or in any other medium that does not have a cover or title page, the applicable Distribution Statement is affixed to all physical and digital items by other means in a conspicuous position for ready recognition." Drawings must display the distribution statement on the first sheet at a minimum.

Technical data categorized as cryptographic/communications security, communications/electronic intelligence, and similar categories as may be designated by the Director, National Security Agency, whose distribution is limited through alternate methods, are exempt from these marking provisions.

Certain types of technical data preclude placing the entire notice on the document. Abbreviated distribution statements must be approved by the program office and are to be used only when space precludes placing the entire statement on the document.

The distribution statement is identified in Block 9 of each CDRL. If the contractor feels that a different statement or defense category is required, the contractor must notify the PCO with the recommended statement. The Government will review the request, determine which statement is the most appropriate, and provide the contractor with either an acceptance or rejection of the requested change.

Wording for the distribution statements is shown below. The acceptable defense categories for the distribution statements must be chosen from those listed in DoDI 5230.24. The following address will be used on all documentation for the "controlling DoD office" for this program:

DISTRIBUTION STATEMENT D: Distribution authorized to the Department of Defense and U.S. DoD contractors only [category] [date of determination]. Other requests for this document must be referred to [controlling DoD office].

8.4 Controlling Office

The following address will be used on all documentation for the "controlling office" for this program:

AFLCMC/ROU
Human Systems Division (Program Name)
236 Milledgeville Street, Suite F30
Robins AFB GA 31098

8.5 Export-Controlled Warning Statement

Authority to withhold and control the export of certain technical data with military or space application is determined in accordance with Title 10, United States Code section 130, "Authority to withhold from public disclosure certain technical data," and implemented by DoDD 5230.25, if such data may not be exported lawfully outside the United States without an approval, authorization, or license under the Export Control Reform Act of 2018 or the Arms Export Control Act (AECA) (both cited in the Export Control Warning). Such withholding and export control applies to Defense items listed in the United States Munitions List (USML), which is part of the International Traffic in Arms

Regulations (ITAR) (22 CFR 120-130); and Export Administration Regulations (EAR) (15 CFR 730-774).

If a technical document, whether printed or electronic/digital, contains export-controlled technical data, it shall be marked with the export control warning statement prescribed in DoDI 5230.24 and shown below. When it is not feasible to use the entire statement, the abbreviated warning may be used, and a copy of the full warning added to the "Notice to Accompany the Dissemination of Export-Controlled Technical Data," which is Enclosure 5 of DoDD 5230.25. For assistance in determining what is export controlled, consult the controlling DoD office. The Export Control Warning may be used in conjunction with distribution statements B, C, D, E, and F. Distribution statement A, which denotes public release, cannot be used in conjunction with the export-control warning notice.

WARNING - This document contains technical data whose export is restricted by the Arms Export Control Act (Section 2751 of Title 22, United States Code) or the Export Control Reform Act of 2018 (Chapter 58 Sections 4801-4852 of Title 50, United States Code). Violations of these export laws are subject to severe criminal penalties. Disseminate in accordance with provisions of DoD Directive 5230.25 and DoD Instruction 2040.02.

8.6 Controlled Unclassified Information (CUI)

Unclassified documentation that is associated with a law, regulation, or government-wide policy, and identified as needing safeguarding, is considered CUI and must be marked according to DoDI 5200.48, Controlled Unclassified Information (CUI).

8.7 Marking Non-Technical Documentation

Non-technical documentation that is associated with a law, regulation, or government-wide policy, and identified as needing safeguarding, is considered CUI and must be marked according to DoDI 5200.48, Controlled Unclassified Information (CUI).

8.8 Marking Examples

The marking examples below are for reference. Specific information within the distribution statements and the CUI Designation Indicator will depend upon each individual case.

Marking example for non-technical CUI:



CUI ← Mark Bottom of Page

Marking example for technical CUI:

CUI ← Mark Top of Page

DISTRIBUTION STATEMENT E. Secondary Distribution authorized to DoD components only; Controlled Technical Information; 27 August 2021. Other requests for this document must be referred to AFLCMC/XXXX, Gov address. ← Complete DoDI 5230.24 Distribution Statement

Controlled by: USAF/AFMC
Controlled by AFLCMC/XXXX
CUI Category: Controlled Technical Information
Distribution/Dissemination Control: E
POC: Gov POC name and email ← CUI Designation Indicator IAW DoDI 5200.48

CUI ← Mark Bottom of Page

Marking example for export-controlled technical CUI:

CUI ← Mark Top of Page

DISTRIBUTION STATEMENT E. Secondary Distribution authorized to DoD components only; Critical Technology, Export Controlled; 27 August 2021. Other requests for this document must be referred to AFLCMC/XXXX, Gov address. ← Complete DoDI 5230.24 Distribution Statement

WARNING - This document contains technical data whose export is restricted by the Arms Export Control Act (Section 2751 of Title 22, United States Code) or the Export Control Reform Act of 2018 (Chapter 58 Sections 4801-4852 of Title 50, United States Code). Violations of these export laws are subject to severe criminal penalties. Disseminate in accordance with provisions of DoD Directive 5230.25 and DoD Instruction 2040.02. ← DoDI 5230.24 Export Control Warning

Controlled by: USAF/AFMC
Controlled by AFLCMC/XXXX
CUI Category: Controlled Technical Information
Distribution/Dissemination Control: E
POC: Gov POC name and email

CUI Designation Indicator IAW DoDI 5200.48

CUI

Mark Bottom of Page

8.9 Intellectual Property/Marking

Any markings that are added to documents for review purposes must be removed prior to formal submittal. If a document still requires a marking not addressed in the contract, the contractor must provide a justification for the marking.

9.0 MAILING LISTS

The Government will provide the following information for each recipient identified in Block 14: office symbol, mailing address, point of contact e-mail and phone number.

Office/Symbol	Addresses	Email/Phone
AFLCMC/ROU For data deliveries	MEARS	https://mears1.redstone.army.mil/mears/default.aspx

10.0 CDRL TABLE OF CONTENTS

6/17/2026 7:32:09 PM EDT

CDRL Table of Contents

CONTRACT #: FD2060-25-30324
F4FDAL5192A001

CONTRACTOR: W.S. DARLEY & CO

SET NAME: JSMLT (Option 4)

SYSTEM ITEM: Joint Service Mask Leakage Tester Repair

PROGRAM: Human Systems

DATA ITEM	REQUIRING OFFICE	AUTHORITY/TITLE/SUBTITLE	SOW PARAGRAPH
E001	AFLCMC/ROU	DI-MGMT-80441D	3.2, 3.6
		Government Property (GP) Inventory Report	
E002	AFLCMC/ROU	DI-QCIC-80278C	4.3.1
		Calibration and Measurements Requirements Summary (CRMS)	
E003	AFLCMC/ROU	DI-MGMT-81803A	4.7.1.1
		Item Unique Identification (IUID) Marking Plan	
E004	AFLCMC/ROU	DI-MGMT-81804A	4.7.1
		Item Unique Identification (IUID) Marking Activity, Validation and Verification Report	
E005	AFLCMC/ROU	DI-NDTI-80809B	4.7.3.2
		Test/Inspection Report	
		Individual Test Report	
E006	AFLCMC/ROU	DI-QCIC-80553A	4.7.3.2
		Acceptance Test Plan	
E007	AFLCMC/ROU	DI-NDTI-80603A	4.7.3.3
		Test Procedure	
E008	AFLCMC/ROU	DI-NDTI-80809B	4.7.3.3
		Test/Inspection Report	
		Test Procedure Qualification	
E009	AFLCMC/ROU	DI-MGMT-81634C	4.7.5.2
		Commercial Asset Visibility Air Force (CAVAF) Government Furnished Material Report	
E00A	AFLCMC/ROU	DI-MGMT-81838	4.7.5.3
		Commercial Asset Visibility (CAV) Reporting	
E00B	AFLCMC/ROU	DI-PSSS-81995A	4.7.5.2
		Contract Depot Maintenance (CDM) Monthly Production Report	
		CDM Production Monthly Status Report	
E00C	AFLCMC/ROU	DI-MGMT-82128A	3.2
		Contract Government Furnished Material (GFM) Monthly Requisition and Inventory Report	
E00D	AFLCMC/ROU	DI-MISC-81832	4.7.6.1

CDRL Table of Contents

		Counterfeit Prevention Plan	
E00E	AFLCMC/ROU	DI-MISC-80711A	4.10
		Scientific and Technical Reports	
E00F	AFLCMC/ROU	DI-SESS-80639E	4.10.1.2, 4.10.1.2.1, 4.10.1.2.2
		Engineering Change Proposal (ECP)	
E00G	AFLCMC/ROU	DI-SESS-80642E	4.10.1.2
		Notice of Revision (NOR)	
E00H	AFLCMC/ROU	DI-MISC-81618	4.10.2.2
		Service Bulletins	
E00J	AFLCMC/ROU	DI-PSSS-81656B	4.10.3
		Bill of Materials (BOM) for Logistics and Supply Chain Risk	
E00K	AFLCMC/ROU	DI-MGMT-8004A	5.2.1
		Management Plan	
		Mission-Essential Services Plan	
E00L	AFLCMC/ROU	DI-IPSC-81442A	4.8.2
		Software Version Description	
		SVD	
E00M	AFLCMC/ROU	DI-MISC-81454D	4.8.2
		Computer Program Identification Number (CPIN) Catalog Information	
E00N	AFLCMC/ROU	DI-IPSC-80590B	4.8.2
		Computer Program End Item Documentation	

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
4003	E	TDP _ TM _ OTHER MGMT

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
E001	Government Property (GP) Inventory Report	

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-MGMT-80441D	3.2, 3.6	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
LT	D	ASREQ	BLK 16

8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION
A	N/A	BLK 16

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 12:
First submission due 60 days after contract award, if applicable.

BLK 13:
Subsequent submissions due upon government request or 10 days after a modification to the report.

14. DISTRIBUTION	b. COPIES		
a. ADDRESSEE	Draft	Final	
		Reg	Repro
MEARS	0	0	1
15. TOTAL →	0	0	1

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
4003	E	TDP _ TM _ OTHER QCIC

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
E002	Calibration and Measurements Requirements Summary (CRMS)	

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-QCIC-80278C	4.3.1	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
LT	D	BLK16	BLK16

8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION
A	N/A	BLK16

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 12:
First submission due 120 days after contract award.

BLK 10 & BLK 13:
Subsequent submissions due every 90 days.

14. DISTRIBUTION

a. ADDRESSEE	b. COPIES		
	Draft	Final	
		Reg	Repro
MEARS	0	0	1
15. TOTAL →	0	0	1

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
4003	E	TDP _ TM _ OTHER MGMT

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE	17. PRICE GROUP
E003	Item Unique Identification (IUID) Marking Plan		

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE	18. ESTIMATED TOTAL PRICE
DI-MGMT-81803A	4.7.1.1	AFLCMC/ROU	

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
LT	D	ONE/R	BLK 16

8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION
A	N/A	ASREQ

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 12:
First submission due 120 days after contract award.

14. DISTRIBUTION

a. ADDRESSEE	b. COPIES		
	Draft	Final	
		Reg	Repro
MEARS	0	0	1
15. TOTAL →	0	0	1

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
4003	E	TDP _ TM _ OTHER MGMT

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
E004	Item Unique Identification (IUID) Marking Activity, Validation and Verification Report	

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-MGMT-81804A	4.7.1	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
LT	D	ONE/R	BLK 16

8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION
A	N/A	ASREQ

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 16:
First submission due 120 days after contract award.

14. DISTRIBUTION

a. ADDRESSEE	b. COPIES		
	Draft	Final	
		Reg	Repro
MEARS	0	0	1
15. TOTAL →	0	0	1

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
4003	E	TDP _ TM _ OTHER NDTI

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
E005	Test/Inspection Report	Individual Test Report

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-NDTI-80809B	4.7.3.2	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
DD	D	QRTLY	ASREQ

8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION
A	BLK16	BLK16

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 11 & BLK 13:
The Contractor shall submit a Developmental Test Report for Performance Validation documenting the results of all tests and demonstrations required by the Government approved Developmental Test Plan for Performance Validation NLT thirty (30) calendar days after the last planned test or demonstration event is satisfactorily complete. This report shall reflect how the prototype met, or failed to meet, thresholds and objectives laid out int the Statement of Objectives.

14. DISTRIBUTION	b. COPIES		
a. ADDRESSEE	Draft	Final	
		Reg	Repro
WAWF	0	0	1
15. TOTAL →	0	0	1

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
4003	E	TDP _ TM _ OTHER QCIC

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
E006	Acceptance Test Plan	

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-QCIC-80553A	4.7.3.2	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
DD	D	QRTLY	BLK16

8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION
A	N/A	ASREQ

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 12:
The Contractor shall submit Acceptance Test Plan 30 days prior to acceptance test procedures.

14. DISTRIBUTION

a. ADDRESSEE	b. COPIES		
	Draft	Final	
		Reg	Repro
WAWF	0	0	1
15. TOTAL →	0	0	1

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
4003	E	TDP _ TM _ OTHER NDTI

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
E007	Test Procedure	

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-NDTI-80603A	4.7.3.3	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
LT	D	BLK16	BLK16

8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION
A	N/A	BLK16

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 10, BLK 12, & BLK 13:

Contractor shall use approved Acceptance Test Procedures (ATPs) already in Contractor's possession in the normal course for repair and manufacture. If ordered, the Contractor shall be required to generate or modify the ATP qualification, if applicable, shall consist of specific requirements which will be stipulated in the applicable Delivery Order.

Government will be allowed up to 30 days, after receipt from contractor, to provide Comment Resolution Matrix (CRM), which allows up to 21 days for formal review, and 9 days for consolidation. The contractor has up to 4 days after CRM receipt from government to provide government with CRM decision (i.e. provide accept/modify/reject response) and updated Test Procedures with accepted CRM comments implemented. The contractor has up to 4 days to conduct a meeting with the government for CRM modify/reject resolution. The contractor has up to 4 days to submit adjudicated Test Procedures (i.e. Test procedures modified to include CRM accepted comments and adjudicated modify/reject decision comments) to government for signature/approval. The government has up to 15 days, after receipt from contractor, to approve Test Procedures.

14. DISTRIBUTION

a. ADDRESSEE	b. COPIES		
	Draft	Final	
		Reg	Repro
MEARS	0	0	1
15. TOTAL →	0	0	1

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
4003	E	TDP _ TM _ OTHER NDTI

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
E008	Test/Inspection Report	Test Procedure Qualification

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-NDTI-80809B	4.7.3.3	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
DD	D	QRTLY	ASREQ

8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION
A	BLK16	BLK16

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 11 & BLK 13:
The Contractor shall submit a Developmental Test Report for Performance Validation documenting the results of all tests and demonstrations required by the Government approved Developmental Test Plan for Performance Validation NLT thirty (30) calendar days after the last planned test or demonstration event is satisfactorily complete. This report shall reflect how the prototype met, or failed to meet, thresholds and objectives laid out int the Statement of Objectives.

14. DISTRIBUTION

a. ADDRESSEE	b. COPIES		
	Draft	Final	
		Reg	Repro
WAWF	0	0	1
15. TOTAL →	0	0	1

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
4003	E	TDP _ TM _ OTHER MGMT

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
E009	Commercial Asset Visibility Air Force (CAVAF) Government Furnished Material Report	

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-MGMT-81634C	4.7.5.2	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
DD	D	ASREQ	BLK 16

8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION
A	N/A	BLK 16

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 12 & 13:
The contractor shall conduct production reporting as transactions occur and report problems. No more than two late or incorrect entries shall be allowed per delivery order. Any delayed entries shall not exceed three calendar days.

BLK 14:
The contractor shall report End Item transactional data through electronic submission in CAV AF using CAV AF web site (https://www.cavaf.com) or CICA XML IAW the referenced DID IAW and/or CAV AF CFM PWS.

14. DISTRIBUTION

a. ADDRESSEE	b. COPIES Draft	Final Reg	Final Repro
BLK 16	0	0	1
WAWF	0	0	1
15. TOTAL →	0	0	2

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
4003	E	TDP _ TM _ OTHER MGMT

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
E00A	Commercial Asset Visibility (CAV) Reporting	

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-MGMT-81838	4.7.5.3	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
16	D	BLK16	BLK16

8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION
BLK16	BLK16	BLK16

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 7, BLK 8, and BLK 14:
a. The contractor shall report End Item transactional data through electronic submission in CAV AF using the CAV AF website or CICA XML.
b. The contractor shall submit a DD Form 250 (Material Inspection and Receiving Report) electronically via the Internet to iRAPT (WAWF) website address: https://wawf.eb.mil, using DODAAC FB2065. MARK FOR: Address in block 14a.
c. A Letter of Transmittal shall be submitted in the month the delivery order is completed, covering all reports transmitted for that order.

BLK 10, BLK 11, BLK 12, & BLK 13:
A. Date of first submission shall be within 24 hours following a supply or maintenance transaction, after the contract award date.
B. Contractor reporting requirements to CAV AF shall be submitted daily and/or within 24 hours of a supply or maintenance action occurrence IAW the CAV AF Reporting Requirements Document.
C. Data shall be current within 24 hours of the last End Item maintenance occurrence.

14. DISTRIBUTION	b. COPIES		
a. ADDRESSEE	Draft	Final Reg	Final Repro
BLK 16	0	0	1
WAWF	0	0	1
15. TOTAL →	0	0	2

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
4003	E	TDP _ TM _ OTHER PSSS

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
E00B	Contract Depot Maintenance (CDM) Monthly Production Report	CDM Production Monthly Status Report

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-PSSS-81995A	4.7.5.2	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
LT	D	MTHLY	BLK16

8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION
N/A	N/A	BLK16

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 12 & BLK 13:
Submittal due on the 15th of each month after the first full month after contract award.

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

14. DISTRIBUTION

a. ADDRESSEE	b. COPIES		
	Draft	Final	
		Reg	Repro
MEARS	0	0	1
15. TOTAL →	0	0	1

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
4003	E	TDP _ TM _ OTHER MGMT

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
E00C	Contract Government Furnished Material (GFM) Monthly Requisition and Inventory Report	

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-MGMT-82128A	3.2	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
LT	D	MTHLY	BLK16

8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION
N/A	N/A	BLK16

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 12 & BLK 13:
Submittal due on the 15th of each month after the first full month after contract award.

14. DISTRIBUTION	b. COPIES		
a. ADDRESSEE	Draft	Final Reg	Final Repro
WAWF	0	0	1
15. TOTAL →	0	0	1

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
4003	E	TDP _ TM _ OTHER MISC

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
E00D	Counterfeit Prevention Plan	

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-MISC-81832	4.7.6.1	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
LT	D	ONE/R	BLK16

8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION
A	N/A	BLK16

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 12:
First submittal due 120 days after contract award.

BLK 13:
Contractor shall provide an updated CPP within 30 days of any change to documented counterfeit prevention or detection processes.

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

14. DISTRIBUTION

a. ADDRESSEE	b. COPIES		
	Draft	Final	
		Reg	Repro
MEARS	0	0	1
15. TOTAL →	0	0	1

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
4003	E	TDP _ TM _ OTHER MISC

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
E00E	Scientific and Technical Reports	

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-MISC-80711A	4.10	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
DD	D	ASREQ	BLK 16

8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION
A	BLK 16	ASREQ

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 11 & BLK 12:

The Contractor shall initially respond to a request for assistance within two business days. Follow-up assistance, if required, shall be provided by the suspense date acceptable to the Government.
In support of this tasking, the Contractor shall respond with a cost estimate within the Government requested timeline (normally 45 calendar days or less).

14. DISTRIBUTION

a. ADDRESSEE	b. COPIES		
	Draft	Final	
		Reg	Repro
WAWF	0	0	1
15. TOTAL →	0	0	1

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
4003	E	TDP _ TM _ OTHER SESS

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
E00F	Engineering Change Proposal (ECP)	

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-SESS-80639E	4.10.1.2, 4.10.1.2.1, 4.10.1.2.2	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
LT	BLK16	ASREQ	BLK16

8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION
A	BLK16	BLK16

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 9:
The Technical Volume shall use Distribution Statement D. The Cost Volume shall use Distribution B, with the following statement: "DISTRIBUTION B. Distribution authorized to U.S. Government Agencies and JSMLT Support Contractors; Proprietary Information; Date. Other request for this document shall be referred to Human Systems Division (AFLCMC/ROU), Wright-Patterson AFB, OH 45433- 7249.

BLK 11, BLK 12, & BLK 13:
Report shall be submitted to the Government for review and approval as required for any Form, Fit, Function or Interface change to the configuration NLT 120 days prior scheduled Configuration Control Board (CCB) meeting. Resubmit if required, within 10 days after receipt of government comments/corrections.

14. DISTRIBUTION

a. ADDRESSEE	b. COPIES Draft	Final Reg	Final Repro
WAWF	0	0	1
MEARS	0	0	1
15. TOTAL →	0	0	2

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
4003	E	TDP _ TM _ OTHER SESS

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
E00G	Notice of Revision (NOR)	

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-SESS-80642E	4.10.1.2	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
LT	D	ASREQ	BLK 16

8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION
A	BLK 16	BLK 16

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 11, BLK 12, & BLK 13:
Report shall be submitted to the Government for review and approval as required for any form fit or function change to the configuration NLT 120 days prior scheduled Configuration Control Board (CCB) meeting. The NOR shall be submitted in conjunction with the (ECP).

14. DISTRIBUTION

a. ADDRESSEE	b. COPIES		
	Draft	Final	
		Reg	Repro
MEARS	0	0	1
15. TOTAL →	0	0	1

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
4003	E	TDP _ TM _ OTHER MISC

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
E00H	Service Bulletins	

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-MISC-81618	4.10.2.2	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
DD	D	ASREQ	BLK 16

8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION
A	N/A	BLK 16

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 12 & BLK 13:
All SBs requiring engineering changes or deviations shall be sent to AFLCMC/ROU to receive prior approval by the Configuration Control Board (CCB) 30 days prior to the change being implement by the Procuring Contracting Officer (PCO). All modifications to fielded equipment shall be made only by Government approved Service Bulletins (SBs) in accordance with PWS paragraph 4.11.2. This includes modifications made to commercial off the shelf (COTS) components/subcomponents as well.

14. DISTRIBUTION

a. ADDRESSEE	b. COPIES		
	Draft	Final	
		Reg	Repro
WAWF	0	0	1
15. TOTAL →	0	0	1

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
4003	E	TDP _ TM _ OTHER PSSS

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
E00J	Bill of Materials (BOM) for Logistics and Supply Chain Risk	

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-PSSS-81656B	4.10.3	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
DD	D	ASREQ	BLK 16

8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION
A	N/A	BLK 16

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 12 & BLK 13:
The Contractor shall notify the Government of obsolete part conditions within five business days of identification and make recommendations including last-time buy opportunities and any redesign that may ensue. The Contractor shall identify any obsolescence and DMSMS issues that arise during the course of this contract.

14. DISTRIBUTION

a. ADDRESSEE	b. COPIES		
	Draft	Final	
		Reg	Repro
WAWF	0	0	1
15. TOTAL →	0	0	1

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
4003	E	TDP _ TM _ OTHER MGMT

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
E00K	Management Plan	Mission-Essential Services Plan

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-MGMT-8004A	5.2.1	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
LT	D	ONE/R	BLK 16

8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION
A	N/A	ASREQ

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 12:
First submittal due 120 days after contract award.

14. DISTRIBUTION

a. ADDRESSEE	b. COPIES		
	Draft	Final	
		Reg	Repro
MEARS	0	0	1
15. TOTAL →	0	0	1

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
4003	E	TDP _ TM _ OTHER ISPC

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
E00L	Software Version Description	SVD

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-IPSC-81442A	4.8.2	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
LT	D	ANNLY	BLK 16

8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION
A	N/A	BLK 16

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 12:
90 calendar days after contract award.

BLK 13:
Updated annually

14. DISTRIBUTION

a. ADDRESSEE	b. COPIES		
	Draft	Final	
		Reg	Repro
WAWF			1
15. TOTAL →	0	0	1

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
4003	E	TDP _ TM _ OTHER IPSC

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
E00M	Computer Program Identification Number (CPIN) Catalog Information	

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-MISC-81454D	4.8.2	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
LT	D	ANNLY	BLK 16

8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION
A	N/A	BLK 16

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 12:
90 calendar days after contract award.

BLK 13:
Updated annually

14. DISTRIBUTION

a. ADDRESSEE	b. COPIES		
	Draft	Final	
		Reg	Repro
WAWF			1
15. TOTAL →	0	0	1

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17

CONTRACT DATA REQUIREMENTS LIST
(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY:
4003	E	TDP _ TM _ OTHER ISPC

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
Joint Service Mask Leakage Tester Repair	FD2060-25-30324 F4FDAL5192A001	W.S. DARLEY & CO

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
E00N	Computer Program End Item Documentation	

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

4. AUTHORITY (Data Acquisition Document No.)	5. CONTRACT REFERENCE	6. REQUIRING OFFICE
DI-IPSC-80590B	4.8.2	AFLCMC/ROU

7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUBMISSION
LT	D	ANNLY	BLK 16

8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION
A	N/A	BLK 16

16. REMARKS

Applicable to the following Joint Service Mask Leakage Tester (JSMLT) Repair Equipment: NSN:6665-01-506-9002 and NSN:6665-01-665-5513

BLK 12:
90 calendar days after contract award.

BLK 13:
Updated annually.

14. DISTRIBUTION

a. ADDRESSEE	b. COPIES		
	Draft	Final	
		Reg	Repro
WAWF			1
15. TOTAL →	0	0	1

G. PREPARED BY	H. DATE	I. APPROVED BY	J. DATE
Michelle L. Mullins //SIGNED//Configuration Management	2026/06/17	Eula F. Deriso //SIGNED//Logistics Mgmt. Spec.	2026/06/17