Ship/HULL NO.	Ship/HULL NAME	JON:	ICN:	Rev:	Key Op:
YON-285	BARGE		89MVA15006	-	A01

TITLE:

SHIPALT 125D Electrical Modification; accomplish

JOB SPECIFICATION

Anticipated Award Date: 7/31/2026	**Production Completion Date:** 02/02/2027	PREPARING ACTIVITY: **SASEBO**
POP Start Date: 9/28/2026	**POP End Date:** 4/30/2027	

PREPARED BY: **M.YAMASHITA**	CODE **E_YM**	DATE **1/26/2026**
APPROVED BY: **S.MURAKAMI**	CODE **S225**	
CONCURRED BY: **A.OKA**	CODE **S233**	
ASSIST PLANNER'S NAME: **Y.SUENAGA**	CODE **H_SU**	
ASSIST PLANNER'S NAME:	CODE	
ASSIST PLANNER'S NAME:	CODE	

DESCRIPTION:

JSN(S): _____ **CASREP #** _____ **DTG:** _____.

S/F CONTACT: _____ **CWP #** _____ **CCNS #** _____.

Approved by S300/S900 T. ESCRITOR-YAMADA PM S320 **Date:** 1/26/2026 **AVL:** ~~7B1~~ 6B1.

LWC: _____.

Work Completed

S/Force: _____ **Rate:** _____ **Date:** _____.

Ship Supt: _____ **Date:** _____ **SRF CONTROL NO.:** 1301348511.

WORK CERTIFICATION SIGNATURES

COMPLETION OF WORK REVIEW:	BADGE NO.:	SHOP/CODE:	PHONE:	DATE:

1. **SCOPE**:

1.1 Title: SHIPALT 125D Electrical Modification; accomplish

1.2 Location of Work:

1.2.1 Listed in 2.2 through 2.8

1.3 Identification:

1.3.1 Listed in 2.2 for Installation of Each New Electrical Foundation of Shore Power, Located in 1.2.1

1.3.2 Listed in 2.3 for Installation of Each New Shore Power Cable Support, Located in 1.2.1

1.3.3 Listed in 2.4 for Removal of Existing Electrical Equipment, Located in 1.2.1

1.3.4 Listed in 2.5 through 2.8 for Installation of Each New Electrical Equipment, Located in 1.2.1

2. **REFERENCES**:

2.1 Standard Items (~~FY27~~ FY26)

2.2 185-8970272, S/A YON-125D YON-285 Electrical Foundations Incidental Shore Power Installation

2.3 185-8970273, S/A YON-125D YON-285 Shore Power Cable Support Installation

2.4 321-8970274, S/A YON-125D YON-285 Miscellaneous Electrical Removals

2.5 321-8970275, S/A YON-125D YON-285 Power Distribution System Installation

2.6 331-8970276, S/A YON-125D YON-285 Deckhouse Lighting and Receptacle Install

2.7 331-8970278, S/A YON-125D YON-285 Weatherdeck Receptacle Install

2.8 436-8970277, S/A YON-125D YON-285 Telephone Cable Installation

2.9 113-5293062 Rev E, Foundations - Miscellaneous Electrical Equipment for Grade A and B Shock

2.10 185-8970282, S/A YON-126D YON-285 Structural and Foundation Knuckle Crane Install

2.11 321-8970255, S/A YON-000D YON-285 Electrical One-Line Diagram

2.12 MIL-STD-2003B, Electric Plant Installation Standard Methods for Surface Ships and Submarines

2.13 MIL-STD-1310H, Shipboard Bonding, Grounding, and Other Techniques for Electromagnetic Compatibility, Electromagnetic Pulse (EMP) Mitigation, and Safety

3. REQUIREMENTS:

3.1 Accomplish the requirements of 2.2 and 2.3 for installation of each new foundation and support for shore power installation listed in 1.3.1 and 1.3.2 including each general note.

3.1.1 Accomplish the requirements of **009-12** of 2.1, including Table 4, Column A, Lines One through 7 for welding.

3.2 Accomplish the requirements of 2.4 through 2.8 including each note for modification of electrical system, using 2.9 through 2.11 for guidance.

3.2.1 Chip and grind surfaces flush and smooth in way of removals.

3.2.2 Accomplish the requirements of **009-12** of 2.1 including Table 4, Column A, Line One through 7 for welding.

3.2.3 Cable installation, penetrations, cableway, and cable tag must be in accordance with 2.12.

3.2.4 Accomplish the requirements of **009-25** of 2.1 for conducting a local air hose test of each penetration of tightness boundaries. Allowable leakage: None.

3.2.5 Bond and ground each equipment in accordance with 2.13.

3.3 Accomplish the requirements of **009-32** of 2.1 for cleaning and preservation of each new and disturbed surfaces to match surrounding areas.

(V) (G) "OPERATIONAL TEST"

3.4 Accomplish an operational test for newly installed circuits of each new equipment listed in 1.3.4 and ensure terminal connections are tight, using NOTE 22 of 2.5 for guidance. **-S130**

4. NOTES:

4.1 Initial Condition - YON-285 SHIPALTS 125D has not been completed. Refer to the attached drawing list and accomplish each SHIPALT.

4.2 SRF Tool Room will issue pressure gages and torque wrenches when required.

4.3 Dry docking and Undocking will be covered by other JON 89MVA86301-A01.

4.4 Marine chemist inspection for entire of YON-285 will be covered by other JON 89MVA11001-A01.

4.5 The cleaning work of each cargo fuel oil tank (S-1, P-1, S-2, P-2, S-3 and P-3) will be covered by other JON 89MVA12301-A01.

4.6 The cleaning work of each void (Number One through Number 6) will be covered by other JON 89NVA11001-A01.

4.7 Preservation work of underwater hull and freeboard will be covered by other JON 89MVA11001-A01.

4.8 Preservation work and non-skid deck covering work on main deck will be covered by other JON 89MVA15003-A01.

4.9 This work is in conjunction with JON: 89MVA15003-A01, 89MVA15005-A01 and 89MVA15007-A01.

4.10 The contractor is responsible to dispose all waste generated by this work item in accordance with Japanese Environmental Governing Standards (JEGS).

5. GOVERNMENT FURNISHED MATERIAL(GFM) :

5.1 GOVERNMENT FURNISHED MATERIALS.

MATERIAL LIST

ITEM NO.	PC NO.	REF NO.	M/C	DESCRIPTION	STOCK NUMBER	HAZ MAT	DOC NO.	QTY /UNIT	PARA NO.
001	-	-	M	STUFFING TUBE,M19622/1-007, SIZE 6	9B 5975 002964098	N	-	10/EA	3.2
002	-	-	M	STUFFING TUBE,M19622/1-006, SIZE 5	9B 5975 002964096	N	-	2/EA	3.2
003	-	-	M	STUFFING,M19622/1-005, SIZE 4T	9B 5975 009895046	N	-	30/EA	3.2
004	-	-	M	STUFFING,M19622/1-002, SIZE 2	9B 5975 002964093	N	-	5/EA	3.2
005	-	-	M	PACKING ASSEMBLY,M19622/21-0005, SIZE 6	9B 5330 002022613	N	-	10/EA	3.2
006	-	-	M	PACKING,M19622/20-0002, SIZE 5	9B 5330 007888713	N	-	2/EA	3.2
007	-	-	M	PACKING,M19622/19-0002, SIZE 4T	9B 5330 010040889	N	-	30/EA	3.2
008	-	-	M	PACKING,M19622/17-04, SIZE 2	9B 5330 002022589	N	-	5/AY	3.2

Ship/HULL NO.	Ship/HULL NAME	JON:	ICN:	Rev:	Key Op:
YON-285	BARGE		89MVA15006	-	A01

TITLE:

SHIPALT 125D Electrical Modification; accomplish

MATERIAL LIST

ITEM NO.	PC NO.	REF NO.	M/C	DESCRIPTION	STOCK NUMBER	HAZ MAT	DOC NO.	QTY /UNIT	PARA NO.
009	-	-	M	O-RING,MS28775-228, SIZE 6	9B 5331 008078993	N	-	10/EA	3.2
010	-	-	M	O-RING,MS28775-226, SIZE 5	9B 5331 005769732	N	-	5/EA	3.2
011	-	-	M	O-RING,MS28775-220, SIZE 4T	9B 5331 012494229	N	-	30/EA	3.2
012	-	-	M	O-RING,MS28775-214, SIZE 2	9B 5331 005793163	N	-	20/EA	3.2
013	-	-	C	BOOT,DUS,MIL-I-81765, CES-4	9B 5340 012973454	N	-	3/EA	-
014	-	-	C	BOX CONN,MIL-I-81765, CES-3	9B 5975 012236023	N	-	5/EA	-
015	-	-	M	STUFFING TUBE,M24235/17-072, SIZE M, DECK	9B 5975 010149943	N	-	26/EA	3.2
016	-	-	M	STUFFING TUBE,M24235/17-065, SIZE E, DECK	9B 5975 010149938	N	-	2/EA	3.2
017	-	-	M	STUFFING TUBE,M24235/17-005, SIZE E, BHD	9B 5975 010149930	N	-	10/EA	3.2
018	-	-	M	STUFFING,M24235/17-063, SIZE C, DECK	9B 5975 010149936	N	-	20/PG	3.2
019	-	-	M	STUFFING TUBE,M24235/17-003, SIZE C, BHD	9B 5975 010149928	N	-	5/EA	3.2
020	-	-	M	PACKING ASSEMBLY,M16685TYPE 1SIZEM, SIZE M	9B 5330 013764461	N	-	30/EA	3.2
021	-	-	M	PACKING ASSEMBLY,M16685TYPE 1SIZEE, SIZE E	9B 5330 013779233	N	-	15/EA	3.2
022	-	-	M	PACKING,M16685TYPE1SIZEC, SIZE C	9B 5330 013760812	N	-	30/EA	3.2
023	-	-	M	TAPE,INS,MIL-I-24391	9B 5970 009559976	N	-	10/RO	3.2
024	-	-	M	TAPE,INS,MIL-I-46852	9B 5970 009559976	N	-	3/RO	3.2
025	-	-	M	SEAL,STR,BUCKLE, CRES	9B 5340 006643249	N	-	200/EA	3.2
026	-	-	M	STRAPPIN,CABLE BAND, CRES	9Q 8135 010169995	N	-	5/RO	3.2
027	-	-	M	NONMETAL,CHANNEL RUBBER, MIL-R-6855	9B 9390 010186253	N	-	10/LG	3.2
028	-	-	M	SHEET,ME,ALM BAND, CABLE TAG	9B 9535 002318370	N	-	1/LB	3.2
029	-	-	M	SHEET,ME,ALM BAND, TAG BAND	9B 9535 002781210	N	-	2/RO	3.2
030	-	-	M	STANDOFF,THREADED,S ,3/8"	9B 5340 002829526	N	-	1/HD	3.2
031	-	-	M	STUD,WELDING,M24149/1-345, 3/8-16UNC, 2" L	9B 5307 012931819	N	-	50/EA	3.2
032	-	-	M	STUD,WELDING,M24149/1-347, 3/8-16UNC, 2-1/2" L	9B 5307 012929609	N	-	20/EA	3.2
033	-	-	M	STUD,WELDING,M24149/1-545, 3/8-16UNC, 1-3/4" L	9B 5307 012707374	N	-	300/EA	3.2
034	-	-	M	HANGER,C,101-107-281, TUBULAR, 1.5" W	9B 5975 010209184	N	-	50/EA	3.2
035	-	-	M	HANGER,CABLE,101-107-282, TUBULAR, 2.5" W	9B 5975 010209186	N	-	50/EA	3.2

Ship/HULL NO.	Ship/HULL NAME	JON:	ICN:	Rev:	Key Op:
YON-285	BARGE		89MVA15006	-	A01

TITLE:

SHIPALT 125D Electrical Modification; accomplish

MATERIAL LIST

ITEM NO.	PC NO.	REF NO.	M/C	DESCRIPTION	STOCK NUMBER	HAZ MAT	DOC NO.	QTY /UNIT	PARA NO.
036	-	-	M	HANGER,CABLE,101-107-285, TUBULAR, 5.5" W	9B 5975 010209190	N	-	25/PG	3.2
037	-	-	M	HANGER,CABLE,101-107-102, CLAMP, SINGLE,	9B 5975 010209179	N	-	100/EA	3.2
038	-	-	M	HANGER,CABLE,101-107-060, CLAMP, DUBLE	9B 5975 010209176	N	-	10/PG	3.2
039	-	-	M	STUD,WELDING,M24149/1-541, 3/8-16UNC, 1-1/2" L	9B 5307 012257813	N	-	200/EA	3.2
040	-	-	M	BOX CONNECTOR,ELECT,AA50552-001-4-M-N-SZ0.375	9B 5975 001521144	N	-	1/BX	3.2
041	-	-	M	SEAL,PLA,MIL-I-81765, CES-2	9B 5330 013594316	N	-	20/EA	3.2
118	1	1	M	ANGLE,STRUCTURAL,ANGLE, 2" X 2" X 1/4"	9B 9520 002774913	N	6005B115	9/LF	3.1
119	2	1	M	PLATE,METAL,PLATE, 7.65#	9B 9515 002671176	N	5237B116	12/SF	3.1
120	3	1	M	PLATE,METAL,PLATE, 10.2#	9B 9515 005962442	N	5237B117	2/SF	3.1
121	4	1	M	SCREW,CAP,HEXAGONH,BOLT, HEX HD, 3/8" -16 UNC-2A 93190A624 PACK OF 10 EA	9B 5305 015090161	N	6005B042	12/EA	3.1
122	-	1	M	NUT,SELF-LOCKING,HE,NUT, HEX, 3/8"-16 UNC-3B	9B 5310 015527422	N	6005B107	12/EA	3.1
123	6	1	M	WAHSER,,WASHER, FLAT, 3/8" DIA 90107A127 PACK OF 25 EA	9B 5310 016637424	N	6005B148	24/EA	3.1
124	1	2	M	ANGLE,STRUCTURAL,ANGLE, 6" X 4" X 3/8"	9B 9520 002886074	N	6005B043	7/LF	3.1
125	2	2	M	ANGLE,STRUCTURAL,ANGLE, 6" X 6" X 3/8"	9B 9520 009545661	N	6005B044	7/LF	3.1
126	3	2	M	ANGLE,STRUCTURAL,ANGLE, 2" X 2" X 3/16"	9B 9520 002774903	N	6005B045	9/LF	3.1
127	4	2	M	PLATE,METAL,PLATE, 10.2#	9B 9515 005962442	N	5237B118	2/SF	3.1
128	5	2	M	PLATE,METAL,PLATE, 7.65#	9B 9515 002671176	N	5237B123	1/SF	3.1
129	6	2	M	SHEET,METAL,PLATE, 5.1#	9B 9515 002375409	N	5237B125	1/SF	3.1

Ship/HULL NO.	Ship/HULL NAME	JON:	ICN:	Rev:	Key Op:
YON-285	BARGE		89MVA15006	-	A01

TITLE:

SHIPALT 125D Electrical Modification; accomplish

MATERIAL LIST

ITEM NO.	PC NO.	REF NO.	M/C	DESCRIPTION	STOCK NUMBER	HAZ MAT	DOC NO.	QTY /UNIT	PARA NO.
130	7	2	M	ROLLERS, FAIRLEAD, 4,ROLLERS, FAIRLEAD, 4-ROLLER, 6" DIA SCHOELLHORN-ALBRECHT MACHINE P/N S1543-6	9B 4010	N	-	1/EA	3.1
131	8	2	M	CABLE PROTECTOR, 5 C,CABLE PROTECTOR, 5 CHANNELS, HINGED GUARDIAN FLOOR PROTECTION P/N DH-CP-2	9B 5925	N	-	8/EA	3.1
132	9	2	M	SHACKLE,SHACKLE, 1/2" 3558T49	9B 4030 014230946	N	6005B046	6/EA	3.1
133	10	2	M	PIPE, 3" SCHEDULE 40,PIPE, 3" SCHEDULE 40 ASTM A500	9B 4730	N	-	3/LF	3.1
134	1	3	M	ELECTRICAL ENCLOSURE,ELECTRICAL ENCLOSURE, 24"H X 30"W X 10"D, NEMA 4X SAGINAW P/N SCE-24EL3010SS6LP OR EQUAL	9B 5925	N	-	1/EA	3.2
135	2	3	M	SUBPANEL, 27"H X 2,SUBPANEL, 27"H X 21"W X 0.88"D SAGINAW P/N SCE-30P24 OR EQUAL	9B 5925	N	-	1/EA	3.2
136	3	3	M	CIRCUIT BREAKER,POWERPACT B CIRCUIT BREAKER, 480V, 100A, 3-POLE, 14KA	9B 5925 001999548	N	5239B022	3/EA	3.2
137	4	3	M	CIRCUIT BREAKER,POWERPACT B CIRCUIT BREAKER, 480V, 60A, 3-POLE, 14KA	9B 5925 017136953	N	5237B126	1/EA	3.2
138	5	3	M	PIN & SLEEVES MECH I,PIN & SLEEVES MECH INTERLOCK RECPT W/BOX, 480, 100A, 3PH, 5W EATON P/N CD5100MI7W OR EQUAL (RCPT AH5100R7W INCLUDED)	9B 5925	N	-	3/EA	3.2

Ship/HULL NO.	Ship/HULL NAME	JON:	ICN:	Rev:	Key Op:
YON-285	BARGE		89MVA15006	-	A01

TITLE:

SHIPALT 125D Electrical Modification; accomplish

MATERIAL LIST

ITEM NO.	PC NO.	REF NO.	M/C	DESCRIPTION	STOCK NUMBER	HAZ MAT	DOC NO.	QTY /UNIT	PARA NO.
139	6	3	M	ELECTRICAL ENCLOSURE,ELECTRICAL ENCLOSURE, 24"H X 24"W X 10"D, NEMA 4X SAGINAW P/N SCE-24EL2410SS6LP OR EQUAL	9B 5925	N	-	1/EA	3.2
140	7	3	M	SUBPANEL, 21"H X 21",SUBPANEL, 21"H X 21"W X 0.88"D SAGINAW P/N SCE-24P24 OR EQUAL, USE W/ ITEM 5	9B 5925	N	-	1/EA	3.2
141	8	3	M	CIRCUIT BREAKER,POWERPACT B CIRCUIT BREAKER, 240V, 20A, 3-POLE, 14KA	9B 5925 000084412	N	5237B128	2/EA	3.2
142	9	3	M	DIN RAIL, 35X15 MM, ,DIN RAIL, 35X15 MM, 1.5MM THICK, PREPUNCHED SCHNEIDER ELECTRIC P/N NSYSDR200D OR EQUAL	9B 5925	N	-	2/EA	3.2
143	10	3	M	FEED THROUGH TERMINA,FEED THROUGH TERMINAL BLOCK, 150A MAX, GRAY SCHNEIDER ELECTRIC P/N NSYTV352 OR EQUAL	9B 5925	N	-	8/EA	3.2
144	11	3	M	FEED THROUGH TERMINA,FEED THROUGH TERMINAL BLOCK, 50A MAX, GRAY SCHNEIDER ELECTRIC P/N NSYTRV62 OR EQUAL	9B 5925	N	-	4/EA	3.2
145	12	3	M	TERMINAL BLOCK END B,TERMINAL BLOCK END BARRIER, GRAY SCHNEIDER ELECTRIC P/N NSYTRAC22 OR EQUAL	9B 5925	N	-	2/EA	3.2
146	13	3	M	TERMINAL BLOCK END B,TERMINAL BLOCK END BRACKET, FOR 35MM DIN RAIN SCHNEIDER ELECTRIC P/N NSYTRAAB35 OR EQUAL	9B 5925	N	-	4/EA	3.2

Ship/HULL NO.	Ship/HULL NAME	JON:	ICN:	Rev:	Key Op:
YON-285	BARGE		89MVA15006	-	A01

TITLE:

SHIPALT 125D Electrical Modification; accomplish

MATERIAL LIST

ITEM NO.	PC NO.	REF NO.	M/C	DESCRIPTION	STOCK NUMBER	HAZ MAT	DOC NO.	QTY /UNIT	PARA NO.
147	14	3	M	QO LOAD CENTER, 208Y,QO LOAD CENTER, 208Y/120VAC, 3Ø, 4W, 125A MLO, 12-POLE SCHNEIDER ELECTRIC P/N QO312L125GRB OR EQUAL	9B 5925	N	-	1/EA	3.2
148	1	4	M	CKT BRKR, 15A, 1-POL,CKT BRKR, 15A, 1-POLE, 120V, PLUG-IN P/N QO115	9B 5925 SA2505074	N	5357E703	3/EA	3.2
149	16	3	M	GROUND-FAULT INDICAT,GROUND-FAULT INDICATOR LITTLEFUSE P/N PGR-3100 SERIES OR EQUAL	9B 5925	N	-	1/EA	3.2
150	17	3	M	XFMR, ISOL, 208/120V,XFMR, ISOL, 208/120V, 3KVA, NEMA 3R ENCLOSURE HAMMOND P/N Q003YEKF OR EQUAL	9B 5925	N	-	3/EA	3.2
151	18	3	M	CABLE GRIP FOR 0.528,CABLE GRIP FOR 0.528" DIAMETER CABLE 70095K71	9B 6145 SA2505026	N	6023E330	2/EA	3.2
152	19	3	M	CABLE GRIP FOR 1.27",CABLE GRIP FOR 1.27" DIAMETER CABLE 70095K75	9B 6145 SA2505027	N	6023E331	4/EA	3.2
156	23	3	M	CABLE IDENTIFICATION,CABLE IDENTIFICATION TAGS	9B 7690	N	-	100/EA	3.2
157	-	3	M	CABLE, TY, LSZH, 5 C,CABLE, TY, LSZH, 5 CORE #2 AWG/35MM2, CONTINUOUS LENGHT TRICAB PN BVA-PFXD/5C35	9B 6145	N	-	950/FT	3.2
158	-	3	M	CABLE, TY, LSZH, 5 C,CABLE, TY, LSZH, 5 CORE #2 AWG/4MM2, CONTINUOUS LENGHT TRICAB PN BVA-PFXD/5C4	9B 6145	N	-	440/FT	3.2
159	-	3	M	CABLE,POWER,ELECTRI, CABLE, LSTSGU-23	9B 6145 012019500	N	5237B129	170/FT	3.2

Ship/HULL NO.	Ship/HULL NAME	JON:	ICN:	Rev:	Key Op:
YON-285	BARGE		89MVA15006	-	A01

TITLE:

SHIPALT 125D Electrical Modification; accomplish

MATERIAL LIST

ITEM NO.	PC NO.	REF NO.	M/C	DESCRIPTION	STOCK NUMBER	HAZ MAT	DOC NO.	QTY /UNIT	PARA NO.
160	-	3	M	CABLE,POWER,ELECTRI, CABLE, LSTSGU-3	9B 6145 012019516	N	5237B130	30/FT	3.2
161	1	4	M	CKT BRKR, 15A, 1-POL,CKT BRKR, 15A, 1-POLE, 120V, PLUG-IN P/N QO115	9B 5925 SA2505074	N	5357E704	1/EA	3.2
162	2	4	M	CKT BRKR, 20A, 1-POL,CKT BRKR, 20A, 1-POLE, 120V, PLUG-IN P/N QO120	9B 5925 SA2505076	N	5357E705	1/EA	3.2
163	3	4	M	FIXTURE,LIGHTING,OVHD LIGHT FIXTURE, FURN W/ CABLE	9B 6210 011336655	N	5237B132	2/EA	3.2
164	4	4	M	CONNECTOR,RECEPTACL,RECEPTACLE, DUPLEX, NEMA 5-20R, 125V	9B 5935 004431016	N	5237B133	4/EA	3.2
165	5	4	M	PLATE,WALL,ELECTRIC, RECEPTACLE COVER	9B 5975 001881164	N	5237B134	4/EA	3.2
166	6	4	M	SWITCH,TOGGLE,SWITCH, TOGGLE, DPST, 20A, SYM 780.5	9B 5930 009430260	N	5237B136	1/EA	3.2
167	7	4	M	PLATE,WALL,ELECTRIC, COVER FOR SYM 780.5	9B 5975 005014924	N	5237B137	1/EA	3.2
168	8	4	M	JUNCTION BOX,CONN BOX, 4 X 2-1/8 X 2-1/8, SYM 406.2	9B 5975 002845827	N	5237B138	5/EA	3.2
169	9	4	M	JUNCTION BOX,CONN BOX, 4 X 4 X 2-1/8, SYM 406.1	9B 5975 001948877	N	5237B139	2/EA	3.2
170	10	4	M	COVER,JUNCTION BOX,COVER FOR SYM 406.1	9B 5975 002810056	N	5237B140	2/EA	3.2
171	11	4	M	EMERGENCY LIGHTING U,EMERGENCY LIGHTING UNIT (120V), NEMA 4X LITHONIA P/N INDURA MODEL INX618 OR EQUAL	9B 5925	N	-	1/EA	3.2
173	-	4	M	CABLE,POWER,ELECTRI, CABLE, LSDSGU-4	9B 6145 012022795	N	5252B021	60/FT	3.2
174	-	4	M	CABLE,POWER,ELECTRI, CABLE, LSDSGU-9	9B 6145 012022796	N	5237B141	120/FT	3.2
175	-	4	M	CABLE,POWER,ELECTRI, CABLE, LSFSGU-4	9B 6145 012102344	N	5252B004	30/FT	3.2

Ship/HULL NO.	Ship/HULL NAME	JON:	ICN:	Rev:	Key Op:
YON-285	BARGE		89MVA15006	-	A01

TITLE:

SHIPALT 125D Electrical Modification; accomplish

MATERIAL LIST

ITEM NO.	PC NO.	REF NO.	M/C	DESCRIPTION	STOCK NUMBER	HAZ MAT	DOC NO.	QTY /UNIT	PARA NO.
176	1	5	M	CABLE GRIP SUPPORT,SUPPORT GRIP, MID-CABLE, CORROSION RESISTANT, CABLE: 1"-1.25" 70095K74	9B 6145 SA2505028	N	6023E332	2/EA	3.2
177	2	4	M	CKT BRKR, 20A, 1-POL,CKT BRKR, 20A, 1-POLE, 120V, PLUG-IN P/N QO120	9B 5925 SA2505076	N	5357E706	3/EA	3.2
178	2	6	M	CONNECTOR,RECEPTACL,RECEPTACLE, WTRTT, 120V, PLUG-IN	9B 5935 014257727	N	5239B023	10/EA	3.2
179	3	6	M	STUFFING TUBE,STUFFING TUBE, DECK, SIZE C, SYM 1764	9B 5975 010149937	N	5237B142	17/EA	3.2
179	3	6	M	STUFFING TUBE,STUFFING TUBE, DECK, SIZE C, SYM 1764, MS24235/17-064	9B 5975	N	-	6/EA	3.2
180	4	6	M	STUFFING TUBE,STUFFING TUBE, BULKHEAD, SIZE C, SYM 1703	9B 5975 010149928	N	5237B143	16/EA	3.2
183	-	6	M	CABLE,POWER,ELECTRI, CABLE, LSDSGU-9	9B 6145 012022796	N	5237B144	1210/FT	3.2
201	-	-	M	ELECTROD,WELDING ROD, 7018M, SMAW, 3/32"DIA X 14"LG, 10LB/CN, MIL-E-22200/10, P/N: 255014102 CERTIFICATION IS NOT REQUIRED.	9G 3439 SA4742861	N	6016E901	3/CN	3.1
202	-	-	M	ELECTROD,WELDING ROD, 7018M, SMAW, 1/8"DIA X 14"LG, 10LB/CN, MIL-E-22200/10, P/N: 255014110 CERTIFICATION IS NOT REQUIRED	9G 3439 SA4742863	N	6016E903	3/CN	3.1