DEPARTMENT OF THE AIR FORCE
HEADQUARTERS AIR FORCE SUSTAINMENT CENTER (AFMC)
TINKER AIR FORCE BASE OKLAHOMA

23 July 2026

MEMORANDUM FOR RECORD

SUBJECT: Item Description, P26-170 Overhead Door (Modified COTS)

1. The 76th PMXG is requesting utilization of funds for the purchase of a Modified Commercial Off-The-Shelf (COTS) motor-operated rolling overhead door.

2. The requested equipment item descriptions/specifications are outlined below.

a. The requested equipment is a direct replacement that must integrate with the existing facility infrastructure. The replacement rollup door must provide the exact form, fit, and function of the original component to ensure the specialized maintenance facility can be returned to its designed operational capacity.

b. Modified COTS motor-operated rolling overhead door

(1) Delivery Only, No Installation Required

(2) Quantity: One (1)

(3) Technical Specifications:

(a) Motor Operated Rolling Door

(b) Door Opening 24' x 23'- 8"

(c) Left hand Drive

(d) Accessory module – Relay

(e) 3 HP/460 Volt 3Phase Opener

(f) Curtain: 20 GA Steel

(g) Paint: Gray, Primed

(h) End Locks: Variable Frequency Wind Lock

(i) Bottom Bar: Double Angle, Steel, Powder Coat-Black

(j) Round Hood: 24 GA. Steel, Gray, Primed

(k) Guides: Steel, Powder Coat-Black

(l) Bracket: 5/16" Steel, Heavy Duty Bearings, Powder Coat Black

(m) Pipe 1 3/4" Drive Shaft, 50,000 Cycles Springs, heavy duty bearings

(n) Design Pressure: 20 PSF

3. Mandatory Industry Day/Site Visit

a. Attendance at the Government-hosted Industry Day/Site Visit is a mandatory prerequisite for submitting a proposal on this requirement.

b. Vendors must physically measure the existing opening and assess all surrounding facility constraints to ensure any proposed solution can comply with the "form, fit, and function" requirements outlined in Paragraph 2a without requiring structural modifications.