The Centers for Disease Control and Prevention (CDC), National Institute for Occupational Safety and Health (NIOSH), Spokane Mining Research Division (SMRD), hereby announces its intent to award and issue a sole source order/contract, firm-fixed price purchase order to Bruker AXS LLC, 5464 East Cheryl Parkway, Madison, WI, 53711-5373.

Bruker AXS LLC is the only vendor who can provide the preventive maintenance and service on the Bruker D2 PHASER (XRD) and Bruker S2 PUMA (XRF) and the only vendor capable of providing full-service support, including pre-inspection, preventive maintenance, performance verification, and repair services. Bruker AXS LLC is the only vendor to have access to proprietary diagnostic software, firmware updates, and/ or Original Equipment Manufactured (OEM) certified replacement parts required to maintain system functionality and performance. Bruker AXS LLC is the sole source provider for the sales, installation, and support of Bruker manufactured instrumentation. The technology developed and supplied by Bruker is proprietary and is protected by patents and copyrights.

The Bruker Labscape Maintenance Service Agreement for the Bruker D2 PHASER (XRD) and the Bruker S2 PUMA (XRF) includes but not limited to Bruker Software Updates, Planned Maintenance (unlimited labor and travel included), Planned Maintenance Parts, Repair Parts, Anodes (X-ray sources), and a 10% discount.

This contract action is for a service which the Government intends to solicit and negotiate with only one source under the authority of FAR 6.103-1(b) and 10 U.S.C. 3204(a)(1) or 41 U.S.C. 3304(a)(1). The NAICS code for this acquisition is 811210 – Electronic and Precision Equipment Repair and Maintenance. Interested vendors that believe they can meet these requirements are encouraged to identify themselves and give written notice by providing a capability statement to the Contracting Specialist by August 22, 2026. The Contracting Specialist will not respond to verbal request. All requests must be in writing.

This is not a request for competitive quotations; however, the Government will review any/all product, capabilities, and pricing information submitted prior to the closure of this notice. A determination by the government not to compete this proposed contract based upon responses to this notice is solely within the discretion of the government. Information received will normally be considered solely for the purpose of determining whether to conduct a competitive procurement.

Any responses must be emailed to Felipe Cardenas (CS) at tpp5@cdc.gov.