ATOSA USA, INC.
Toll Free: 855-855-0399 Email: info@atosausa.com
www.atosa.com | www.atosausa.com
California, Colorado, Florida, Georgia, Illinois,
New Jersey, Ohio, Texas, Washington

"WE MAKE THE KITCHEN BETTER!"

SPECIFICATIONS

Models	Door	Capacity (Cu.Ft.)	Shelves	Casters (inch)	Amps (A)	Voltage (V/Hz/Ph)	HP	Refrigerant	Exterior Dimensions (inch)	Net Weight (lbs)	Gross Weight (lbs)
MSF8301GR	1	7.2	1	2	2.3	115/60/1	1/7	R290	$27^{1/2}\times30\times41^{3/8}$	159	196
MSF3610GR	2	8.7	2	2	2.3	115/60/1	1/7	R290	$36^{5/16}\times30\times41^{3/8}$	173	227
MSF8302GR	2	13.4	2	2	2.3	115/60/1	1/7	R290	$48^{1/5}\times30\times41^{3/8}$	231	276
MSF8303GR	2	17.2	2	2	2.8	115/60/1	1/5	R290	$60^{1/5}\times30\times41^{3/8}$	271	320
MSF8304GR	3	21.1	3	2	2.8	115/60/1	1/5	R290	$72^{7/10}\times30\times41^{3/8}$	317	379

PLAN VIEW

MSF8301GR



MSF3610GR



MSF8302GR



SIDE VIEW



MSF8303GR





MSF8304GR





Stainless steel pan liner

Concentrated airflow design for even distribution of airflow around pans

Unmatched cabinet airflow design

Locking divider bars



Atosa is continuously improving products. Specifications are subject to change without notice.

ATOSA CATERING EQUIPMENT INC.

"WE MAKE THE KITCHEN BETTER!"

Toll Free: 855-855-0399 Email: info@atosausa.com
www.atosa.com / www.atosausa.com
California, Colorado, Florida, Georgia, Illinois, Massachusetts, New Jersey, Ohio, Texas, Washington

Stainless Steel Over Shelf



Standard Features

- 18 Gage Stainless steel double shelf
- Under shelf can be adjusted to desired height
- Three sizes over shelves can fit Atosa 48", 60" and 72" sandwich prep refrigerator
- Top and bottom shelves are sound deadened
- Stainless steel support pipe
- Easy to assemble
- NSF approval

SPECIFICATIONS					
Model	**Size (DxWxH)**	**Material**	**Packing Size**	**Net Weight**	**Gross Weight**
MROS-4RE	12.8"x48 1/4"x33"	SUS430 Gauge 18	345X1245X96	11.9 lbs	26 lbs
MROS-5RE	12.8"x60 1/4"x33"		345X1550X96	14.2 lbs	31 lbs
MROS-6RE	12.8"x72 5/8"x33"		345X1865X96	16.5 lbs	36 lbs

PLAN VIEW





OVERSHELF ON UNIT

Project _____

Item # _____

Quantity _____

Electric Strip Heaters

Models: ESH-24, ESH-36, ESH-48, ESH-60, and ESH-72

Designed with a tubular sheath heating element, this premium quality electric strip heater provides constant, even, and reliable infrared heating making it ideal for use in use in pass-through stations or under shelf installations.

ESH-24

ESH-36

ESH-48

ESH-60

ESH-72

Standard Features

- Heavy-duty one piece extruded aluminum body for durability and cleanliness
- Tubular sheath heating element provides constant, even, reliable infrared heating
- Aluminum heat reflectors with focused heat pattern to maximize holding times
- Includes undermount bracket set with screws and hanging chains
- Toggle on/off switch control for simple operation
- 70" (178mm) long cord & plug
- 180 degree full view indicator light
- One year parts and labor warranty

For California Customers

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Headquarters: 888-946-2682
Showroom: 786-536-4656

equipsales@wincous.com

www.wincous.com

- **Lodi, New Jersey**
- **Miami, Florida**
- **Las Vegas, Nevada**

Electric Strip Heaters

Models: ESH-24, ESH-36, ESH-48, ESH-60, and ESH-72



ESH-24



ESH-36



ESH-48



ESH-60



ESH-72

Headquarters: 888-946-2682
Showroom: 786-536-4656
equipsales@wincous.com
www.wincous.com
Lodi, New Jersey
Miami, Florida
Las Vegas, Nevada

Electric Strip Heaters

Models: ESH-24, ESH-36, ESH-48, ESH-60, and ESH-72

MODEL	DESCRIPTION	OVERALL DIMENSIONS			VOLTS	HZ	WATTS	AMPS	PLUG	SHIP WEIGHT
		LENGTH	DEPTH	HEIGHT						
ESH-24	24"L	24-1/4" (616mm)	6" (153mm)	2-9/16" (67mm)	120	50/60	500	4.2	NEMA 5-15P	11 lbs (5 kgs)
ESH-36	36"L	36" (915mm)					750	6.3		15.4 lbs (7 kgs)
ESH-48	48"L	48" (1220mm)					1000	8.3		17.6 lbs (8 kgs)
ESH-60	60"L	60" (1524mm)					1400	12		22 lbs (10 kgs)
ESH-72	72"L	72" (1829mm)					1800	15		24.3 lbs (5 kgs)

Cord Location

On strip heater side facing rear

Plug Configuration

NEMA 5-15P



Product Specs

Electric Strip Heaters

The Electric Strip Heaters models ESH-24, ESH-36, ESH-48, ESH-60, and ESH-72 as manufactured by Winco®, Lodi, NJ 07644

The Electric Strip Heater model ESH-24 shall be rated at 500 Watts, model ESH-36 at 750 Watts, model ESH-48 at 1000 Watts, model ESH-60 at 1400 Watts, and model ESH-72 at 1800 Watts. All models shall be rated 120V~50/60Hz/1 and supplied with a 70" (178mm) cord and NEMA 5-15P plug. Units body shall be constructed of heavy-duty one piece extruded aluminum for durability and cleanliness, have tubular sheath heating element providing constant, even, reliable infrared heating, and be equipped with pre-focused aluminum heat reflectors and includes undermount bracket set with screws and hanging chains.

ETL listed for safety (Canada & US) and sanitation.

Warranty consists of one year parts and labor.

Headquarters: 888-946-2682
Showroom: 786-536-4656
equipsales@wincous.com
www.wincous.com
Lodi, New Jersey
Miami, Florida
Las Vegas, Nevada

ELECTRIC STRIP HEATERS

Designed with a tubular sheath heating element, these premium quality electric strip heaters provide constant, even, and reliable infrared heating. Undermount and freestanding options available.

- Heavy-duty one piece extruded aluminum body for durability and cleanliness
- Aluminum heat reflectors with focused heat pattern to maximize holding times
- On/off toggle switch and 180° full view indicator light for easy operation

ESH-24

ESH-36

Shown with undermount bracket and hanging chain

Heating element

Indicator light and toggle switch

Built-in plug

ESH-SERIES

UNDERMOUNT ELECTRIC STRIP HEATERS

- Ideal for pass-through stations or under shelf installations
- Each unit includes undermount bracket set w/screws and hanging chains

ITEM	OVERALL DIMENSIONS L" X D" X H" (mm)	POWER	PLUG & CORD	SHIP WEIGHT
ESH-24	24 x 6 x 2-9/16 (610 x 153 x 67)	120V~50/60Hz, 500W, 4.2A	NEMA 5-15P 70" (178cm) long cord	11 lbs (5 kgs)
ESH-36	36 x 6 x 2-9/16 (915x 153 x 67)	120V~50/60Hz, 750W, 6.3A		15.4 lbs (7 kgs)
ESH-48	48 x 6 x 2-9/16 (1220x 153 x 67)	120V~50/60Hz, 1000W, 8.3A		17.6 lbs (8 kgs)
ESH-60	60 x 6 x 2-9/16 (1524x 153 x 67)	120V~50/60Hz, 1400W, 12A		22 lbs (10 kgs)
ESH-72	72 x 6 x 2-9/16 (1829x 153 x 67)	120V~50/60Hz, 1800W, 15A		24.3 lbs (11 kgs)

ITEM	DESCRIPTION	UOM	CASE
ESH-24	24"L	Set	1
ESH-36	36"L	Set	1
ESH-48	48"L	Set	1
ESH-60	60"L	Set	1
ESH-72	72"L	Set	1

ESH-1-HB

ESH-1

FREESTANDING ELECTRIC STRIP HEATER

- Heavy-duty steel stand with powder-coated painted exterior and rust resistant interior coating
- Stand adjusts to three heights above work surface to control heat intensity

ITEM	OVERALL DIMENSIONS L" X D" (mm)	ADJUSTABLE HEIGHT" (mm)	POWER	PLUG & CORD	SHIP WEIGHT
ESH-1	26-1/8 x 14-1/4 (664 x 362)	18 (457mm) 20-5/8 (524mm) 22-7/8 (581mm)	120V~50/60Hz, 500W, 4.2A	NEMA 5-15P 70" (178cm) long cord	6.61 lbs (3 kgs)
	STRIP HEATER ONLY L" X D" X H" (mm)				
	24-1/4 x 6 x 2-9/16 (616 x 153 x 67)				

ITEM	DESCRIPTION	UOM	CASE
ESH-1	Electric Strip Heater, Steel	Set	1
ESH-1-HB	Hanging Bracket for ESH-1	Each	1

UNIVERSAL DUMP STATION PAN HOLDERS

UNIVERSAL DUMP STATION PAN HOLDERS

- Utilize with heat lamps for cohesive presentation
- Accommodates 2-1/2" and 4" deep pans

ITEM	DESCRIPTION	UOM	CASE
EHL-PH-B	Black, Fits EHL-3C	Each	1/6
EHL-PH-G	Gray, Fits ESH-1, EHL-2 & EHL-2C	Each	1/6

EHL-PH-B

EHL-PH-G

New Item

U0004

Only

$1,559.00

4 interest-free payments of **$389.75** Prequalify ›

Credit Key

Discounted shipping with

1 Add to Cart

Earn up to $46.77 back (4,677 points)
with a Webstaurant Rewards Visa® Credit Card

Wish List Rapid Reorder

Job:_____ Item#_____ U0005

SOUTHBEND Since 1898

MIDDLEBY

ULTIMATE RESTAURANT RANGE

60" SERIES

Configure your own
custom spec sheet and model number at
www.BuildMyRange.com.
Refer to AutoQuotes for list pricing.

4601DD
(shown with optional casters)

Kitchen Innovations KI 2010 AWARD

Standard Features

- Commercial gas range 60-3/4" wide with a 37" high cooking top
- 4" Stainless steel front rail, stainless steel front and sides
- Front located manual gas shut-off to entire range
- One year No Quibble, 24/7 parts and labor warranty
- Factory installed Regulator
- Four (4) removable, cast iron grate tops (rear holds up to 14" stock pot)
- Standing pilot for open top burners
- Battery spark ignition for oven bases

Optional 33K Non-clog Burners (Burner Option 1)
- (10) patented, one piece, lifetime clog free, cast iron burners
- 33,000 BTU NAT

Optional Wavy Grates (Burner Option 2)
- Cast bowl design for better efficiency
- Allows full use of entire range top
- Available only with 27K BTU Non-clog burners

Optional Cast Iron Star/Saute' Burners (Burner Option 3)
- (10) 33,000 BTU NAT star burners
- Port arrangement allows for even distribution of flame

Optional Split Burner Configuration (Burner Option 4)
- (5) star/saute' burners in front and (5) standard 33K burners in rear

Optional 5 Burner Configuration (Burner Options 5 and 6)
- Combine (2) Pyromax burners in the rear with either (3) standard 33K burners (Opt 5) or (3) star 33K burners (Opt 6) in the front

Optional Pyromax Burners (Burner Option 7)
- 40,000 BTU NAT
- PATENTED high output, three piece, easy clean Non-clog burner
- Built in port protection drip ring
- Group of 4 burners available

Optional Griddle Top (L or R) or Raised Griddle (R only)
- 1/2" smooth, polished steel griddle plate with raised sides on 24" and 36" wide griddles [available in manual or thermostatic]
- 1" smooth, polished steel griddle plate with raised sides on 48" wide griddles
- Manual or thermostatically controlled
- Raised griddle available 24" only, manual control with under broiler

Optional Charbroiler (L or R)
- 24" or 36" Available
- Removable, cast iron grates

OPTIONS & ACCESSORIES AT ADDITIONAL COST

- ❑ 5" flue riser
- ❑ 10" Flue Riser
- ❑ 3/4" quick disconnect with flexible hose complies with ANSI Z 21.69 (specify 3ft, 4ft, 5ft)
- ❑ Casters-all swivel-front with locks
- ❑ Hot Top plate - plate replaces 2 Open burners
- ❑ Cabinet base doors (No Charge)
- ❑ Various salamander & cheesemelter mounts available. (Please refer to the price list)
- ❑ Extra Oven Racks
- ❑ Rear step up burners
- ❑ Flame Failure available (Contact factory for available model numbers)
- ❑ Battery spark ignition for open tops, charbroilers, griddles and hot tops

CONSTRUCTION SPECIFICATIONS

Exterior Finish: Stainless steel front, sides and shelf standard.

RangeTop:- 27" deep cooking surface. Center-to-center measurements between burners not less than 12", side-to-side or front-to-back. Two (2) removable one piece drip trays are provided under burners to catch grease drippings.

Flue Riser: 22.5" flue riser standard with heavy duty shelf. Optional 5" and 10" flue riser available without shelf. 5" and 10" flue riser not available on 2RR models.

Oven Door: Spring assisted, counterweight door.

Oven Interior: Double sided, full porcelain enamel oven cavity for superior cleanability and corrosion protection. Coved corners for easy cleaning and enhanced airflow eliminating hot/cold spots.

Legs: 6" stainless steel adjustable legs standard (casters optional)

Pressure Regulator: Factory installed.

Standard Oven Models (D)
45,000 BTU NAT oven with standing pilot and thermostat range of 175°F to 550°F (79°C to 288°C). Porcelain enamel interior measuring 14" high x 26" wide x 26.5" deep. Full sized pans fit both ways. One rack with two position side rails.

Convection Oven Models (A):
32,000 BTU NAT convection oven with standing pilot and thermostat range of 175°F to 550°F (79°C to 288°C). Porcelain enamel interior measuring 14" high x 26" wide x 24" deep. Three racks with five position side rails. 1/2 hp, 1710 rpm, 60 cycle, 115V AC, high efficiency, permanent split phase motor with permanent lubricated ball bearings, overload protection and Class "B" insulation. On/Off switch to allow CO base to operate as a standard oven.

Stainless Steel Cabinet (C)

Stainless steel cabinet base. Optional no-charge doors that open from the center.

Available Base Combinations
AA, DD, CC, AD, AC, DC

Approval Notes: _____

1100 Old Honeycutt Road, Fuquay-Varina, NC 27526
(919) 762-1000 www.southbendnc.com
Printed in USA Date:_____

Dimensions shown in inches and (millimeters)



DIMENSIONS

Model	Exterior											Cook Top	Door Opening	Oven Bottom	3/4" Gas Conn.		Electric	
	Width A	Depth B	C	D	E	F	G	H	J	K	L	M	N	O	P*	Q	R	S
460_DD	60.75" (1543)	34.00" (864)	29.75" (756)	31.00" (787)	10.00" (254)	2.75" (70)	59.50" (1511)	22.50" (572)	31.00" (787)	6.00" (152)	-	37.00" (940)	15.50" (394)	13.00" (330)	3.25" (83)	30.25" (768)	-	-
460_AA	60.75" (1543)	42.13" (1070)	29.75" (756)	31.00" (787)	10.00" (254)	2.75" (70)	59.50" (1511)	22.50" (572)	31.00" (787)	6.00" (152)	8.25" (210)	37.00" (940)	15.50" (394)	13.00" (330)	3.25" (83)	30.25" (768)	24.00" (610)	6.00" (152)

Model	Oven Interior			Crate Size			Cubic Volume	Crated Weight
	Width	Depth	Height	Width	Depth	Height		
460_DD	26.00" (660)	26.50" (673)	14.00" (356)	69.00" (1753)	48.00" (1219)	74.00" (1880)	132.3 cu. ft 3.75 cu.m.	1075 lbs. 488 kg.
460_AA	26.00" (660)	24.00" (610)	14.00" (356)					

Dimensions shown in inches and (millimeters)

* Gas Connection will be located on opposite side of optional griddle/charbroiler location (if optional griddle/charbroiler is located on the left, the gas connection will be moved to the right side).

Configure your own custom spec sheet and model number at **www.BuildMyRange.com.** Refer to AutoQuotes for list pricing.

UTILITY INFORMATION

BTUs Each Burner	Std Non-Clog	Star/Sauté	Wavy Non-Clog	Pyromax	(A) Cnv Oven per Cavity	(D) Std Oven per Cavity	Griddle 24"	Griddle 36"	Griddle 48"	CharBroiler 24"	CharBroiler 36"	Raised Griddle/Broiler	Hot Top 12"	Hot Top 24"
Natural	33K	33K	27K	40K	32K	45K	48K	64K	80K	64K	96K	33.5K	24K	48K
LP	24K	24K	24K	31K	30K	45K	48K	64K	80K	64K	96K	33.5K	24K	48K

Gas

- One 3/4", female connection.
- Required Minimum inlet pressure - Natural Gas is 7" W.C
  - Propane Gas is 11" W.C.

Electrical: (for Gas models with convection ovens)

- Standard -115/60/1 furnished with 6' cord with 3-prong plug. Total max amps 5.9 per convection oven base.
- Optional -208/60/1, 50/60/1 phase. Supply must be wired to junction box with terminal block located at rear. Total max amps 2.7.

MISCELLANEOUS

- If using Flex-Hose, the I.D. should not be smaller than 3/4" and must comply with ANSI Z 21.69
- If casters are used with flex hose, a restraining device should be used to eliminate undue strain on the flex hose
- For installation on combustible floors 6" high legs or casters are required. Minimum clearance from combustible construction is 10" on sides and rear for all units except charbroilers. Charbroiler units are for use in noncombustible locations ONLY.
- Rear clearance to noncombustible construction is 10" for charbroilers and 0" for all other tops and bases. Side clearance to noncombustible constructions is 0" on all units.
- Recommended - Install under vented hood
- Check local codes for fire, installation and sanitary regulations.
- If the unit is connected directly to the outside flue, an A.G.A approved down draft diverter must be installed at the flue outlet of the oven.
- Two speed motors are not available on Restaurant Range Convection Ovens.
- CE models come standard with full flame failure and battery spark ignition. Only the 33k non-clog burner and manual griddle tops are available with CE approval.

NOTICE:

Southbend has a policy of continuous product research and improvement. We reserve the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements,

DISCLAIMER

1. **NON-Quarry Tile Floor Policy** – "If installing on any NON-Quarry Tile floor (flooring other than quarry tile, cement or natural stone), contact the factory for installation options as damage due to improper installation is not covered under warranty.
2. **Oversized Cookware Use Policy** – "Oversized cookware is considered anything 12" in diameter or larger. Larger vessels may be used to straddle over open top grates (although efficiency may be lost when doing so). It is highly recommended when using oversized cookware that its use be limited to the rear portion of the range. IF oversized cookware is used on the front potion and hangs over onto the front rail, excessive heat may be driven and trapped in the front rail and can cause premature damage to the components housed there. This is easily avoided by never allowing cookware to overlap the front rail of the range. Electrical and other components housed in this area should see years of performance under normal intended use."
3. **Cleaning Warning** – "DO NOT use sheet pans when cleaning charbroiler. Use of sheet pans reflects too much heat into a non-flued area and causes irreparable damage. Damage due to blocking the charbroiler grates with a sheet pan while the burners are turned on is not covered under warranty."

INTENDED FOR COMMERCIAL USE ONLY.
NOT FOR HOUSEHOLD USE.

U0006

Menu

Search 420,000+ products

plus Unlock Savings with FREE Shipping! › Earn 3% Back* & Save on Plus ›

WebstaurantStore › Restaurant Equipment › Commercial Shelving › Regency Wall Mount Shelving › Regency 18 Gauge Stainless Steel 12" x 48" Solid Wall Shelf

Looking for an upgrade? Dismiss

Best plus

Regency 16 Gauge Stainless Steel 12" x 48" Heavy Duty Solid Wall Shelf

FROM $85.49/Each

★★★★★ (132)

Heavy-duty, 16 gauge 430 stainless steel, supports up to 280 lb.

View Product

Regency 18 Gauge Stainless Steel 12" x 48" Solid Wall Shelf

★★★★★ Read 230 reviews Item #: 600WS1248



Mix & Match Discounts › Quantity Discounts Free Shipping

Buy 5 or more

$42.29/Each

Ships free with

Buy 1 - 4	$46.99/Each

1 Add to Cart

Wish List | Rapid Reorder

Other Available Sizes:

- 12" x 48" ✔
- 12" x 24"
- 12" x 30"
- 12" x 36"
- 12" x 60"
- 12" x 72"
- 12" x 84"
- 12" x 96"

Quick Shipping
Usually ships in **1 business day**

Product Overview

- ✔ 18 gauge stainless steel
- ✔ Includes 2 support brackets (mounting hardware sold separately)
- ✔ 255 lb. capacity
- ✔ Makes the most of unused wall space
- ✔ Easy to clean with no sharp edges

Quality Rating:	Good
UPC Code:	600WS1248

REGENCY™

Space Solutions

View all Regency Space Solutions Regency Wall Mount Shelving

Works With

plus

Regency Stainless Steel Wall Shelf Divider - 12" x 4"
$14.99/Each

1 Add to Cart

Items You Might Like

plus
Regency 24" x 72" NSF Stainless Steel Solid Shelf
$186.99/Each

plus
Regency 18" x 42" NSF Stainless Steel Solid Shelf
$86.99/Each

plus
Regency 18" x 48" 18 Gauge Stainless Steel Solid Wall
$88.49/Each

plus
Regency 18" x 72" NSF Stainless Steel Solid Shelf
$142.49/Each

plus
Regency 12" x 3(16 Gauge Stainle Steel Heavy-Dut
$79.99/Each

For unmatched durability, check out the Regency 18 gauge stainless steel 12” x 48” solid wall shelf.

The Regency 18 gauge stainless steel 12” x 48” solid wall shelf is ideal for the kitchen or back-of-house area in your restaurant. Its durable metal construction makes it easy to clean and resistant to corrosion, so it can withstand use in even the busiest commercial establishment. The wall-mounting support brackets ensure you can keep your most used ingredients and supplies within reach of your prep area.

NSF Listed
This item meets the standards imposed by NSF International, which focuses on public safety, health, and the environment.

★★★★★
"Sturdy shelf that works great for helping make a kitchen more organized. Can be used to place light weight dividers with napkins, lids and such on it, or for heavier equipment storage such as mixers."

Read More Reviews

Stainless Steel Construction

To ensure this shelf can stand up to use in your busy establishment, it's made with durable 18 gauge 430 stainless steel with a #4 finish. The solid welded corners and support brackets have the same finish for consistency.



2 Support Brackets

This shelf comes with 2 support brackets, so you can rest assured that it will remain in place. This design gives you a high 255 lb. weight capacity to hold all your spices, small kitchen appliances, cleaning supplies, or ingredients. These brackets attach easily to the walls using the appropriate installation hardware (hardware sold separately).



No Sharp Edges

All the raw edges are ground smooth, getting rid of any sharp or jagged lines in order to keep your staff members safe.

Easy to Clean

To keep your facility clean and sanitary, this stainless steel shelf is easy to clean and resists corrosion.

Customer Q&A

Ask a Question

- Does this wall-mounted product come with installation hardware?
- What does a #4 finish mean?
- Where can I purchase compatible mounting hardware?

0:00 / 0:41

WATCH MORE VIDEOS

Regency Pass-Through Shelf Installation

Watch this video to learn how to install your Regency pass-through shelf!

More Video Resources ›

Transcript | Embed

Learn how to install your Regency pass-through shelf.

After you make the cutout, place the shelf inside the cutout.

Measure the shelf so that each side hangs evenly over the cutout.

Use a marker to indicate where you will install the bracket, and predrill four screw holes.

Compare to Other Products

	ITEM #: 600WS1248	ITEM #: 600WS1224	ITEM #: 600WS1236	ITEM #: 600WS1260
	Regency 18 Gauge Stainless Steel 12" x 48" Solid Wall Shelf	Regency 18 Gauge Stainless Steel 12" x 24" Solid Wall Shelf	Regency 18 Gauge Stainless Steel 12" x 36" Solid Wall Shelf	Regency 18 Gauge Stainless Steel 12" x 60" Solid Wall Shelf
	plus Free Shipping	plus Free Shipping	plus Free Shipping	plus Free Shipping
PRICE	$46.99/Each	$34.99/Each	$38.99/Each	$53.99/Each
LENGTH	48 Inches	24 Inches	36 Inches	60 Inches

WIDTH	12 Inches	12 Inches	12 Inches	12 Inches
CAPACITY	255 lb.	210 lb.	230 lb.	285 lb.
GAUGE	18 Gauge	18 Gauge	18 Gauge	18 Gauge
MATERIAL	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
TYPE	Wall Shelves	Wall Shelves	Wall Shelves	Wall Shelves

Overall Dimensions:

Length:	48 Inches
Width:	12 Inches
Height:	13 Inches

⚠ Attention CA Residents: Prop 65 Warning ›

Need Parts & Accessories?

View replacements or accessories for this item

Resources and Downloads

Specsheet

Warranty

Care and Maintenance

A PDF viewer is required to view this product's information. Download Adobe Acrobat software

Resources

- NSF International
- How to Clean Stainless Steel
- Different Types of Restaurant Shelving

SPECS	
Quantity	1/Each

Shipping Weight	12.5 lb.
Length	48 Inches
Width	12 Inches
Height	13 Inches
Capacity	255 lb.
Color	Silver
Features	NSF Listed
Gauge	18 Gauge
Material	Stainless Steel
Size	12" x 48"
Style	Solid
Type	Wall Shelves

Related Items

Wall Mount Shelving	Kitchen Timers	Deli Wrap and Bakery Wrap	Disposable Gloves	Stainless Steel Steam Table Pans and Hotel Pans	Spice Storage Containers	Kitchen Hand
734 Products	89 Products	172 Products	59 Products	343 Products	34 Products	30 Categor

Frequently Purchased Together

Regency 18" x 48" NSF Green Epoxy Wire Shelf	Regency 24" x 36" 18-Gauge 304 Stainless Steel Commercial	Regency 16 Gauge Stainless Steel 12" x 24" Heavy Duty Solid	Regency 24" x 48" 18-Gauge 304 Stainless Steel Commercial	Regency 24" x 60" 18-Gauge 304 Stainless Steel Commercial	Regency 30" x 48" 16-Gauge Stainless Steel Equipment Stand with
$21.99/Each	$114.99/Each	$69.99/Each	$204.99/Each	$154.99/Each	$269.99/Each

Customer Reviews

Overall User Rating

4.8 stars from 230 reviews

5 ★	196
4 ★	25
3 ★	7
2 ★	1
1 ★	1

Frequently Mentioned

shelf great price easy shelves kitchen wall stainless install regency

Sort By: Most Helpful | Filter By: All Options | See All 230 Reviews

★★★★★ Size: 12" x 36"

Ryan P. from **Fajita Jax**
Posted on 03/16/2021
Verified Purchase

Strong durable shelf for our food truck. Easy to install. Very strong sturdy shelf. Would highly recommend the shelf. Great for food trucks. And you can install them upside down for food trucks to help keep everything in place.

1 out of 1 found this review helpful

★★★★★ Size: 12" x 48"

Michael J.
Posted on 07/13/2020
Verified Purchase

I actually use this for homebrewing. I first bought this to use as a spice rack in a small apartment kitchen, but misread dimensions and was much too deep for the space. Held onto the item due to the build quality, thinking I'd find a use. We converted the second bedroom into a brewing room and this is a fantastic shelf for storing powders, chemicals, and other brewing adjuncts. The shelf itself is non-flimsy and for the price is hard to beat. Don't forget to buy your own mounting anchors. I did!

1 out of 1 found this review helpful

★★★★★ Size: 12" x 60"

Christopher B. from **KTC's Brain Freeze**
Posted on 03/05/2014
Verified Purchase

After looking at several places to get a folding shelf we went with this one. This is mounted on the outside of our ice cream truck as a serving shelf. Very sturdy and well built. Great price for what you get. We have had it on for over a year and zero issues with the folding brackets.

1 out of 1 found this review helpful

★★★★★ Size: 12" x 36"

Farouk G.
Posted on 10/09/2023
Verified Purchase

This Regency 18 gauge Stainless steel 12 x 36 solid wall shelf is above our smoothie/ açaí station. We fits all our add ons for our açaí's. Easy to clean.

★★★★★ Size: 12" x 36"

Lesley D.
Posted on 09/18/2023
Verified Purchase

These shelf's were exactly what I needed for my outdoor kitchen! They were really easy to put together. They are nice and sturdy, great price, and look amazing!

Size: 12" x 60"

Anthony S.
Posted on 09/09/2023
Verified Purchase

Good wall shelf but definitely not heavy duty, works for what we need but if looking for heavier duty upgrade from this one

Size: 12" x 36"

Onur P.
Posted on 08/31/2023
Verified Purchase

I'm using these shelf as a spice shelf and I'm really happy with this purchase. They are pretty durable and affordable.

Size: 12" x 24"

Troy V.
Posted on 08/04/2023
Verified Purchase

Heavy duty and works good for us.

Size: 12" x 36"

Blanca A.
Posted on 08/04/2023
Verified Purchase

Size: 12" x 36"

Jonathan L.
Posted on 07/25/2023
Verified Purchase

Very happy with this shelf. It was easy to install and quite sturdy..

Size: 12" x 24"

Randall C.

Posted on 07/11/2023

Verified Purchase

The shelf is perfect for my needs. My home kitchen needed a shelf for spices and this fit beautifully above my steel table also from Webstaurant store. Thank you, great price, great quality.

Size: 12" x 36"

Mehdi A.
Posted on 05/24/2023

Verified Purchase

Size: 12" x 36"

Tammy S. from **Che Bello**
Posted on 04/17/2023

Verified Purchase

Great shelf. It's exactly as described. Easy to assemble and put up. Came in great condition. Highly recommend this product, as I would buy again.

Size: 12" x 36"

Mario B. from **Trattoria Di Bernardone**
Posted on 04/05/2022

Verified Purchase

We have these shelves throughout our restaurant, all various sizes. They are extremely durable and super strong. We also use the convenient bar underneath with the hooks for hanging up anything and everything.

Size: 12" x 24"

Elizabeth K.
Posted on 03/03/2022

Verified Purchase

Order was delivered very quickly. The shelf is well made, sturdy, easy to assemble on the wall and wipe down clean. Just what we needed.

Size: 12" x 48"

Hope K. from **Earthly Cafe**
Posted on 04/24/2021

Verified Purchase

We have yet to put anything on these shelves, but they seem sturdy enough. We will be using them for tableware, so I hope they can handle the weight.

Size: 12" x 72"

Shelby D.
Posted on 04/19/2021

Verified Purchase

Excellent kitchen shelf. This unit is very sturdy and was easy to install. It arrived quickly and came with easy to read directions. It is a huge asset to our kitchen.

★★★★★ Size: 12" x 48"

Tessa T. from **The P.G**
Posted on 02/01/2021
Verified Purchase

Needed to replace my windowsills on my espresso stand and these came out looking so fresh and clean. Extremely simple to put together and attach.

★★★★★ Size: 12" x 84"

Jonathan B. from **The Rowdy Texan**
Posted on 12/07/2020
Verified Purchase

I like this product but mine came in bent I called the customer service and they made it right but it did arrive bent up. Otherwise I would give it 5 stars

★★★★★ Size: 12" x 24"

Helen T.
Posted on 08/13/2020
Verified Purchase

Good quality shelf! Very easy to attach to walls. Stainless steel material makes the shelf easy to clean. The brackets make the shelf durable and safe to hold heavy items. Great purchase to save kitchen space!

Customer Photos & Videos

See all

Leave a review of this product!

If you've used this product, log in and leave a review to tell us and other customers what you thought about it.

Login or Register

Find Related Products

nsf stainless steel shelf | stainless steel bins | stainless steel griddle | stainless steel island | stainless steel shelving | stainless steel wall panels

Enter your email to get latest deals & more!

Sign Up

Unlock Savings with FREE Shipping
No commitment, cancel at anytime.
Start saving with Plus

WebstaurantStore App
It's faster & easier in the app.
Learn more about our App

As the largest online restaurant supply store, we offer the best selection, best prices, and fast shipping to keep your business functioning at its best.

Services

Resources

About

Get Quick Help

Help Center

Track my Order

Chat Online

Shipping & Delivery

Terms of Sale

Privacy Policy

Terms of Use

Accessibility Policy

Do Not Sell My Personal Information

© 2023 The WEBstaurant Store, LLC - All Rights Reserved.

Variation ID: