

Statement of Special Inspections

Project Name: Well No. 12 Well Facility

Project Location: 2765 Wayfair St, Fitchburg, WI

Pursuant to section 1704.2.3 International Building Code, this statement of special inspections must be prepared by the applicant acting as the owner's agent. This statement (2-part documents) should be submitted as a condition for plan approval and should include the following:

- **Part I:** A complete list of work requiring special inspections and the required frequency of inspections by sections 1705.1 through 1705.18 International Building Code.
- **Part II:** A list of special inspectors who are qualified and are competent to the particular type of construction or operations. **These special inspectors shall be employed by the Owner or Owner's representative, other than contractor. Submit proper resumes and/or certificates of the special inspectors as required.**

** Please mark "X" on all work items requiring special inspection and the required frequency of inspections for this project per requirements in section 1705 IBC.

PART I: SCHEDULE OF SPECIAL INSPECTIONS				
No.	ITEM	Req'd	Continuous Inspection	Periodic Inspection
1	Structural Observations: (1704.6 IBC)	X		X
2	Steel Construction (1705.2 IBC)			
	▪ Structural steel			X
	▪ Cold form steel deck			X
	▪ Open-web steel joists and joist girders			X
	▪ Cold form steel trusses spanning ≥ 60 feet			X
	▪ Welding and bolting			X
3	Concrete construction (1705.3 IBC)			
	▪ Reinforcement placement	X		X
	▪ Concrete Placement	X	X	
	▪ Material tests	X	X	
	▪ Reinforcing Welding		X	
4	Masonry Construction (1705.4 IBC)			
	▪ Masonry placement	X		X
	▪ Material tests	X		X
5	Wood Construction (1705.5 IBC)			
	▪ High-load diaphragms			X

[illegible]

- Submit the resume of special inspectors for all marked special inspection items in the part I table showing the qualification and/or special training per 1704.1 IBC.

PART II: LIST OF SPECIAL INSPECTORS			
No.	ITEM	Inspection Company	Name of Inspector
1	Structural Observations: (1704.6 IBC)	??	??
2	Steel Construction (1705.2 IBC)		
3a	Concrete construction (1705.3 IBC)	??	??
3b	Concrete Material Testing (1705.3 IBC)	??	??
4a	Masonry Construction (1705.4 IBC)	??	??
4b	Masonry Material Testing (1705.4 IBC)	??	??
5	Wood Construction (1705.5 IBC)		
6	Soils (1705.6 IBC)	??	??
7	Driven Deep Foundation (1705.7 IBC)		
8	Cast-In-Place Deep Foundation (1705.8 IBC)		
9	Helical Pile Foundation (1705.9 IBC)		

10	Fabricated items (1705.11 IBC)		
11	Wind resistance (1705.12 IBC)		
12	Seismic resistance (1705.13 IBC)		
13	Testing for seismic resistance (1705.14 IBC)		
14	Sprayed fire-resistant materials (1705.15 IBC)		
15	Mastic & intumescent fire- resistant coatings (1705.16 IBC)		
16	EFIS system (1705.17 IBC)		
17	Fire-resistant penetrations & joints (1705.18 IBC)	??	??
18	Testing for smoke control system (1705.19 IBC)		

The above statement of special inspections has been prepared by the applicant in accordance with the provision of section 1704.3 International Building Code 2021.

The project registered design professional in responsible charge is responsible for reviewing and approving the special inspection reports submitted by the special inspectors at the required inspection periods. Any discrepancies in special inspection reports shall be brought to the attention of the building official. A final special inspection report documenting required special inspections and tests, and corrections of any discrepancies noted in the inspections or tests shall be submitted at a point of time agreed upon with the building official prior to the issuance of the certificate of occupancy.

Project Applicant:

?? Name of Applicant: ???
Name of Company: Strand Associates, Inc.

Signature: _____
Date: _____

Property Owner:

??	Name of Owner:	Tracy Foss
	Name of Company:	City of Fitchburg
	Signature:	
	Date:	